

VERDEN


24



SCAN TO VIEW THE BIGGEST RANGE IN AUSTRALIA

2025

SPECIA







ABN: 66 640 439 149

▲ 1800 750 500★ www.verdex.com.au

Brisbane (07) 3558 9700 42 Mineral Sizer Court, Narangba QLD 4509 sales@verdex.com.au


Sydney (02) 8865 1800

23 Hawthorne Avenue, Marsden Park NSW 2765 sales@verdex.com.au

Melbourne (03) 9115 9100 43 Zenith Road, Dandenong South VIC 3175 sales@verdex.com.au

Adelaide (08) 8166 5151

16 Waverley Ave, Edwardstown SA 5039 sales@verdex.com.au



CATALOGUE OUT NOW Scan to view our full range online



V-Cart Folding Plastic & Aluminium Trolley




VERDEX

Panel Cart with Adjustable Load Bars

A-Frame Trolleys

- The Panel Cart is ideal for moving long/bulky products Bars can be set at different spacing so that a variety of different sized products can be transported • 160mm Polyurethane castors: 2 x fixed & 2 x swivel with brakes Supplied standard with 2 load bars, but can be fitted with up to 5 bars at once Wheels can be Range of accessories configured as available to suit standard or Load capacity: 1000kg centered* Base height: 240mm • Overall size (LxWxH): 1250x700x1050mm Zinc finish • Unit weight: 47.5kg See online for additional accessories* ПГ
- The A frame panel trolley is ideal for transporting bulky items An option to purchase trolley with trestle racks, so that long
 - product can be stored at different heights Supplied with trestle racks
 - Polyurethane castors: 2 x fixed & 2 x swivel with brakes
 - Castors: 160mm
 - Zinc finish .
 - Load capacity: 1000kg
 - Base height: 240mm
 - Overall size (LxWxH): V1295: 1250x700x1350mm V1295K: 1250x700x1350mm Unit weight:
 - V1295: 55.5kg V1295K: 60.5kg



Code	Details	WAS	NOW
V1295	A Frame Panel Cart	\$713	\$640
V1295K	A Frame Panel Cart with Trestle Racks	\$795	\$715

V1295



	- ANT	
Code	WAS	NOW
V1293	\$885	\$795
·		

V1295K



Multi Purpose 2 Tier Trolley

- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolleys
- Ergonomically designed with handle at optimum height
- Load capacity: 370kgPolyurethane castors:
- 2 x fixed & 2 x swivel
- Shelf size: 920x620mm
 Shelf heights: 180+780mm
- Unit weight: 27kg



Code	WAS	NOW
V1021	\$485	\$435

Extra Large Platform Trolley (with cage)



Code WAS NOW V1032 \$856 \$770



Multi Purpose Cage Trolley

- Features fold down sides for easy loading & unloading
- Powder coated steel
- construction with vinyl platform
- Surround bumper on perimeter of trolley
- Load capacity: 370kgHandle height: 1000mm
- Overall size: (LxWxH)
- 1000x620x1000mm • Platform size: 880x580mm
- Platform height: 190mm125mm polyurethane
- I25mm polyurethane castors: 2 x fixed & 2 x swivel
 Erappeniagly designed with
- Ergonomically designed with handle at optimum height
- Unit weight: 27kg

Code	WAS	NOW
V1031	_\$489	\$440

2 Tier Plastic Utility Cart (with ergonomic handle)

- Designed for versatile & efficient transportation of goods in various settings
- Material: Polypropylene
 125mm castors:
- 2 x fixed & 2 x swivel • Load capacity: 250kg
- Load capacity: 250kg
 Overall size (LxWxH):
- 1110x650x990mm • Tray size (LxWxD):
- 920x625x70mm • Handle height: 990mm • Platform heights:
- 150+850mm
- Unit weight: 22.4kg



Code	WAS	NOW
V1415	\$387	\$346

Extra Large Platform Trolley Engineered for durability & performance Heavy duty castors Powder coated steel frame & handle with vinyl decks Surround bumper on VERDEX perimeter of trolley Back wheels are fixed castors & front wheels are swivel castors Load capacity: 650kg Castor size: 200mm Handle height: 1035mm Platform size: 1125x720mm Platform height: 245mm Overall size (LxWxH): 1180x765x1035mm Unit weight: 40kg Code WAS NOW V1015 \$759 \$682



3 Tier Utility Service Trolley

- The 3 Tier Utility Cart is designed to offer durability, stability & ease of maneuverability for various applications
- Heavy duty plastic construction
- Polypropylene handles with aluminium frames Non-marking castors
- (2 locking castors) Load capacity: 180kg
- Overall size (LxWxH): 810x500x970mm
- Castors: 100mm
- Shelf size: 615x450mm
- Unit weight: 10kg



Code	WAS	NOW
V1452	_\$249	\$224

Triple Deck Tool Cart

- Single drawer with ball bearing sliders & quick return system
- Hooks sold seperately Side can holder & tray
- supplied
- Plastic construction, aluminium posts & steel back panel
- Load capacity: 250kg
- Drawer depth: 80mm
- . 100mm rubber castors: 2 x swivel & 2 x swivel with brakes
- Shelf size: 680x450mm . Overall size (LxWxH): 900x500x1430mm
- Unit Weight: 25kg



Code WAS V1465 \$549 \$492

Transport Trolley with Storage Basket

- Ideal for transporting large & bulky items on rough ground
- Construction trolley with steel tubular frame & heavy duty plywood base
- · Handy basket for storage of small items
- 2 x 200mm rubber swivel castors with brake 2 x 260mm pneumatic
- fixed centre wheels Load capacity: 500kg
- Platform height: 320mm
- Overall size: (LxWxH)
- 1000x700x1250mm
- Uni

it weight: 36kg			
Code	WAS	NOW	
V1248	_\$615	\$552	

2 Tier Tool Trolley (with drawer)

- Twin drawers with ball bearing sliders & quick return system
- Load Capacity: 250kg
- Top drawer depth: 60mm
- Bottom drawer depth: 80mm
- Rubber castors: 2 x swivel & 2 x swivel with brakes
- Castors: 100mm
- Overall size: (LxWxH) 870x500x950mm
- Internal drawer size (WxDxH): 600x400x45mm
- Shelf Size: 680x450mm Distance between shelves:
- 390mm
- · Unit weight: 20kg



Code	WAS	NOW
V1485	_\$445	\$398

3 Tier Tool Trolley (with drawer)

- 3 Tier Tool Trolley with a drawer offers convenient storage & mobility for tools & equipment
- Single drawer with ball bearing sliders & quick return system
- Load capacity: 250kg
- Drawer depth: 80mm
- Rubber castors: 2 x swivel & 2 x swivel with brakes
- Castors: 100mm
- Shelf size (LxW): 680x450mm
- Overall size (LxWxH):
- 780x500x1010mm Unit weight: 15kg



Code	WAS	NOW
V1460	_\$388	\$348

Heavy Duty Steel Platform Trolley

- Heavy duty steel platform trolleys are ideal for general warehouse use
- Welded steel construction
- Load capacity: 540kg Heavy duty 200mm polyurethane castors
- (front fixed & rear swivel) Durable baked enamel
- paint finish
- 2 x swivel & 2 x fixed
- castors Platform height: 290mm
- Handle height: 970mm
- Overall length: 1020mm
- . Platform size: 920x610mm
- Unit weight: 32kg

Code	WAS	NOW
V1040	_\$435	\$390

Delivering Australia wide daily!



Stainless Steel Instrument Trolley (with rails)

- Designed for medical or laboratory use, providing a sturdy and hygienic platform for equipment and supplies
- High grade 304 grade stainless steel
- 95mm rubber castors: 2 x swivel & 2 x swivel with brakes
- Lockable front castors
- Smooth welding
- Shelf capacity: 80kgDistance between
- shelves: 515mm
 Overall size (WxDxH): 500x500x900mm
- Unit weight: 11kg



Code	WAS	NOW
V1530	\$542	\$487

Stainless Steel Instrument Trolley (with rails)

- Designed to provide durable & efficient storage & transport solutions for medical instruments & supplies in healthcare settings
- High grade 304 grade stainless steel
 95mm rubber castors:
- 95mm rubber castors: 2 x swivel & 2 x swivel with brakes
- Lockable front castors
- Smooth welding
- Shelf capacity: 80kg
- Overall size (WxDxH): 800x500x900mm

Code V1535

Unit weight: 14kg



Stainless Steel Instrument Trolley (with 1 drawer)

- Designed to provide a convenient & hygienic solution for transporting medical instruments & supplies in healthcare facilities
- High grade 304 grade stainless steel
- 95mm rubber castors: 2 x swivel & 2 x swivel with brakes
- Lockable front castorsSmooth welding
- Shelf capacity: 80kg
- Drawer capacity: 25kg
- Overall size (WxDxH):
- 500x500x900mm Unit weight: 17.5kg



Code	WAS	NOW
V1531	_\$694	\$623

Stainless Steel Instrument Trolley (flat top)

- Designed to provide durable & efficient storage & transport solutions for medical instruments & supplies in healthcare settings
- High grade 304 grade stainless steel
- 95mm rubber castors: 2 x swivel & 2 x swivel with brakes
- Lockable front castors
- Smooth weldingShelf capacity: 80kg
- Shelf capacity: 80kg
 Overall size (WxDxH):
- 800x500x900mm
- Unit weight: 14kg



WAS	NOW		Code	WAS	NOW
\$694	\$623		V1548	_\$627	\$564

Stainless Steel Instrument Trolley with 4 drawers



Aluminium Convertable Hand Trolley

- Lightweight Aluminium Convertable Hand Trolley
- Quickly converts from a 2 wheel upright trolley to a 4 wheel platform trolley
- Two wheels load capacity: 200kg
- Four wheels load capacity: 250kg
- Large wheel size: 260mm
 Rubber castor wheel size:
- 125mm • Foot plate size (WxD): 460x180mm
- Vertical dimensions: 500x470x1320mm
- Horizontal dimensions: 1120x500x1030mm
- Unit weight: 17kg

Code	WAS	NOW
V1180	_\$388	\$348



- Industrial quality hand trolleys to suit a variety of applications
- Supplied with appliance strap
- Designed for transporting heavy items & can be maneuvered up & down stairways
- Flat free wheels
- Powdercoated steel frame with poly load protectors
- Load capacity: 350kg
- Wheel size: 150mm
 Foot size (WxD):
- Foot size (WXD): 450x200mm
- Overall size (WxH): 610x1520mm
- Unit weight: 22kg



600x600x1360

700x700x1380

Aluminium Hand Trolley

Engineered for lightweight yet sturdy performance in various load carting tasks Great lightweight hand truck for general load carting Flat free tyres Load capacity: 150kg Castors: 260mm Foot plate size (WxD): 355x180mm Overall size (WxDxH): 520x470x1260mm Unit weight: 10kg

Code	WAS	NOW
V1190	\$269	\$242

· Supplied with an internal load binder to securely fasten both cylinders Fitted with a handle, crane lift point & 400mm diameter air inflated rubber wheels Enamel paint finish Safe working load: 250kg Fork pockets: 165x45mm Fork pocket centres: 480mm Overall size (LxWxH): 882x615x1371mm HGC: 167mm Load centre: 202mm • 1 tonne crane lifting chain sling provided Unit weight: 55kg NOW

Gas Cylinder Trolley Cage

Code	WAS	NOW
V1250	_\$420	\$375



Gas Cylinder Trolleys

V1210:

Code

V1210

V1211


- Ideal for transporting gas cylinders
- Heavy duty solid 200mm rubber wheels
- Supplied with securing chains as pictured
- Load capacity: 200kg
- Suits gas bottles with diameter of 140-250mm
- Distance between foot plate to chain bracket: 800mm v1211:
- Ideal for transporting two gas cylinders
- Supplied with securing chains as pictured
- Load capacity: 200kg
- Heavy duty solid 390mm rubber wheels
- Suits 2 gas bottles with diameter

Details

Single Gas Cylinder Trolley

Double Gas Cylinder Trolley

of 140-250mm





\$657

\$258

\$480

\$231

\$431

17

44

Equipment Roller Skates

- Ideal for linear motion, repetitive movement or use as a built in component in equipment
- Fixed hole pattern for bolt mounting
- The rollers can be used in up down or sideways position
- Load capacity:
- V1350: 750kg | V1355: 2500kg Hole centres A: 64mm
- Hole centres B: 140mm
- Overall size: (LxWxH) V1350: 165x178x80mm V1355: 165x180x90mm Unit weiaht:
- V1350: 5kg | V1355: 10kg





Code	Details	WAS	NOW
V1350	Roller Skates 750kg	\$163	\$145
V1355	Roller Skates 2500kg	_\$198	\$177

280L Plastic Bin Trolley

- Heavy duty rotomoulded bin with 25mm steel tubular frame Castors: 2 x fixed
- & 2 x swivel
- · Load capacity: 400kg
- Overall trolley size including handle: (LxWxH) 1170x730x800mm
- Overall size of bin (LxWxH): 1030x730x600mm
- Internal base dimensions of bin (LxW): 780x500mm Internal top dimensions of
- bin (LxW): 910x615mm
- Wall thickness of bin: 4mm · Material: Polyethylene

Code	Details	Unit Weight (kg)	WAS	NOW
V1270W	280L Plastic Bin & Trolley	28	\$590	\$530
V1272	Plastic Bin Tub	8.5	\$395	\$355

Nestable Basket Trolley

- Ideal for use in supermarkets, liquor & hardware stores
- Top basket can be folded upwards so that multiple trolleys can be nested together when not in use
- Load capacity: 300kg
- 125mm rubber castors: 2 x swivel & 2 x swivel with brakes
- Top shelf capacity: 100kg
- Electro galvanised finish
- Handle height: 1010mm
- Distance between shelves: 430mm Overall size: (LxWxH)
- 870x530x1010mm • Unit weight: 21kg

	•		
Code	WAS	NOW	
V1691	\$509	\$457	

Steerable Load Skates 12 tonne

- The steerable skate can be used to move heavy objects up to 12,000kg
- 1 metre long drawbar for steering The rubber padded
- platform swivels on a thrust bearing allowing easy movement around corners
- Load capacity: 12,000kg Steel wheels (DxW):
- 80x85mm Pad size: 400x220mm . Dimensions (LxWxH):
- 560x585x120mm
- Unit weight: 66kg



WAS	NOW	
\$790	\$710	

Mesh Trolley

- Ideal for use in warehouses, hospitals, schools
- & sporting events etc. Electro galvanised finish
- 100mm Polyurethane castors: 2 x swivel & 2 x swivel with brakes
- Load capacity: 100kg Overall size (LxWxH):
- 830x630x735mm Clearance between
- ground & trolley: approx.125mm Optional lid for
- storing items securely availble online*
- Unit weight: 18kg



Code	WAS	NOW
V1683	_\$399	\$357

Heavy Duty Goods Trolley • Easily collapsible & fitted with a fold-up upper shelf & 270° opening lockable gates Lower shelf height space: 780mm Upper shelf height space: 700mm Lower shelf height: 205mm Upper shelf height: 1010mm Load capacity: 500kg Castors: 125mm Shelf size: 1030x750mm Overall size (LxWxH): 1100x800x1700mm

- Internal size (LxWxH): 1034x740x1506mm
- Powder coated finish
- Unit weight: 90kg

Code

V1091





10000hh

V1272

Mesh Cage Trolley (with sheet metal shelves)

- Durable mesh cage construction with sheet metal shelves
 Kayla shelves
- Key lockableSupplied with 3 steel shelves
- plus the base shelf • Load capacity: 500kg (125kg per shelf, evenly
- distributed) • Castors: 200mm
- Handle height: 950mm
- Shelf size: 1170x730mm
- Shelf heights: 630mm+1040mm+1450mm
 Overall size (LxWxH):
- Mesh size: 50x50mm
- Unit weight: 55kg



Code	WAS	NOW
V1145	_\$1,090	\$980

2 Tier Steel Trolley

- Bolt together construction
- Load Capacity: 300kg
- Reversible top shelf which gives a tray option
 Overall size (LxWxH):
- Overall size (LxWxH):
 1095x660x1050mm
- Handle height: 1050mm
 125mm rubber castors: 2 x fixed & 2 x swivel with brakes
- Shelf size: 960x655mm
- Internal tray size: 905x600
- Base height: 184mm
- Upper shelf height: 875mm
- Distance between shelves: 665mm
- Unit weight: 32.5kg
- See online for optional wheel kit & accessories*



Code	WAS	NOW
V1880	_\$720	\$648

2 Tier Steel Half Height Basket Trolley

ACCESSORIES

TO SUIT

ONLINE

- Mesh basket as top tray with 25mm punch holes
- Load capacity: 300kg
 Overall size (LxWxH):
- Overall size (LXWXH): 1095x660x1050mm
 Basket size (LXWXH):
- Basket size (LXWXH): 905x600x375mm
 Handle beight: 1050mn
- Handle height: 1050mm125mm rubber castors:
- 2 x fixed & 2 x swivel with brakes
- Base height: 184mmUpper level height:
- 530mm • Distance between
- shelves: 313mm
 See online for optional
- See online for optional wheel kit & accessories*

Code	WAS	NOW
V1893	\$796	\$715

Twin Offset Tub Order Picking Trolley

- Bolt together construction
 Heavy duty warehouse twin offset tub order picking trolley which is ideal for order picking & general warehouse applications
- Load capacity: 250kg
 125mm rubber castors:
- 2 x swivel & 2 x swivel with brakes
- Overall size (LxWxH): 1050x450x1300mm
- Powder coated finishUnit weight: 15kg
- See online for optional
- kits & accessories*

		U
Code	WAS	NOW
V1612	\$495	\$445

REVERSIBLE

TOP & MIDDLE

SHELF

3 Tier Steel Trolley

- Bolt together construction
- Middle shelf is removableReversible shelves which
- Reversible shelves white give a tray option
- Load capacity: 300kg
 Overall size (LxWxH):
- Overall Size (LXWXH): 1095x660x1050mm
 Handle height: 1050mm
- Handle height: 1050mm
 125mm rubber castors: 2 x
- fixed & 2 x swivel with brakes • Shelf size: 960x655mm
- Distance between shelves:
 313mm
- Internal tray size: 905x600mm
- Shelf heights: 184+530+875mm
 Unit weight: 415kg
- Unit weight: 41.5kg
 See online for option
- See online for optional wheel kit & accessories*

	*		
Code	WAS	NOW	
V1881	\$875	\$786	



Nesting Roll Cage Trolley

- These trolleys can be nested or stacked together for enhanced storage
- Shelves & sides fold for nesting to increase space efficiency
- Single full size lockable swing door
- Load capacity: 250kg •
- Shelf size (WxD): 665x760mm (foldable) .
- Overall size (WxDxH): 750x850x1750mm
- 125mm castors: 2 x fixed castors (grey) & 2 x swivel castors with brakes (green)
- Distance between shelves: approx 700mm Capacity per shelf: 125kg

Watch a video of this in operation on our website here: www.verdex.com.au/V1760

- Shelf heights: 245+970mm •
- Zinc plated finish ٠
- Unit weight: 66kg




Damping ring in between the running surface & the wheel centre minimises rolling noise*





Code	WAS	NOW	
V1760	_\$625	\$560	

2 Sided Roll Cage Trolley



- Load capacity: 500kg
- 125mm castors: 2 x fixed castors (grey) & 2 x swivel castors with brakes (green)
- Overall size (WxDxH): 845x760x1855mm
- Internal size (WxDxH): 770x695x1635mm
- Lower shelf height: 210mm
- Upper shelf height: 1140mm •
- . Mesh size: 110x90mm
- Shelf size: 770x695mm
- Finish: Zinc
- Unit weight: 56kg

V1763

e here: 763

\$695

TT	7
	T
8	-1

Simply fold up base shelf for nesting option*

NOW


\$625







Powered Platform Trolley (with cage)



Large Powered Platform Trolley



Powered Dump Truck Trolley



Battery Electric Work Positioners

Ideal for use in narrow aisles & confined spaces Perfect for all applications from pharmaceutical to catering, from packing line to food processing Automatic electric overload protection system Quick change attachment options available • EN1757 compliant. CE marked • Battery electric with built in charger . Takes 30 seconds to go from the lowest to highest positions Platform/Attachment Size: 470x660mm • Load centre: 235mm 24v, 7.2Ah battery Range of optional attachments . available online* V2200 V2201 Watch a video of this in operation on our website here: www.verdex.com.au/V2200

Code	Details	Overall Size (mm)	Lifting Range (mm)	Unit Weight	WAS	NOW
V2200	Work Positioner - 100kg capacity	890x600x1990	130-1700	62kg	\$2,305	\$2,070
V2201	Work Positioner - 150kg capacity	890x600x1790	130-1500	65kg	\$2, 62 2	\$2,360

120KG Fork/Platform Trolley

 Robust, light weight steel construction platform lift trolley which is ideal for lifting heavy items to a workbench level for working on The platform is removable & has 2 fork tines which are adjustable under platform for lifting small skids Load capacity: 120kg Rear castors: 200mm Front castors: 50mm • Platform size: 500x420mm . Fork size: 50x420mm . Lifting range: 95-1050mm Overall size (LxWxH): . 700x460x1370mm · Unit weight: 39kg Code WAS NOW V2255 \$1,090 \$980

Standard Leg Fork Stacker





Aluminium Hand Stacker

Manual hand winch control with automatic braking action Foot pedal brake Fits through standard doorways Quick set up - requires no tools Load capacity: 180kg • Rear castors: 200mm Front castors: 50mm Internal adjustable lea Dimensions: 570-940mm External adjustable leg dimensions: 750-1120mm Platform length: 570mm Load centre: 254mm . Lifting range: 50-2500mm Overall size (LxWxH): . 1100x736x1700mm Unit weight: 66kg

Manual Stacker (400kg capacity)

- Powder coated Steel Colour: Yellow Foot pump hydraulic lift Comes with a removable platform & has 2 adjustable
- fork tines under platform for lifting skids & pallets Polyurethane castors: 2 x fixed
- & 2 x swivel with brakes Load capacity: 400kg
- Rear castors: 125mm
- Front castors: 75mm
- Platform size: 660x580mm
- Fork length: 650mm
- Lifting range: 75-1500mm
- Overall size (LxWxH): 1040x590x1710mm
- Unit weight: 85kg

		•
Code	WAS	NOW
V2250	\$1,525	\$1,370

	erne treigint eeng		- -
NOW	Code	WAS	NOW
\$1,370	V2230	\$1,312	\$1,178
+ +			÷,,,, o

Bishamon Unilift All-in-One Pallet Transporter



Hi Lift Pallet Truck (electric)

- Great for lifting skids & pallets with no bottom rail
- Automatic descending speed control
- Front support legs & adjustable stabilisers ensure maximum stability
- Quick-lift as standard with automatic transfer to normal lifting loads over 150kg
- Load capacity: 1500kg
- Tine size: 50x160mm
- Lifting range: 85-800mm
- Conforms to EN 1757-4
- Length: 1100mm .
- Width: 520mm
- Unit weight: 150kg

Hi Lift Pallet Truck (manual)

- · Great for lifting skids & pallets with no bottom rail
- Extremely easy to pump & light weight
- Ouick-lift as standard with automatic transfer to normal lifting loads over 150kg
- Front support legs & adjustable stabilisers
- ensure maximum stability Load capacity: 1000kg
- Tine size: 50x160mm
- Lifting range: 85-800mm
- Conforms to EN 1757-4
- Length: 1150mm •
- Width: 680
- Unit weight: 125kg

Code

V2370



NOW

\$1,235

WAS


\$1,374

Code	WAS	NOW
V2373	\$3,405	\$3,064

5 Tonne Heavy Duty Pallet Truck

- · These extra heavy duty pallet trucks can be used to move heavy machinery and come with a towing hook for pulling if required
- Powder coated safety yellow
- Steel roller wheels
- Tine Size: 90x210mm Steering wheel size: 50x200mm
- Lift capacity: 5000kg
- Fork length: 1150mm Overall size: (LxWxH)
- 1546x690x1300mm Min fork height: 90mm
- Max fork height: 200mm
- Unit weight: 198kg

Code	WAS	NOW
V2365	\$2,125	\$1,910



Galvanised Pallet Truck

Engineered to withstand the toughest environments Standard pallet width size 685mm Ideal for the food, chemical & pharmaceutical industry or outdoor use Load capacity: 2000kg Nylon wheels Tine size: 60x160mm Steering wheel size: 50x200mm Tine size: 60x160mm Fork length: 1120mm Min fork height: 85mm . Unit weight: 67kg Watch a video of this in operation on our website here www.verdex.com.au/V2335 WAS Code NOW V2335 \$1,034 \$1,150

	up z pullets in one litt	
Code	WAS	NOW
V2347	\$2,148	\$1,930
The Edge - I	Electric Pallet	Truck
 Load capacity: 15001 Length of tines: 1185r Min fork height: 85m Lowered height: 80m Lift height: 115mm Raised height: 195m Wheel type: Polyuret Travel speed (unloa Turning radius: 1330r Battery: 24V 20Ah (3 Overall size (LxW): 15 Electric brake Brushless AC motor Emergency stop but Unit weight: 126kg 	nm m nm hane ded): 5.8 Km/h mm -6 Hour Battery Life) 30x685mm ton ton of this in r website here: n.au/V2385	
Code	WAS	NOW
V2385	\$3,895	\$3,505

- · Large pneumatic wheels
- Load capacity: 1200kg Adjustable fork width:
- 228-735mm

.

.

.

- Front wheel size: 550x132mm
- Rear wheel size: 265x80mm
- Turning radius: 1500mm
- Axle distance between front . & rear wheels: 973mm
- Load centre: 450mm
- Tine size: 100x50mm
- . Fork length: 860mm
- Min fork height: 63mm
- Max fork height: 233mm Overall size (LxWxH):
- 1375x1605x1200mm Unit weight: 245kg

Code	WAS	NOW
V2360	_\$1,935	\$1,740





10 Tonne Hydraulic Jack

- · Great for jacking up containers & large equipment
- Engineered for strength & reliability, this hydraulic jack makes light work of heavy loads, ensuring efficient & safe lifting operations in industrial settings
- Removable pump hand lever
- The housing rotates 360°
- Load capacity: 10,000kgs
- Lifting range of foot: 30-230mm
- Lifting range of head: 420-650mm

Code

V2450

- Maximum lever force: 40kg
- · Unit weight: 35kg





- Foot operated hydraulic operation
- Lever release control
- Safety overload bypass
- valve Positive braking system
- on rear wheels Durable powder-coated
- finish
- Stepless rate of lowering regardless of load weight Load capacity: 150kg
- Platform size (LxW):
- 700x450mm
- Min height: 220mm Max height: 720mm •
- Unit weight: 46kg



NOW

\$453

WAS	NOW	Code	WAS
\$618	\$555	V2000	_\$505

Extra Large Scissor Lift Trolleys

 Reliable & robust solution for handling oversized & heavy items in industrial settings • Table is elevated by a pump action foot pedal & smoothly lowered by a hand operated release trigger Powder coated yellow steel · Foot operated hydraulic operation · Lever release control Safety overload bypass valve · Positive braking system on rear wheels Durable powder-coated finish · Stepless rate of lowering regardless of load weight V2020: Polyurethane castors: 2 x fixed & 2 x swivel with brakes V2020 V2021: Nylon castors: V2021 2 x fixed & 2 x swivel with brakes

Code	Details	Castors	Table Size	Lifting Range	Vertical Lifting Height	Unit Weight	WAS	NOW
V2020	Scissor Lift Trolley - 500kg capacity	125mm	1600x810mm	290-915mm	625mm	154kg	_\$1,541	\$1,385
V2021	Scissor Lift Trolley - 1000kg capacity	180mm	2035x750mm	360-1360mm	1000mm	198kg	_\$ 2,365	\$2,125

Stainless Steel Scissor Lift Trolley

- Stainless Steel Grade 304
- Foot operated hydraulic operation
- Lever release control Safety overload bypass valve
- Stepless rate of lowering regardless of load weight
- Scissor & pump unit is galvanised
- 100mm Polyurethane castors: 2 x fixed & 2 x swivel with brakes
- Handle height: 1000mm Load capacity: 350kg
- Table size: 830x500mm
- Lifting range: 330-1295mm
- Unit weight: 78kg



Aluminium Scissor Lift Trolley

WAS

\$996

- Extremely lightweight - Great for vehicle transport
- Foot operated hydraulic operation Painted finish
- Lever release control
- Safety overload bypass valve
- Stepless rate of lowering regardless of load weight
- Foldable handle
- Load capacity: 100kg 100mm Polyurethane castors: 2 x fixed
- & 2 x swivel with brakes Handle height: 1000mm
- Table size: 700x450mm
- Lifting range: 265-755mm
- Unit weight: 24kg

Code

V2030

NOW

\$895

Code	WAS	NOW
V2041	\$2,103	\$1,892



Self Propelled Electric Scissor Lift Trolley with Cage (double scissor)



Self Propelled Electric Scissor Lift Trolley (double scissor)




Self Propelled Electric Scissor Lift Trolley





Low Profile Lift Table (including ramp)







Powdercoated Spring Pallet Elevator

- Can be moved with a standard pallet truck
- Keeps active layer of load at or above waist height, eliminating bending & lifting
- No ground fixing required
- Load capacity: 2000kg
- Table diameter: 1110mm Fork pocket centres: 615mm
- Fork pocket size: 300x90mm
- Low height: 290mm •
- Max height: 750mm
- Powder coated finish
- Unit weight: 195kg

Watch a video of this in operation on our website here www.verdex.com.gu/V2134

Code	WAS	NOW
V2134	\$2,065	\$1,850

Pallet Turntable Disc

- Designed specifically so that pallets can be placed on or removed from the turntable using only a hand pallet truck
- Lifting lug screws into the centre of the disc & makes transportation of the unit easy
- Supplied with 3 eyebolts for lifting/transporting
- Powder coated finish
- . Load capacity: 2000kg
- Disc diameter: 1105mm
- Overall height: 25mm
- Overall diameter: 1235mm . . Unit weight: 120kg

Code	WAS	NOW
V2145	_\$1,990	\$1,790

Delivering Australia



Heavy Duty Pallet Stands

 These heavy-duty steel construction V7903 V7906 Pallet Stands take the load off the ground limiting the need for bending & lifting This Pallet stand has accessories tailored for all applications & is proving highly effective at reducing incidents caused by repetitive strain & back injury Powdercoated finish Capacity: 2000kg . Platform Size: 1250x1250mm V7908 V7908 Height: 250-400mm • V7909 Height: 500-650mm Optional castor kit: 2000kg capacity (adds 160mm height) Optional Castor Kit: 2 x fixed & 2 x swivel with brakes Castor kit size: 100mm Optional tow hitch kit: 4500kg capacity v7904 V7909 Code Unit Weight (kg) WAS NOW Details V7905 V7908 Heavy Duty Pallet Stand (with short adjustable legs) 40 \$810 \$728 Heavy Duty Pallet Stand (with tall adjustable legs) V7909 43 \$850 \$764 Corner Gussets (sold as a set of 4) 7.5 \$60 \$53 V7903 V7904 Steel Cap to suit Pallet Stands 24.5 \$150 \$135 11 V7905 Castor Kit to suit Pallet Stands \$145 \$130 V7906 Adjustable Handle 4.6 \$116 \$130 7 V7907 Tow Hitch Kit \$165 \$147 V7907

Palomat Greenline Pallet Dispenser

- The user inserts or removes the pallets using a pallet truck or a forklift truck. All pallet handling is carried out at floor level. The PALOMAT Greenline detects the pallets via photo sensors which they are automatically stacked or destacked one by one
- No manual pallet handling reduces back strain from manually lifting pallets
- Space saving & a tidy workplace
 Stainless steel version available if required
- Suits Australian Chep & Loscam sized pallets
- Optimised pallet flow
- Can be adjusted for cool-room environments down to -25°C
- No of Pallets: 15
- Warranty: 12 months
- Noise Level: 70 dBa
- Power: 220-240VAC / 50 Hz
- Fully electric operation
- Lifting Capacity: 700kg
- Overall Width: 1705mm
 Overall Depth: 1520mm
- Overall Depth: 1520mm
 Overall Height: 2350mm
- Overall Height: 2350mm
- Unit Weight: 420kg





Fewer back injuries, jammed fingers & feet



Features a touch panel to change between operations





Semi-Auto Strapping Machine



Pallet Straighteners

- The Verdex Pallet Straighteners can easily organise & perfectly straighten a stack of pallets
- Pallet Straighteners are beneficial tools in warehouse settings, as they help maintain efficiency, safety & organization
- Designed to help maximise storage capacity & prevent accidents by securing the load, ensuring the pallets are properly positioned

Details

Pallet Straightener (10 pallets)

Pallet Straightener (15 pallets)

Pallet Straightener (20 pallets)

Steel construction


Code

V1490

V1495

V1496

3 standard sizes available Powder coated blue finish





Overall Size (LxWxH)

1910x2000x1505mm

1910x2000x2255mm

1910x2000x3010mm



WAS

\$5,575

\$7,875

\$8,950

NOW

\$5,018

\$7,088

\$8,055





Unit Weight


289kg

410kg

490kg

Delivering Australia

Fully-Auto Stretch Wrapping Machine




3 Metre Poly/Steel Roller Conveyors - 600mm wide



Expanding Roller Conveyor - 760mm wide

\$2,390



- Easy & quick setup with adjustable height legs & 125mm brake castors on every leg
- Capacity: 130kg per metre Bolted steel construction
- with steel rollers 85mm gap between rollers
- Height range: 690 1000mm
- Length retracted: 1500mm
- Length expanded: 4000mm
- Unit weight: 126kg

Code

V3012



\$2,150

STATE OF LEVE

Expanding Nylon Skate Conveyor

- Self tracking flexible conveyor which can expand from 1100- 4000mm & units can be joined to make 1 continuous conveyor system
- Easy & quick setup with adjustable height legs &
- brake castors on every leg Capacity per metre: 75kg
- Bolted steel construction with nylon skate wheels
- Width: 610mm
- Castors: 105mm
- Length retracted: 1100mm
- Length expanded: 4000mm
- Height range: 690-1000mm
- Unit weight: 90kg



2 x V3007

ioined*

Code	WAS	NOW
V3041	_\$1,985	\$1,785

Powered Conveyors

www.verdex.com.au/V3012

- Easy & quick setup with adjustable height legs & 125mm brake castors on every leg
- Expands from 1500-4000mm & can be joined to make 1 continuous powered conveyor system
- Capacity: 140kg per metre Quiet operation 240V AC motor with forward & reverse action & adjustable roller speed
- Height range: 690-1000mm Unit weight:
- V3030: 126kg | V3032: 172kg
 - Watch a video of this in operation on our website here: ww.verdex.com.au/V3030

3030
V3032

Skate Wheel Expanding Conveyor

- Self tracking flexible conveyor which can expand from 1100-4000mm & units can be joined to make 1 continuous conveyor system
- Easy & quick setup with adjustable height legs & 125mm brake castors on every leg
- Bolted steel construction
- with skate wheels
- Capacity: 100kg per metre
- Length retracted: 1100mm
- Length expanded: 4000mm Height range: 690 - 1000mm
- Unit weight: 142kg



		•
Code	WAS	NOW
V3007	\$2,365	\$2,125





Side Shift Drum Depalletiser

- This unique design side shift drum depalletiser can pickup drums from any position on the pallet, skid or bund - straddles beside & over the pallet
- Suitable for both steel & plastic drums
- The operator requires only 12kg of force on the handle to lift a 300kg drum
- Load capacity: 350kgsGround/Pallet clearance:
- 350mm • Overall size (LxWxH):
- Overdil size (Lxwxh).
 920x1550x1520mm
 Max lift height: 575mm
- Unit weight: 168kg

Code	WAS	NOW
V5160	\$4,995	\$4,490

Forklift Geared Drum Rotator

- Designed to convert your forklift into a highly efficient drum handler Suitable for 210 litre steel & plastic drums
- Easily attached to most fork trucks
- Able to lift, raise & tilt loaded drums
- Drum size: 570-600mm diameter
- Finish: Painted safety yellow
- Capacity: 300kg
- Fork pocket size: 150x55mm
- Fork pocket centres: 825mm
- Unit weight: 60kg



Code	WAS	NOW
V5065	\$1,225	\$1,100

Forklift Drum Rotator



Code	WAS	NOW
V5066	\$998	\$898

Deluxe Drum Cradle

- Heavy duty drum cradle with retractable handles for use on 210 litre steel drums
- Great for moving drums around the site & to lay drums into the side position
- Durable zinc plated finish
- Single person operation
- Load capacity: 300kgs
- Wheel type: Nylon
- Overall width: 370mm
- Overall length: 1000mm
- Height: 450mm (horizontal)
- Unit weight: 14.5kg

		- Andrew
Code	WAS	NOW
V5000	\$325	\$291

Steel/Plastic Drum Trolley - solid wheel



V5025 \$472 \$423

Parrot Beak Drum Lifter (single)

- Suitable for both steel & plastic 210 litre drums Simple auto clamp operation - no need to leave the drivers seat Allows the operator to remove & place drums on pallets or bunds without having to leave their seat Load capacity: 1000kg Load centre: 1210mm HCG: 560mm VCG: 130mm Fork pocket size: 185x60mm Finish: Zinc Plated Steel Fully welded Fork pocket centres: 250mm
- Unit weight: 72kg

•

•

•

Code	WAS	NOW
V5085	\$875	\$786



2.5 Tonne Forklift Tine Hook

· Converts forklift into a mobile crane in seconds Adjustable mounting position along the length of the fork Secured to forks by thumb screw Swivel hook includes safety latch Fork pocket size (LxW): 150x60mm Capacity: 2500kg • Unit weight: 25kg

		Conception of the local division of the loca
Code	WAS	NOW
V2440	_\$536	\$481

2 Tonne Hook & Tow Jib



Code	WAS	NOW
V2430	\$650	\$584

WAS

\$570

Cable Drum Stirrups

- Ideal for heavy or large diameter cable spools
- Cradle to suit down to 50mm diameter spindles
- Supplied with a 48 mm diameter x 1200mm long spindle
- · Locking bolt safely secures the drum stirrup in position on forks
- Supplied as a pair
- Enamel paint finish
- Working load limit: 2000kg
- Max fork arm width: 130mm
- Pocket size: 150x45mm
- Unit weight: 30kg/pair

Code

V2416



NOW

\$512

Adjustable Pallet Hook 2200kg

- Features variable body height & adjustable tine width, making this versatile attachment ideal for the transport & construction industry
- Designed & certified in accordance with Australian Standard AS 1418.1
- Safe working load (SWL): 2200kg
- Load centre: 600mm
- Tine size: 100x45x1055mm
- Adjustable clearance: 1005-1605mm
- Finish: Zinc plated
- Unit weight: 215kg



Code	WAS	NOW
V2461	_\$2,075	\$1,865

4.5 Tonne Long Tilting Jib

- · The most verstatile jib in our range & allows for additional height of up to 2.23 metres
- Finish: Zinc plated
- Safe working load: 4500kg (SWL load chart shown on jib) Load centre: 770mm
- HGC: 735mm
- Jib length (when closed): 2100mm
- Jib length (when extended): 3530mm
- **Overall dimensions** when closed (LxWxH): 2100x520x650mm
- Fork pocket size: 185x65mm
- Fork pocket centres: 322mm
- Unit weight: 190kg


Code	WAS	NOW
V2422	\$2,460	\$2,213

Drum Tongs


- For lifting drums with an overhead crane or the fork tine hook
- To operate, set locking lever in locked open position
- Hooks automatically engage when lifted & disengage when the drum is put down
- Suitable for steel drums .
- Powder coated steel • Capacity: 500kg
- Jaw opening distance: 910mm
- · Unit weight: 8kg



Code	WAS	NOW
V5055	\$185	\$165







Half Height Divider to suit Stillage

Collapsible for

easy storage

NOW

\$96

\$85

& 5 high when empty

Load capacity: 1000kg Internal size (LxWxH):

1070x1070x840mm Overall size (LxWxH):

1160x1205x1041mm

Finish: Zinc plated

Unit weight: 80kg

Mesh size: 50x50mm

Watch a video of this in operation on our website here:

www.verdex.com.au/V7530

.

.

Stackable Stillage Cage Base Material Size: 30x60x1.8mm Clearance between ground & bottom frame is 110mm Load capacity: 1000kg Finish: Zinc plated Post size: 60x2.5mm Post height from top of base: 1490mm External size: (LxWxH): 1390x1390x1655mm

WAS

\$424

WAS

\$320

Collapsible for

NOW

\$285

Can be safely

2 x V7525

stacked*

stacked 3 x high when in use

NOW

\$380

easy storage

L 1800 750 900 Sydney (02) 8865 1800 | Melbourne (03) 9115 9100 | Brisbane (07) 3558 9700 | Adelaide (08) 8166 5151

Code

V7525

Internal size: (LxWxH)

1250x1250x1490mm

Base height: 170mm

Watch a video of this in operation on our website here

www.verdex.com.au/V7525

Unit weight: 54kg

Can be folded down flat for easy storage when

Overall size (LxWxH):

1195x1170x800mm

Pallet not included*

Unit weight: 44kg

Code

V7515

not in use

Mesh size: 100x50mm - 6mm

V7538



Double Width Storage Cage (low height)

- Pallet Rack Safe unique positive locking base design
- Front & rear gates are removable
- Cage can be collapsed or assembled in seconds
- 4 Way forklift access & pallet truck entry
- Anti-tip base design
 Zipp plated finish
- Zinc plated finish
- Optional Half Height Divider & Lid sold separately
- Optional Wheel kit sold separately & is available online*
- Load capacity: 1050kg
- Stackable 4 x high loaded & 6 x high empty
- Collapsed height: 320mm
- Internal size (LxWxH): 2100x1085x430mm

& Wheel Kit*





Code	Details	Overall Size (LxwxH)	Unit Weight	WAS	NOW
V7539	Double Width Storage Cage (low height)	2200x1160x660mm	110kg	\$1,349	\$1,212
V7538	Half Height Divider to suit Stillage	1125x345x25mm	4kg	\$96	\$85
V7543	Bi-Fold Lid to suit Stillage	1143x1040x60mm	21kg	_\$350	\$315

Double Width Storage Cage (full height)

- Front & rear gates fold down
- Pallet Rack Safe
- Cage can be collapsed or assembled in seconds
- 4 Way forklift access & pallet truck entry
 Collapsed height: 320mm
- Stackable 2 x high loaded
- & 4 x high empty
- Load capacity: 1050kg
 Internal size (LxWxH):
- Internal size (LXWXH): 2100x1085x810mm
 Overall size (LXWXH):
- Overall size (LXWXH): 2200x1160x1055mm
 Zinc plated finish
- Unit weight: 125kg

Code

V7540

V7543



WAS

\$1,478

\$350

NOW

\$1,330

\$315

Vented Collapsible Bin (half height)

V7539 picutred

with V7543

- Made from UV Stabilised PPFull recyclable & Food
- Grade Approved
- 2:1 Fold down ratio 2 way forklift & pallet
- ruck entry
 Racking capacity 500kg
- Dynamic capacity 1000kg
- Static capacity 4000kg
- Volume 350L
- Pallet rack safe
- Bin open size:
- 1162x1162x460mm • Bin closed size: 1160x1160x230mm
- Bin internal size:
- 1070x1070x320mm • Unit weight 34kg
- Unit weight 34kg




)	Code	WAS	NOW
	V7812	\$445	\$398

Vented Collapsible Bin & Lid (full height)

Details

Double Width Storage Cage (full height)

Bi-Fold Lid to suit Stillage





Forklift Waste Tipping Bin - 150L

- Simply pull the cord or handle which releases mechanism for tipping into larger bins or skips
- Fitted standard with 2 x front wheels & 1 x rear wheel for easy wheeling
- Painted finish
- Load capacity: 500kg Volume capacity: 150L
- Polyurethane castors: •
- 2 x fixed & 1 x swivel with brake Castors: 125mm
- Fork pocket size: 140x55mm
- Fork pocket centres: 600mm
- Overall size (LxWxH): 1160x750x805mm
- Height to top of lip: 710mm
- Unit weight: 95kg



Concrete Collection Tray

- Low profile tray with tapered sides
- Reinforced base & sides
- Fitted with crane lifting & up-ending lugs
- 4-way fork pockets allowing access from all sides
- Optional disposable plastic liner available online (see V6212)
- Enamel paint finish
- Working load limit: 1000kg
- Capacity: 0.5m³
- Overall dimensions (LxWxH): 1860x1560x360mm
- Fork pocket size: 170x85mm
- Fork pocket centres: 880mm
- Unit weight: 150kg



Self Dumping Tipping Bin - 1850L

VAS	NOW		Code	WAS	NOW
,250	\$1,120		V6210	\$1,450	\$1,304
		1 1			

Self Dumping 1500kg Capacity Tipping Bins



1570x1905x1080mm



1500L Drop Bottom Bin (with mesh sides)

255kg

\$2,750

\$2,470

· Emptying is carried out by pulling the draw rope handle which allows the floor to drop open from one side Mesh sides with sheet metal base Cage can be lifted by either a forklift or crane Fork pocket size: 165x50mm Fork pocket centres: 784mm Overall size (LxWxH):

1850L

- 1540x950x1350mm
- Unit weight: 158kg

680mm

	o of this in our website here: com.au/V6041	
Code	WAS	NOW
V6041	\$1,640	\$1,475

V6012

Gas Cylinder Cage

- 4 crane lifting lugs at top & 2 forklift pockets underneath for easy transport
- Ideal for use on building sites & mines
- Load binder allows cylinders to be securely fastened in position
- Stacks 2 x high when fully loadedCrane Working load limit: 500kg
- Forklift Working load limit: 1000kg
- Fork Pocket Size: 192x92mm
- Fork pocket centres: 600mm
- Overall size: 1200x850x1065mm
- Internal size: 1050x700mm
- Zinc finish
- Unit weight: 120kg



Code	Code WAS	
V7602	\$1,340	\$1,205

350L Waste Collection Trolley

· Great for use in warehouses & on sites, for general waste & rubbish 2 front wheels & 1 rear wheel for easy transportation Pull handle which releases the bin forward Load Capacity: 350kg • Bin Capacity: 350L Front Wheel Size: 340mm Rear wheel size: 125mm Bin size (LxWxH): 1350x850x1040mm • Unit weight: 72kg

Code	WAS	NOW
V6300	\$669	\$600

Galvanised 350L Fork Waste Bin

- Manual push over for tipping into larger bins or skips
- Fitted standard with 2 front wheels & 1 rear wheel for easy wheeling throughout workplace
- Drain plug fitted as standard
- Safe working load: 350kg
- HCG: 370mm
- Finish: Hot dipped galvanised
- Fork pocket size: 140x65mmFork pocket centres: 367mm
- Fork pocket centres: 367mm
 Overall dimensions: (LxWxH) 720x1115x890mm
- Bin capacity: 350L
- Unit weight: 65kg



n ite here: 76005		
-------------------------	--	--

Code	WAS	NOW
V6005	\$985	\$885

150L Waste Tipping Bin (galvanised)


· Great for general waste & rubbish onsite VERDEX Pull cord to release the mechanism for tipping into larger waste bins, eliminating the need to leave the forklift Galvanised finish Safe working load: 350kg Capacity: 150L Dimensions (LxWxH): 970x750x820mm HCG: 402mm Fork pocket size: 140x65mm Fork pocket centres: 600mm Unit weight: 90kg Watch a video of this in operation on our website here: www.verdex.com.au/V6075

Code	WAS	NOW
V6075	\$1,370	\$1,230

Mobile Waste Bin - 500L



 Used to compact bu products using a forl Suitable for use with wheelie bin or any la Slip-on attachment of 	klift VERDIX a 660L rger bins & safety	actor
 chain for quick conn Hot dipped galvanise Load centre: 830mm Counterweight dime (WxD): 900x500mm Height: 1300mm Fork pocket size: 185x Fork pocket centres: Unit weight: 1000kg 	ed finish nsions :65mm	VEBOEX
Watch a video of operation on our www.verdex.com	website here:	
Code	WAS	NOW
V6105	\$2,290	\$2,060



Verdex Battery Electric Wheelie Bin Tipper

- The Battery Electric Wheelie Bin Tipper is everything a bin tipper should be - safe, economical & easy to use. Ideal for schools, factories, recycling centres & more
- Rugged powder coated frame
- Wireless remote control, allowing user to control . from a distance
- Indoor or outdoor use
- Lockout key & two-hand controls for safety
- · Approximately 20 seconds to empty a bin
- Capable of tipping 2.5 tonnes of waste per charge • If left plugged in on permanent charge, it can
- empty up to 10 tonnes per day Suits popular bin sizes 80L, 120L, 140L & 240L with no adjustment
- Castors: 125mm, 2 with brakes
- Lift height: 1600mm
- Mast height: 2485mm
- Overall height when tipping: 2660mm
- Other tipping heights available on request* .
- Width: 1019mm .
- Depth: 930mm
- Safe lifting capacity: 150kg
- Unit weight: 137kg





			PINCO PLANT
Code	WAS	NOW	
V6080	\$8,820	\$7,790	

VERDEX

VERDEX

Verdex Manual Wheelie Bin Tipper





70L Garbage Bins

- The 70L Garbage Bins offer a practical & durable solution for waste disposal in various settings
- 70 litre waste bins with four swivel castors & hinged lid
- Manufactured from high density polyethylene
- Resistant to decay, heat, frost, chemicals & UV Rays •
- Available in four colours: Grey, Blue, Yellow & Green •
- Overall size (WxDxH): 450x440x680mm Castor diameter: 50mm
- Capacity: 30kg (weight) Capacity: 70L (volume) •
- Unit weight: 2.8kg
- Code Details WAS NOW V6330 70L Garbage Bin - Yellow \$98 \$88 \$98 V6331 70L Garbage Bin - Blue \$88 V6332 70L Garbage Bin - Grey \$98 \$88 V6333 70L Garbage Bin - Green \$98 \$88



Plastic Wheelie Bins

- The Plastic Wheelie Bins are versatile waste management solutions designed for various applications
- Available in 2 standard sizes & 5 colours
- Colours available are Red, Yellow, Blue, Green & Grey
- · Manufactured from high density polyethylene
- . Resistant to decay, heat, frost, chemicals & UV rays
- Our plastic wheelie bins can be used for multiple applications including household, commercial waste They are easy to manoeuvre plus they come in a variety of colour with the option to order bins with separate colours to the lid (e.g. red bin with a blue lid)
- Custom colours & sizes can be made to order for large quantities - contact us to discuss*




Code	Details	Volume Capacity (L)	Overall Dimensions (WxDxH)	Unit Weight (kg)	WAS	NOW
V6350	120L Plastic Wheelie Bins	120L	480x550x940mm	10	_\$120-	\$98
V6360	240L Plastic Wheelie Bins	240L	580x730x1080mm	13	_\$145	\$125

660L Plastic Wheelie Bins


- These Large Plastic Wheelie Bins are designed to meet the demands of efficient waste management
- Large plastic wheelie bins available in 2 standard sizes
- Choice of various bin & lid colours (green, blue, yellow, red)
- Manufactured from high density polyethylene
- Resistant to decay, heat, frost, chemicals & UV rays .
- Wheel diameter: 200mm
- Volume capacity: 660L •
- Weight capacity: 310kg Wheel base size: (WxD) 490x870mm
- .
- Overall dimensions: (WxDxH) •
- 1310x775x1175mm • Unit weight: 42kg

Code	Details	WAS	NOW
V6361Y	660L Plastic Wheelie Bin - Yellow	\$689	\$618
V6361B	660L Plastic Wheelie Bin - Blue	\$689	\$618
V6361R	660L Plastic Wheelie Bin - Red	\$689	\$618
V6361DG	660L Plastic Wheelie Bin - Dark Green	_\$689-	\$618









Single Wheelie Bin Stands



Code	Details	Overall Size (LxWxH)	Unit Weight (kg)	WAS	NOW
V6380	Single Wheelie Bin Stand with Base Plate (120L)	395x250x1030mm	10.5	_\$297	\$265
V6382	Single Wheelie Bin Stand with Base Plate (240L)	395x250x1125mm	11	_ \$29 7	\$265
V6384	Single Wheelie Bin Stand Inground (120L & 240L)	345x75x1425mm	9.5	_\$297	\$265

Double Wheelie Bin Stands

 These wheelie bin stands are great for securing your bins in public areas Designed to securely hold 2 x wheelie bins in place, these stands prevent unwanted movement or displacement, ensuring that bins remain stable and upright even in high-traffic or windy conditions Corrosion resistant which is great for use in coastal areas 				
 Lid remains closed when not in use Prevents birds from accessing waste The stands come standard with a lid restrictor & a spring loaded locking mechanism Galvanised finish 	V6381	V6383	V6385	

Code	Details	Overall Size (LxWxH)	Unit Weight (kg)	WAS	NOW
V6381	Double Wheelie Bin Stand with Base Plate (120L)	540x250x1030mm	12.5	_\$339	\$305
V6383	Double Wheelie Bin Stand with Base Plate (240L)	538x250x1255mm	13	_\$339	\$305
V6385	Double Wheelie Bin Stand Inground (120L & 240L)	538x75x1425mm	11.5	_\$339	\$305

NOW

\$905

40L Manual Floor Sweeping Machine

· Ideal for sweeping factory floors, carparks, footpaths, entry ways etc. Sweeper works by simply being pushed along which activates the roller & brushes Independant rolling brushes prevent waste fallback 40L capacity waste container is removable allowing for easy tipping into another bin Overall size (LxWxH): 1260x960x1040mm Cleaning width: 920mm Unit weight: 23kg Watch a video of this in operation on our website here: www.verdex.com.au/V9000 WAS Code NOW

\$838

Industrial Broom & Squeegee

V6401

· Industrial Broom with Squeegee

V9000

- Durable 25mm Powder
- coated Steel Handle
- 60mm long Synthetic Bristle . Overall Size: 590x100x1420mm
- V6403
- 900mm Dust Mop with steel handle
- Durable 25mm Powder coated aluminum Handle
- Swivel head with polyester fibres
- Overall size: 900x160x1420mm



\$745

Code	Details	Unit Weight (kg)	WAS	NOW
V6401	Industrial Broom with Squeegee	1.3	\$39	\$35
V6403	Dust Mop with Steel Handle	2.3	_\$58	\$52

Boot Cleaning Brush & Grate

 Cleans 1 x shoe at a time Metal grate effectively removes tough debris that may be stuck Prevents dirt from being brought indoors Heavy-duty metal construction Ideal for industries such as mining, construction, recycling, agriculture etc. Features 3 brushes with course bristles Comes standard with 4 x M12 mounting holes Hot dipped galvanised Overall size (WxDxH): 590x490x1000mm • Unit weight: 19kg

Code	WAS	NOW
V6420	\$355	\$315

Wet & Dry Vacuum Cleaners

- Suitable for large workshops & factories
- Fitted with standard 10Amp 240V plug
- Designed for both wet
- & dry applications Portable on wheel base with push handle & comes complete with all accessories
- Can filter up to 20 microns
- Hose length: 2500mm
- Cable length: 7200mm
- Height of machine: V3000: 720mm | V7000: 980mm Airflow L/second:
- V3000: 53 | V7000: 106 Motor.
- V3000: 1200W | V7000: 200W

Code	Details	Unit Weight	WAS	NOW
V3000	Wet & Dry Vacuum Cleaner 30L	11kg	\$375	\$335
V7000	Wet & Dry Vacuum Cleaner 70L	24kg	-\$495	\$445

V7000

V3000

Large Dustpan Sets

V6404

- Brush bristle material: Polyethylene Terephthalate
- Dustpan material: Polypropylene
- Overall size: 405x320x70mm V6405
- Handles are made from durable powder coated steel
- Broom head is constructed from durable polypropylene plastic
- Broom handle: 20mm
- Dustpan handle: 25mm
- 140mm long synthetic bristles
- Overall size: 340x280x1350mm
- Opening size: 300x100mm
- Broom size: 340x50x1215mm

Code	Details	Unit Weight (kg)	WAS	NOW
V6404	Large Dust Pan with Brush Set	0.5	_ \$19.25	\$17
V6405	Large Dust Pan & Broom Set	1.8	_\$56	\$50


V6405

Industrial 'STOP' Floor Marking Stickers





Cleaning Station Shadow Board Kit



Discover our new range of **Spill Kits**



- OIL & FUEL
- UNIVERSAL
- CHEMICAL

SCAN TO VIEW OUR



4 Drum Bunded Spill Pallet

- A robust containment solution designed to safely store drums & prevent spills
- Heavy duty bunded pallets made from UV stabilised polyethylene
- Removable grate & nestable when not in use
- Complies with Australian standards
- SWL: 2.80T Static & 1.5T Dynamic Easy 4 way forklift
- & pallet truck entry
- Corrosion resistant Overall size: 1300x1300x300mm
- Spill capacity: 250L
- Hold up to 4x 205L Drums
- Unit weight: 32kg



Code	WAS	NOW
V7673	\$538	\$483

Fork Gas Storage Cage - 2 cylinders

- · Designed for storage of LPG cylinders used on forklifts
- Powdercoated green
- Cylinder chain restraint
- All cages have padlockable doors for increased safety Complies with Australian
- Standards LPG cylinder capacity: 2 Door opening size:
- 650x780mm
- Internal size (LxWxH): 690x380x815mm
- External size (LxWxH): 730x430x960mm
- Unit weight: 32kg
- See online for full sized range of storage cabinets*

MORE SIZES AVAILABLE ONLINE!
Now

Code	WAS	NOW
V7620	\$765	\$688

WAS

\$1,745

Corrosive Goods Safety Cabinet

- · Heavy duty 1.2mm double skin wall construction, with 40mm air gap to provide thermal insulation
- Sequential self closing door mechanism, with three-point lock 150mm depth, liquid tight sump
- Made to AS 3780:2008
- Adjustable galvanised shelves
- with PVC spill trays Internal size (HxWxD): 560x835x530mm
- External size (HxWxD): 810x935x680mm
- Storage capacity: 100L
- 2.5L drums capacity: 15 Number of shelves: 1
- Unit weight: 100kg

Code

V7692



NOW

\$1,570



De

Single IBC Bunded Pallet (1300L capacity)

Double IBC Bunded Pallet (1100L capacity)

- A reliable solution for safely storing & handling IBCs, Heavy duty bunded pallet made from UV stabilised
- polyethylene Removable grate
- & nestable when not in use Corrosion resistant
- Complies with safety standards & EPA requirements
- SWL: 3000kg (static) Overall size (LxWxH):
- V7677 : 1350x1350x900mm V7678: 2200x1300x500mm
- Unit weight:

Code

V7677

V7678

V7677: 71kg | V7678: 96kg

etails		WAS	NOW
)	V7678		
ר	Carl Barry	and a	1
ו	forther the		2
		17	1
			7
e	V	/7677	
	Easy forklift & pallet truck entry	1000	1 mil
ts	20	H.	

\$2,100 \$1,890

\$2,025

\$2,250

Flammable Liquid Cabinet - 160L capacity

- Zinc coated steel sheeting & powdercoat finish
- Includes all relevant safety signage & directions Stainless steel continuous
- pin hinging Made to AS 1940-2017
- Internal size:
- 1015x375x1050mm
- External size:
- 1100x465x1295mm
- Storage capacity: 160L
- 4L drum capacity: 40
- 20L drum capacity: 6
- No. of shelves: 2
- Unit weight: 110kg
- See online for full sized range of storage cabinets*

Gas Cylinder Rack



Code	WAS	NOW
V7653	\$1,585	\$1,425

· A convenient & spaceefficient solution for safely storing gas bottles, making it suitable for use in workshops, laboratories, warehouses etc. These Gas Cylinder racks mount to a wall for safe storage of 2 size 'G' gas bottles The base has a sloped front for easy trolley access Supplied with safety chain to secure bottles Overall size: (WxDxH) 540x360x1000mm Unit weight 18kg Code WAS NOW V7635 \$298.50 \$265

Delivering Australia

Electric Height-Adjustable Workbenches



Code	Details	Height Range	Weight Capacity	Unit Weight	WAS	NOW
V8420	Electric Height-Adjustable Workbench (1200x750mm)	730-1080mm	200kg	53kg	_\$1,070	\$940
V8421	Electric Height-Adjustable Workbench (1800x750mm)	730-1080mm	200kg	62kg	_\$1,165	\$1,025
V8428	Electric Height-Adjustable Workbench (2400x900mm)	625-1275mm	270kg	112kg	\$2,105	\$1,850

UPGRADE YOUR WORKSPACE WITH OUR RANGE OF

MODULAR WORKBENCHES



HEAVY DUTY CABINETS • ADJUSTABLE SHELVES • SLIDE-OUT SHELVES • ROLL HOLDERS • DIVIDERS

DOCUMENT HOLDERS • MONITOR ARMS • PRINTER SHELVES • TAPE DISPENSER HOLDERS

For more information please visit: verdex.com.au/modular-workbenches



Stainless Steel Benches

V8205



2400x600x900mm

Stainless Steel Benches	s (with splashb	ack)

Stainless Steel Bench - 2400mm



Heavy Duty Cabinets Complete With Drawers

- Made from reinforced sheet metal & are areat for storing tools, parts & many other items in the workplace
- Finish: Powdercoated light grey with light blue coloured doors
- Supplied with 4 adjustable shelves . Drawers come with 5 compartments & 10 dividers
- (4 Removable partitions)
- Överall Size (HxWxD): 1800x900x450mm
- Total cabinet load capacity: 600kg •
- 100mm drawer capacity: 50kg
- 200mm drawer capacity: 75kg . •
- Shelf capacity: 100kg
- (4 slotted partitions & 10 dividers)






45.5kg

\$1,652

\$1,485



Code	Details	Unit Weight	WAS	NOW		
V8150	2 Drawer Cabinet (1 x 100mm & 1 x 200mm Drawers)	108kg	_\$1,161	\$1,040	A A A A A A A A A A A A A A A A A A A	14
V8151	4 Drawer Cabinet (2 x 100mm & 2 x 200mm Drawers)	131kg	_\$1,537	\$1,380	1	
V8152	6 Drawer Cabinet (3 x 100mm & 3 x 200mm Drawers)	154kg	-\$1,913	\$1,720	T.	1 million



Industrial Cabinet with 2 drawers

- Ideal for workshop & industrial applications
- Sliding drawers with smooth operation bearings allow smaller parts to be organised. Drawers also have adjustable dividers
- 2 door lockable cabinet with 1 adjustable shelf
- Load capacity: 600kg
- Shelf capacity: 100kg
- Drawer capacity: 75kg
- 10 dividers per drawer
- Bench height: 1010mm
- Bench size: 875x555mm Pegboard size: 870x500mm
- Overall size (LxWxH):
- 900x585x1515mm
- Unit weight: 97.5kg



Code	WAS	NOW
V7211	\$1,359	\$1,220

7 Drawer Industrial Tooling Cabinet

- Heavy duty tooling cabinets, ideal for heavy duty industrial applications
- Single key lock design for safe storaae
- All drawers come with
- adjustable steel dividers Drawer 1-6: 150mm high
- Drawer 7: 200mm high
- 10 dividers per drawer
- Individual drawer capacity: 100kg
- Overall unit capacity: 600kg
- Overall size (WxDxH):
- 881x653x1200mm Internal size (WxDxH):
- Drawers 1-6: 777x451x122 Drawer 7: 777x451x122
- · Unit weight: 121kg

Code	WAS	NOW
V7220	_\$1,420	\$1,270

Industrial Work Bench with 1 drawer unit

- A reliable & practical solution for industrial workspaces, offering strength, durability & convenience for a wide range applications
- This workbench has a 600kg top bench capacity 28mm thick laminated
- wooden top Comes standard with
- adjustable feet for leveling on uneven floors
- Finish: Powder-coated light grey
- Overall Dimensions (LxWxH): 900x750x900mm
- Drawer size: 100mm
- · Unit weight: 42kg

Code	WAS	NOW
V7300K	_\$612	\$550

Industrial Tooling Workstation

- The sliding drawers have quality smooth operation bearings
- Lockable cupboard with adjustable shelf
- 2 x fixed castors & 2 x swivel lockable castors
- Fixed metal pegboard panel
- Rubber mat on workbench area
- 3 x 100mm & 2 x 200mm lockable drawers with dividers (10 dividers per drawer)
- Finish: Powder coated light grey & blue
- Overall capacity: 500kg
- Drawer capacity: 100kg
- Bench height: 950mm
 - Overall size (LxWxH):
 - 1100x580x1450mm
- Unit weight: 115kg



10 Drawer Industrial Tooling Cabinet

- Sliding drawers are a welded strengthened single rail design coupled with high quality mechanical bearings for long lasting smooth operation
- Single key lock design promoting safer storage
- Mechanical safety feature prevents unit from tipping
- All drawers come with adjustable steel dividers
- Centre dividers are removable
- Drawer 1-9: 100mm high
- Drawer 10: 200mm high
- 10 dividers per drawer
- Individual drawer capacity: 100kg
- Overall size (WxDxH):
- 881x653x1200mm Unit weight: 175kg

Code	WAS	NOW
V7221	_\$1,988	\$1,780

Half Height Storage Cabinet

- Made from reinforced
- sheet metal Doors open to 180°
- Powdercoated light grey finish with blue coloured doors
- Cabinet comes standard with 4 adjustable shelves
- Drawers come with 5 compartments & 10 dividers (4 removable partitions)
- 3 point key lock system
- Drawer capacity: 75kg
- Shelf capacity: 150kg
- Cabinet total load capacity: 600ka



Code	WAS	NOW
V7200	_\$409	\$365





Stationery Cabinets

- Features a durable, powder coated finish suitable for any workplace environment
- Shelves are fully adjustable
- All cupboards are key lockable
- Supplied fully assembled
- V7071 comes standard with 3 shelves & V7070 comes standard with 1 shelf
- (extra shelves available) Shelf thickness: 25mm
- Shelf capacity: 40kg
- Overall size: (HxWxD) V7070: 1015x910x450mm V7071: 1830x910x450mm Unit weight: V7070: 28kg | V7071: 44kg
- V7071 V7070

Code	Details	WAS	NOW
V7070	Half Height Stationery Cabinet	\$342	\$305
V7071	Full Height Stationery Cabinet	-\$478	\$430

Lockable Mesh Storage Cage

- · Designed for strength, visibility & ventilation
- Ideal for use in workshops, warehouses, construction sites & industrial applications Can be bolted to the ground for
- additional security Key Lockable for safe & secure
- storage
- Supplied with 3 adjustable shelves
- Powdercoated finish
- Load capacity: 600kg
- Overall dimensions (WxDxH): 1150x450x1800mm Internal dimensions (WxDxH):
- 1050x390x1770mm Mesh size: 50x50mm
- Unit weight: 70kg



Code	WAS	NOW
V7550	\$1,719	\$1,545

Wall Mount Retractable Barrier with 10m Belt

- · Offers a combination of convenience, visibility, & versatility, making it suitable for various applications where crowd control & safety are paramount
- Setting up the display is straightforward with the included hardware kit
- Black & yellow diagonal stripes for hazard alert
- Includes all combinations of fixings & mounts
- The unit can be mounted to the wall by Magnetic, Adhesion or screws
- Length: 10,000mm • Unit weight: 1kg



Code WAS NOW V7416 \$95 \$85

Open Steel Shelving Unit

- · Roll formed from premium pre-painted steel
- Colour: Silver Grey
- 100kg shelf load capacity Max Load Capacity Per Bay:
- 500kg Supplied with 4 x shelves as
- standard. Optional Shelves are available & sold in pairs (V7085 fits up to 14 shelves at 118 pitch) Overall size: (LxWxH)
- V7085: 890x455x2200mm V7086: 887x420x25mm Unit weight:
- V7085: 40kg
- V7086: 3.25kg



Code	Details	WAS	NOW
V7085	Open Steel Shelving Unit	\$435	\$390
V7086	Extra Shelves to suit (sold as a pair)	_\$42	\$37

V7086

3 Metre Expanding Barrier

- Made from powder coated steel, aluminium & high-tech plastics
- Colour: Black/Yellow
- Compact design, weighs
- only 6kgs Expanded length: 3 metres
- Rubber castors: 4 x swivel with brakes
- Castors: 50mm
- Collapsed size:
- 350x1030mm
- Expanded size: (LxH)
- 3000x1030mm Height with castors:
- 1030mm
- Height without castors: 970mm
- Unit weight: 6kg





Code	WAS	NOW
V7412	\$255	\$220

Forklift Wheel Stop

- The Verdex Forklift Wheel Stops are durable & designed to enhance safety & efficiency
- They ensure proper parking alignment, prevent damage to structures, assist with docking, & help to organise
- spaces effectively Designed to protect assets
- & machinery in warehouses Steel construction with a powder coated
- 'safety yellow' finish Overall size (LxWxH):
- 1200x150x50mm
- Hole diameter: 18mm
- Angle from the floor: 135°
- Unit weight: 19kg




Code	WAS	NOW
V7484	_\$320	\$282



Safety Guard Rail Fencing

- Protect expensive equipment from forklift damage using bolt together post & panel modular system
- Heavy duty powder coat yellow steel construction
- Easily assembled & disassembled rail system
- Supplied with all necessary bolts & fixings
- We can supply & install this fencing system at your workplace - Contact us for a quotation
- Galvanised finish available on request
- Base size of the post is 255x255x16mm
- Universal post has holes on all 4 sides & can be used for any configuration (corner, straight, T or +)



Code	Details	Unit Weight (kg)	Overall Dimensions (mm)	WAS	NOW
V7430	Single Height Corner Post	15	100x100x470	\$198	\$175
V7431	Single Height Centre / End Post	15	100x100x470	\$198	\$175
V7432	Double Height Universal Post	25	100x100x1085	\$234	\$210
V7433	Double Height Centre / End Post	25	100x100x1085	\$234	\$210
V7435	Safety Rail Section	17	370x1120	\$198	\$175
V7436	Safety Rail Section	24	370x1730	\$222	\$195
V7437	Safety Rail Section	32	370x2340	\$346	\$310
V7438	Safety Rail Section	40	370x2945	\$348	\$312

Fixed Safety Bollards

- Ideal for protecting expensive equipment & racking from possible forklift damage
- Powdercoated yellow finish
- Other sizes are available online*
 Dolt hole size: 22mm
- Bolt hole size: 22mm

Unit weight:

- Base plate size: 203x203x10mm
 Ballard diameter: 115mm
- Bollard diameter: 115mmM16 Tru Bolts available to suit
- Wall thickness: 3mm
- Overall dimensions: V7420: 1068x1220x115mm V7422: 915x115mm

V7420: 29.5kg | V7422: 10.5kg



V7420

Code	Details	WAS	NOW
V7420	'U' Bar High Bollard	_\$379	\$340
V7422	Fixed Straight Bollard	_\$119	\$105

Heavy Duty Floor Angles

- The Verdex Floor Angles are durable & essential for high-traffic areas
- Designed to prevent pallets or other items from obstructing walkways & creating damage to assets or structures
- Heavy duty steel
 construction
- Hole diameter: 18mm



Code	Details	Unit Weight	WAS	NOW
V7486	Heavy Duty Floor Angle - 2.4m	17.8kg	_\$210	\$185
V7487	Heavy Duty Floor Angle (Corner)	4kg	_\$119	\$105
V7488	Heavy Duty Floor Angle (End)	4.5kg	_\$119	\$105

Verdex Access Platform Ladders

- Designed for safe, easy & efficient use in warehousing, vehicle maintenance, mining, aviation & heavy industry workplaces
- Super strong design fabricated from heavy duty aluminium
- 100mm deep treads improve safety & comfort when climbing
- Suited to 'high frequency' use
- Large 125mm wheels improved portability & 'easy glide' action
- Large stable work platform: • (safe & stable) 600x710mm
- Manually operated braking system with high-vis powder coated activation arm helps minimize unauthorised access
- Safety Gate fitted
- Toeboard on three sides
- (helps secure tools/accessories) Supplied with reversible shelf
- Made to AS/NZS 1892.1
- 200kg load rating
- · Industrial duty rating for use on commercial sites
- Meets Work Cover requirements
- (safety gate + 900mm handrail, toeboard) Handrail height: 1000mm

















V4154



V4153

V4150





Code	Details	Platform Height	Reach Height	Open Size (LxWxH)	Unit Weight	WAS	NOW
V4150	Access Platform Ladder - 3 Step	792mm	2.8m	1315x797x1677mm	35kg	\$2,115	\$1,895
V4151	Access Platform Ladder - 4 Step	1056mm	3.1m	1321x821x1941mm	38kg	_\$2,200	\$1,980
V4152	Access Platform Ladder - 5 Step	1320mm	3.3m	1489x862x2205mm	41kg	_\$2,345	\$2,105
V4153	Access Platform Ladder - 6 Step	1584mm	3.6m	1655x905x2469mm	44kg	\$2,475	\$2,225
V4154	Access Platform Ladder - 7 Step	1848mm	3.9m	1826x747x2773mm	47kg	_\$2,615	\$2,350
V4155	Access Platform Ladder - 8 Step	2112mm	4.1m	1993x989x2997mm	51kg	\$2,790	\$2,490




6 Tonne Capacity Container Ramp

- · This versatile container ramp is ideal for unloading containers with the assistance of pallet trucks or forklifts, making it perfect for various purposes
- This is a one piece unit with forklift slots at the front for easy transport
- Capacity: 6000kgs
- Finish: Painted yellow .
- Width: 2200mm
- . Height: 160mm
- Length: 1200mm
- Supplied with 2 safety
- chains as pictured Fork centres: 800mm
- •
- Unit weight: 180kgs

		-
	111	
1		
-We		
<u>_</u>]H	1	
Con	-	-

Code	WAS	NOW
V4010	\$995	\$895









€ 1800 750 500 *www.verdex.com.au*

For all enquiries: sales@verdex.com.au

Sydney (02) 8865 1800 Brisbane (07) 3558 9700 Melbourne (03) 9115 9100 Adelaide (08) 8166 5151

© Verdex Equipment 2025 ABN 66 640 439 149 Specials end 30th June 2025



PEFC

PEFC Certified

www.pefc.org.au

Paper is from sustainably managed forest and controlled sources. Recognised in Australia by Responsible Wood.



If you happen to find a competitor's lower price on the same or similar item, we'll beat that price.