

Auto-Adjusting Electric Stacker (1000kg Capacity)

- Fitted with four wheels
- Straddle-leg design allows handling of standard Australian pallets
- Adjustable tines and stacker legs to suit narrow aisles or various pallet sizes
- Convenient charging port and onboard charger
- Emergency stop (E-Stop) for quick shutdown
- Keyed on/off ignition
- Battery level gauge for quick monitoring
- Mono-mast constructed from high-strength alloy steel
- Offset hand control for better load visibility
- Pull-down control handle with horn/Fast and slow speed options on the handle
- Variable-speed motor for both drive and reverse
- Built-in safety reverse function: If an operator is accidentally pushed against a wall during operation, the unit automatically moves forward to prevent injury.
- Photo-eye sensor to automatically adjust for pallet height; can be switched on/off and set to your preferred height
- Material: Steel Chassis
- Finish: Powder Coated
- Max. Lifting Speed: Up to 70 mm/s when loaded and 100 mm/s when unloaded
- Max. Descending Speed: 60/70 mm/s
- Noise Level: < 70 dB(A) Lifting Motor: 24V/2.2 Kw
- Drive Motor: 24V/0.75 Kw
- Driving Speed: 60/70 mm/s
- Drive Type: Battery
- Battery Voltage/Rated Capacity: 2x12/75 (120) V/Ah
- Battery Weight: 2 x 28kg (total 56kg)
- Width: 1135-1435mm (min.-max.)



Code	Load Capacity (kg)	Load Centre Distance (mm)	Fork Width (mm)	Fork Size LxWxD (mm)	Dimensions LxH (mm)	Max. Fork Lifting Height (mm)	Unit Weight (kg)
V2196	1000	450	200-760	1070x100x35	1789x2290	1900	610