

# VERDEX EQUIPMENT

**2023**  
catalogue



[www.verdex.com.au](http://www.verdex.com.au)

 02 8866 4600

**WORKPLACE, SAFETY & MANUAL HANDLING EQUIPMENT**



TROLLEYS & HAND TRUCKS



WORKPLACE EQUIPMENT



LIFTING EQUIPMENT



STORAGE EQUIPMENT



WASTE HANDLING EQUIPMENT



# Why choose Verdex?




Free Delivery to  
Sydney, Melbourne, Brisbane  
and Adelaide metro areas



30 Years of experience in the  
materials handling industry



High Quality products,  
that are tried and proven



98% of our products  
are always in stock

Order Online...from your phone, tablet or computer  
**[www.verdex.com.au](http://www.verdex.com.au)**





Verdex Equipment Pty Ltd

Warehouse Address: 90 Hollinsworth Road,

Postal Address: PO Box 4052,

Carlingford North NSW 2118

Tel: (02) 8866 4600

Fax: (02) 8866 4620

Email: [sales@verdex.com.au](mailto:sales@verdex.com.au)

Bank: Westpac

BSB No: 032-080

Account No: 432546

**FAX/EMAIL ORDER FORM** Please photocopy for future use

## Your Company Details

Company Name: .....

Invoice Address: .....

Delivery Address: .....

ABN: ..... Tel: (     ) ..... Fax: (     ) .....

Contact Name: \_\_\_\_\_ Position: \_\_\_\_\_

Contact Email: \_\_\_\_\_ Accounts Email: \_\_\_\_\_

Your Order Number: ..... Date: .....

[illegible]

## Freight Charges

FREE DELIVERY to Brisbane, Sydney, Adelaide & Melbourne metro areas for orders over \$500 ex GST

Extra freight charges will apply for bulky, large or long items however we will confirm this with you prior to processing your order.

Freight charges to regional and all other areas are shown online at [www.verdex.com.au](http://www.verdex.com.au)

Sub Total

Freight

GST

Total (inc GST)

**Payment Options (Please tick)**

☐ Please email invoice for payment by direct deposit

We accept VISA, MASTERCARD & AMEX (no surcharge)

☐ Please charge to credit card

☐ VISA    ☐ MASTERCARD    ☐ AMEX

Card Holder's Signature \_\_\_\_\_

Card Holder's Full Name: \_\_\_\_\_

Card Expiry Date: \_\_\_\_\_ / \_\_\_\_\_

**Card No.**

3 Digit Security Code:

## Special Delivery Instructions / Notes



## Trolleys & Hand Trucks - Page 8-63



## Lifting Equipment - Page 110-145



## Drum Handling Equipment - Page 148-162



## Workplace Equipment - Page 64-109



## Waste Handling Equipment - Page 172-185



## Access Equipment - Page 172-185





## V-Cart Folding Plastic and Aluminium Trolley

- The V-Cart is a collapsible trolley that can be used for hundreds of applications.
- It is ideal for use in the workplace, schools, home, office, hospitals, courier services, shopping malls, nursing homes and much more!
- It can be completely collapsed by the push of a button on the handle. The wheels are able to be removed by the push of a button and stored underneath for compact transport and storage.
- The V-Cart is supplied with one collapsible basket which will lock into place on either the top or bottom platform. The top platform can be folded back to allow larger items to be transported if required.
- Extra baskets are available for use on both platforms or up to 4 baskets can be stacked on the bottom platform.
- A robust foot pedal brake allows the V-Cart to be locked in position whilst loading or unloading.
- The injection moulded plastic and aluminium design means that whilst the V-Cart is lightweight it is still very robust and has a great carrying capacity.
- The basket fits fooscap suspension files, which is great for transporting documents throughout the office.
- The V-Cart can also be used with our standard No.7, No.10, No.15 tubs

# V-CART»»»



### Specifications

- Total Trolley Capacity: 90kg
- Top Shelf Capacity: 40kg
- Bottom Shelf Capacity: 50kg
- Trolley Weight: 10kg
- Basket Weight: 1.8kg
- Handle Height: 1050mm

### Dimensions

- Overall Length Assembled: 1000mm
- Overall Width Assembled: 600mm
- Overall Height Assembled: 1070mm
- Overall Length Folded: 740mm
- Overall Width Folded: 540mm
- Overall Height Folded: 105mm

View more details here, [www.verdex.com.au/vcart](http://www.verdex.com.au/vcart)



View video of this in operation here  
[www.verdex.com.au/v1800](http://www.verdex.com.au/v1800)



Extra Basket (V1805)



Hard Lid to suit Basket (V1806)



Rain Cover (V1810)



Tool Bin (V1815)

Code	Details
V1800	V-Cart Folding Plastic & Aluminium Trolley (Includes 1 Folding Basket)
V1805	V-Cart Extra Basket
V1806	Lid to suit V-Cart Basket
V1810	V-Cart Vinyl Cover
V1815	V-Cart Tool Bin





## Multi-Purpose Platform Trolleys (Folding Handle)

- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley
- Rubber castors – 2 x fixed, 2 x swivel



**Durolla™**

Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Platform Size (mm)	Platform Height (mm)	Unit Weight (kg)
V1000	150	100	860	740x480	150	12
V1001	250	125	860	920x610	180	18

## Multi-Purpose Platform Trolleys (Fixed Handle)

- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley
- Rubber castors – 2 x fixed, 2 x swivel



V1012



V1013

**Durolla™**

Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Platform Size (mm)	Platform Height (mm)	Unit Weight (kg)
V1012	1 Handle	300	160	860	1150x750	240	35
V1013	2 Handle	300	160	860	1150x750	240	40

## Prestige Platform Trolleys Durolla™

- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley
- Polyurethane castors – 2 x fixed, 2 x swivel



Brake Kit



V1010



V1011



V1002

Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Platform Size (mm)	Platform Height (mm)	Unit Weight (kg)
V1002	1 Folding Handle	370	125	1000	880x580	190	17
V1010	1 Fixed Handle	370	125	1000	880x580	190	16
V1011	2 Fixed Handle	370	125	1000	880x580	190	20
V1005	Brake Kit to suit V1002, V1010 and V1011						

## Extra Large Prestige Platform Trolley

- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley
- Polyurethane castors – 2 x fixed, 2 x swivel
- Optional pneumatic wheel kit available includes 2 swivel wheels and 2 fixed wheels



Pneumatic wheel kit


**Durolla™**

Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Platform Size (mm)	Platform Height (mm)	Unit Weight (kg)
V1015	XL Platform Trolley	650	200	1000	1125x720	290	40
V1016	Optional Extra Handle						
V1017	Pneumatic Wheel Kit						



## Heavy Duty Steel Platform Trolleys

- Heavy duty steel platform trolleys are ideal for general warehouse use
- Available in 3 sizes
- Welded steel construction
- Durable baked enamel paint finish
- Rubber castors – 2 x fixed, 2 x swivel with brakes



**Durolla™**




Code	Load Capacity (kg)	Castors (mm)	Overall Length (mm)	Handle Height (mm)	Platform Size (mm)	Platform Height (mm)	Unit Weight (kg)
V1040	540	200	1020	970	920x610	290	32
V1041	540	200	1320	970	1120x610	290	36
V1043	540	200	1620	970	1520x760	290	49

## Heavy Duty Aluminium Platform Trolleys

Strong and lightweight aluminium platform trolleys which are great for general transportation of goods around warehouses, shopping centres and courier goods delivery.

- Lightweight and corrosion resistant
- Highly manoeuvrable heavy duty construction
- Checker plate deck
- Removable handles (comes standard with 1 Handle)
- 3 standard sizes available
- Polyurethane castors – 2 x fixed, 2 x swivel with brakes
- Optional pneumatic wheel kit available includes 2 swivel wheels with brakes and 2 fixed wheels




**Durolla™**

Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Platform Size (mm)	Platform Height (mm)	Unit Weight (kg)
V1050	Platform Trolley	500	125	1010	930x620	260	22
V1051	Platform Trolley	500	125	1010	1230x620	260	25
V1052	Platform Trolley	500	125	1010	1530x770	260	30
V1053	Optional 2nd Handle to suit V1050 & V1051						
V1054	Optional 2nd Handle to suit V1052						
V1055	Pneumatic Wheel Kit						

## Foldable Plastic Deck Trolley

- This Platform Trolley is designed specifically to fit the V-Cart Folding Basket and can take up to three baskets per load
- Hard clip-on lid available for the V-Cart Basket
- Extremely lightweight and compact trolley which folds completely flat as pictured
- 3 Handle heights: 725mm, 825mm and 925mm
- Rubber castors - 2 x fixed, 2 x swivel
- Platform height off ground level: 180mm
- Platform Size: 670x405mm



### VERDEX



Extra Basket (V1805)



Hard Lid to suit Basket (V1806)



Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Folded Size LxWxH (mm)	Open Size LxWxH (mm)	Unit Weight (kg)
V1197	Foldable Plastic Deck Trolley	137	100	925	670x405x80	670x405x925	6
V1805	V-Cart Extra Basket						
V1806	Lid to suit V-Cart Basket						

## Nestable Stock Trolley

- The Nestable Stock Trolley is ideal for transporting heavy boxes and other product, due to its wide surface area and high quality construction.
- This trolley is the perfect addition to any supermarket store or factory where numerous goods need to be stacked or moved frequently with ease
- Electro galvanised construction and powder coated handles
- Rubber castors - 4 x swivel



### VERDEX

Code	Load Capacity (kg)	Castors (mm)	Platform Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1260	200	125	850x600	1170x700x980	22



# Powered Platform Trolley

These powered heavy duty platform trolleys provide a strong 400kg capacity platform to move heavy items around your workplace.

- Available with a removable cage (as pictured) to avoid items falling off while moving.
- Platform has an anti-slip grip so that items don't slide off easily in transit.
- Rubber bumper edge
- Emergency stop button
- Comes with forward and reverse drive options
- Variable speed controller
- Powered by 2 x 12V / 33Ah batteries
- 2 x swivel castors
- 2 x pneumatic drive wheels
- Clearance From Battery Box to Ground: 65mm
- Electro magnetic brake
- Cage Height: 930mm
- Moving Speed: 5-8km/h



Durolla™



Code	Load Capacity (kg)	Front Wheels (mm)	Rear Castors (mm)	Handle Height (mm)	Platform Size (mm)	Platform Height (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1065	400	260	150	1080	1290x640	320	1420x630x1090	110



V2080

See page 122



V2081

See page 122



V2082

See page 123

## Powered Dump Truck

- Great for dirt, bark and rubbish removal in outdoor areas
- Emergency stop button
- Forward and reverse drive
- Variable speed controller
- Powered by 3 x 12V / 55Ah batteries
- Pneumatic wheels
- Moving Speed: 5-8km/h
- Lift Time: 15 secs
- Lift Angle: 45 degrees
- Electro magnetic brake



**Durolla™**



Watch a video of this in operation on our website here, [www.verdex.com.au/V1067](http://www.verdex.com.au/V1067)



Code	Load Capacity (kg)	Wheels (mm)	Handle Height (mm)	Tray Height from Ground (mm)	Tray Size LxWxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1067	800	325	1000	740	1510x800x310	2250x810x1070	250

## Large Powered Platform Trolley

- Great for both indoor and outdoor use with high load capacity
- Platform has an anti-slip grip so that items don't slide off easily in transit
- Rubber bumper edge
- Supplied with removable cage
- Emergency stop button
- Forward and reverse drive
- Variable speed controller
- Powered by 3 x 12V / 55Ah batteries
- Pneumatic wheels
- Clearance From Battery Box to Ground: 75mm
- Moving Speed: 5-8km/h
- Electro magnetic brake



Supplied standard with removable cage to prevent items falling off during transit



**Durolla™**


Code	Load Capacity (kg)	Wheels (mm)	Handle Height (mm)	Platform Size (mm)	Platform Height (mm)	Overall Size With Cage LxWxH (mm)	Unit Weight (kg)
V1066	800	310	950	1400x900	385	2070x900x980	170



## Multi-Purpose 2 Tier Trolleys

**Durolla™**

- General purpose industrial quality 2 tier trolleys for goods movement
- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley
- V1020 – Rubber castors – 2 x fixed, 2 x swivel
- V1021 – Polyurethane castors – 2 x fixed, 2 x swivel



**Brake Kit**


Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Shelf Size (mm)	Shelf Heights (mm)	Unit Weight (kg)
V1020	2 Tier Trolley	120	100	860	750x490	140 + 660	20
V1021	2 Tier Trolley	370	125	1000	920x620	180 + 780	27
V1005	Brake Kit to suit V1021						

## Multi-Purpose 3 Tier Trolleys

**Durolla™**

- General purpose industrial quality trolleys for transporting goods safely in the workplace
- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley
- V1025 – Rubber castors – 2 x fixed, 2 x swivel
- V1026 – Polyurethane castors – 2 x fixed, 2 x swivel


**Brake Kit**


Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Shelf Size (mm)	Shelf Heights (mm)	Unit Weight (kg)
V1025	3 Tier Trolley	120	100	860	750x490	140 + 410 + 660	24
V1026	3 Tier Trolley	370	125	990	920x620	180 + 480 + 780	36
V1005	Brake Kit to suit V1026						

## 3 Tier Multi Shelf Trolley

- 3 Tiered Multi Shelf Trolley is ideal for order picking and transporting goods in the workplace
- Suitable for use in retail and industrial applications
- The shelves can be used as a flat platform or turned upside down and used as a tray
- Powder coated finish
- Available in Blue or White
- Overall Size (LxWxH): 1080x480x940mm
- Rubber castors – 2 x swivel, 2 x swivel with brakes



# VERDEX

Code	Details	Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Distance Between Shelves (mm)	Height to Top Shelf (mm)	Unit Weight (kg)
V1660	Blue	250	125	900x440	250	760	30
V1661	White	250	125	900x440	250	760	30

## Tall Multi Shelf Trolley

- The multi tier shelf trolley is ideal for order picking and transporting goods in the workplace
- Suitable for use in retail and industrial applications
- Supplied standard with 3 shelves (extra shelves available)
- The shelves can be used as a flat platform or turned upside down and used as a tray
- Powder coated finish
- Available in Blue or White
- Overall Size (LxWxH): 980x585x1445mm
- Rubber castors – 2 x swivel, 2 x swivel with brakes



# VERDEX



Code	Details	Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Height to Top Shelf (mm)	Unit Weight (kg)
V1662	Blue	250	125	900x540	1340	39
V1663	Extra Shelf to Suit V1662 (Blue Tall Multi Shelf Trolley)					
V1664	White	250	125	900x540	1340	39
V1665	Extra Shelf to Suit V1664 (White Tall Multi Shelf Trolley)					



## Heavy Duty Steel 3 Tier Platform Trolley

- 3 tier heavy duty steel platform trolleys are ideal for general warehouse use
- Fully welded steel construction
- Powder coated blue
- Rubber castors – 2 x fixed, 2 x swivel with brakes



**Durolla™**

Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Shelf Size (mm)	Shelf Heights (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1642	500	125	960	900x605	180 + 520+ 860	1080x605x940	45

## General Purpose 3 Tier Trolley

- Strong general purpose warehouse trolleys which are great for order picking and general warehouse applications
- Middle shelf can be removed to make a 2 tier trolley if required
- Bolted steel construction
- Powder coated blue
- Rubber castors – 2 x fixed, 2 x swivel with brakes



**Durolla™**



Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Tray Size (mm)	Shelf Heights (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1076	350	200	970	900x500	300 + 725 + 1150	1010x510x1150	60



See page 8



See page 26



See page 47

## Heavy Duty Steel 2 Tier Platform Trolley

- 2 Tier heavy duty steel platform trolleys are ideal for general warehouse use
- Fully welded steel construction
- Powder coated blue
- Rubber castors - 2 x fixed, 2 x swivel with brakes



**Durolla™**

Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Shelf Size (mm)	Shelf Heights (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1641	500	125	940	900x600	180 + 860	1080x600x940	40

## 2 Tier Picking Platform Trolley

**Durolla™**

- Rubber lined shelves to help stop items from sliding off when moving around
- Wire tool basket supplied as standard which is great for tool and scanner storage
- Fully welded steel construction
- Powder coated blue
- Basket Dimensions (LxWxH): 265x145x170mm
- Distance between Shelves: 655mm
- Rubber castors - 2 x swivel, 2 x swivel with brakes



Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Shelf Size (mm)	Shelf Heights (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1650	500	125	1055	910x610	190 + 880	1080x610x1055	39



## Prestige 2 & 3 Tier Trolleys

Heavy duty steel trolleys which are great for dozens of uses in warehouses, schools, hospitals etc.

- Powder coated steel construction
- Chrome steel handle with plastic end caps
- The shelves can be used as a flat platform or turned upside down and used as a tray
- Polyurethane castors – 2 x fixed, 2 x swivel

**Durolla™**

**V1071**

Shelf levels  
are adjustable



Reversible shelves

**V1070**

Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1070	2 Tier Trolley	200	100	890	750x500	830x500x930	18
V1071	3 Tier Trolley	200	100	890	750x500	830x500x930	22

## Instrument Table/Trolley

These instrument trolleys are ideal for areas where hygiene is essential.

- 304 grade stainless steel construction
- Rubber castors – 2 x swivel, 2 x swivel with brakes
- Telescopic height adjustment: 850-1400mm



Code	Details	Removable Tray Size (mm)	Castors (mm)
V1544	Instrument Table/Trolley	600x400x20	65

## Stainless Steel Oxygen Trolley (with Safety Chain)

- A strong and portable oxygen bottle trolley to suit D size cylinders.
- 304 grade stainless steel construction
- Features a chain to secure bottle
- Rubber castors – 2 x swivel, 2 x swivel with brakes



Code	Details	Overall Size WxDxH (mm)	Castors (mm)
V1545	Stainless Steel Oxygen Trolley	380x270x1000	95

## Stainless Steel Platform Trolleys

- Heavy duty stainless steel platform trolley which is great for use in food and medical areas.
- Fixed handle
- 304 grade stainless steel
- Rubber castors – 2 x fixed, 2 x swivel with brakes



**Durolla™**

Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Platform Size (mm)	Platform Height (mm)	Unit Weight (kg)
V1420	600	200	970	915x610	280	41
V1421	600	200	970	1220x610	280	46

## Stainless Steel 2 & 3 Tier Trolleys

- Heavy duty stainless steel 2 and 3 tier trolleys which are great for use in hospitality areas.
- The shelves can be used as a flat platform or turned upside down and used as a tray
- Polyurethane castors – 4 x swivel
- 304 grade stainless steel
- Overall Length Including Handle: 750mm



**Durolla™**

Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Distance Between Trays (mm)	Tray Size WxDxH (mm)	Platform Size (mm)	Unit Weight (kg)
V1430	2 Tier Trolley	200	100	910	670	600x400x50	655x400	14
V1435	3 Tier Trolley	200	100	910	310	600x400x50	655x400	18



## 4 Tier Stainless Steel Trolley

- The 4 tier stainless steel trolley is the perfect solution for restaurants, hospitals, hair salons, nursing homes etc.
- Grade of stainless: 304
- Polyurethane castors - 2 x swivel, 2 x swivel with brakes



**VERDEX**

Code	Load Capacity (kg)	Castors (mm)	Height to Top Shelf (mm)	Shelf Size (mm)	Distance Between Shelves (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1440	100	100	1125	825x500	280	910x590x1260	20

## 2 Tier Flat Deck Trolley

- Electro galvanised handle and end frame
- Chipboard shelves covered in stainless steel sheet
- Polyurethane castors - 2 x swivel, 2 x swivel with brakes
- Top Shelf Height: 720mm
- Handle Height: 950mm



**VERDEX**

Code	Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Distance Between Shelves (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1445	200	100	760x435	510	840x430x970	21

## 3 Tier Stainless Steel Platform Trolley

These stainless steel trolleys are great for use in medical areas, food preparation, schools, laundries etc where hygiene is important

- Rubber corner protectors as standard
- Middle shelf can be removed to make a 2 tier trolley
- Rubber castors – 2 x swivel, 2 x swivel with brakes



# VERDEX

Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Shelf Size (mm)	Shelf Heights (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1436	150	100	930	900x500	200 + 510 + 820	850x450x890	12

## Heavy Duty Fully Welded Stainless Steel Tier Trolley

- Heavy duty stainless steel 2 tier trolleys are ideal for food and medical areas
- Handles at both ends
- Optional PVC buffers available
- 304 grade stainless steel
- Rubber castors – 2 x swivel, 2 x swivel with brakes



Optional PVC Buffer Kit

# VERDEX

Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Shelf Size (mm)	Shelf Heights (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1431	2 Tier Trolley	300	125	1095	880x480	325 + 855	1120x540x1095	18
V1433	PVC Buffer Kit (includes 4 buffers)							



## Stainless Steel Instrument Trolleys (without Drawers)

The following pages contain our range of stainless steel instrument trolleys. These instrument trolleys are ideal for areas where hygiene is essential.

- High grade 304 grade stainless steel
- 2 trolleys available with 2 sides and rail on 3 sides
- Rubber castors – 2 x swivel, 2 x swivel with brakes
- Front Castors feature locks
- Smooth welding



Code	Details	Overall Size WxDxH (mm)	Castors (mm)	Unit Weight (kg)
V1546	Single Trolley, No Rail on top	500x500x900	95	10.5
V1547	Single Trolley, No Rail on top	600x500x900	95	11.4
V1548	Single Trolley, No Rail on top	800x500x900	95	14
V1530	Single Trolley, with Rails & No Drawer	500x500x900	95	11.2
V1535	Double Trolley, with Rails & No Drawer	800x500x900	95	14

## Stainless Steel Trolleys (with Drawers)

The following pages contain our range of stainless steel instrument trolleys. These instrument trolleys are ideal for areas where hygiene is essential.

- High grade 304 grade stainless steel
- 125mm deep drawers
- German made drawer runners
- Soft closing Magnetic drawers
- Rubber castors – 2 x swivel, 2 x swivel with brakes
- Front Castors feature locks
- Smooth welding



Code	Details	Overall Size WxDxH (mm)	Castors (mm)	Unit Weight (kg)
V1531	Single Trolley, 1 Drawer	500x500x900	95	17.6
V1532	Single Trolley, 2 Drawer	500x500x900	95	23
V1533	Single Trolley, 3 Drawer	500x500x900	95	29.6
V1534	Single Trolley, 4 Drawer	500x500x900	95	34
V1536	Double Trolley, 1 Drawer	800x500x900	95	23
V1537	Double Trolley, 2 Drawer	800x500x900	95	32
V1538	Double Trolley, 2 Drawer (side by side)	800x500x900	95	25.7
V1539	Double Trolley, 4 Drawer (2 over 2)	800x500x900	95	36.4
V1540	Stainless Steel Trolley, 4 Half Drawers, 1 Full Drawer	800x500x970	95	43.8
V1541	Stainless Steel Trolley, 6 Drawers	900x500x970	95	55
V1542	Stainless Steel Trolley, 6 Half Drawers, 1 Full Drawer	800x500x970	95	55.5
V1543	Stainless Steel Trolley, 4 Half Drawers,	600x500x1070	95	44.6



## Furniture Mover Set

- Great for moving heavy furniture and equipment
- Winch handle geared mechanism
- Non marking castors
- Sold as a set of 2 only
- Ratchet straps are included



**Durolla™**

Code	Load Capacity (kg)	Castors (mm)	Lifting Height (mm)	Lifting Plate Size (mm)	Overall Size LxWxH (mm)	Weight per Set of 2 (kg)
V1225	600	150	300	120x225	570x390x825	34

V1219



V1220

## Flat Equipment Moving Dollies

- Great for moving furniture and equipment due to their low height and high capacity
- Both models come with 4 heavy duty swivel castors
- **V1219** is made from polypropylene with steel tubing. Rubber moulds on each end to protect items from scatching and marking. Supplied with nylon castors
- **V1220** has a non slip vinyl platform with a PVC bumper strip around the edge. Supplied with polyurethane castors.

**Durolla™**

Code	Details	Load Capacity (kg)	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1219	Flat Equipment Moving Dolly	350	75	765x460x130	6
V1220	Flat Platform Steel Dolly	370	125	920x620x180	15



See page 64



See page 55



See page 105

## Self Levelling Shelf Trolley

- This trolley has an innovative design in which the top platform automatically adjusts to maintain a safe working height as weight is added or taken off.
- Makes work operations faster, safer and more efficient by reducing manual exertion and bending.
- Ideal for use in supermarkets, liquor and hardware stores
- At 90kg, the platform is at the lowest position.
- Trolleys are nestable for compact storage
- Electro galvanised finish
- Rubber castors – 2 x swivel, 2 x swivel with brake


**LIFTEX**


Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Height to Top Shelf (mm)	Distance Between Shelves (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
VI690	300	125	995	810	610	960x525x1030	36

## Nestable Basket Trolley

- The Nestable Basket Trolley is ideal for use in supermarkets, liquor and hardware stores
- Top basket can be folded upwards so that multiple trolleys can be nested together when not in use
- Electro galvanised finish
- Rubber castors – 2 x swivel, 2 x swivel with brake


**VERDEX**


Code	Load Capacity (kg)	Top Shelf Capacity (kg)	Castors (mm)	Handle Height (mm)	Distance Between shelves (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
VI691	300	100	125	1010	430	870x530x1010	21

## Timber Deck Wagon Platform Truck

- Swivel handled platform truck for moving and turning easily
- The platform is reinforced with steel cross bars for extra strength
- Heavy duty timber platform
- Powder coated blue
- Rubber castors – 2 x fixed, 2 x swivel

Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Platform Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
700	250	1100	1200x700	1200x700x1100	60

Code	Details
V1060	Timber Deck Wagon Platform Truck



**Durolla™**

## Wagon Platform Truck (With Sides)

- Swivel handled platform truck for moving and turning easily
- Timber floor and side panels
- The platform is reinforced with steel cross bars for extra strength
- Powder coated blue
- Side Panel Height: 610mm
- Rubber castors – 2 x fixed, 2 x swivel

Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Platform Height (mm)	Platform Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
700	250	1100	410	1200x700	1440x700x1100	76

Code	Details
V1061	Wagon Platform Truck (with sides)



**Durolla™**

## All Terrain Platform Trolley

- The All Terrain Platform Trolley is perfect for construction sites and general warehouse use
- Heavy duty trolley construction
- Handle activated brake
- Swivel handle for steering the trolley
- Powder coated frame with plywood deck
- Optional sides available
- 4 x pneumatic wheels with steel rim



**Durolla™**

Code	Details	Load Capacity (kg)	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1063	All Terrain Platform Trolley	1300	300	1200x690x397	49
V1064	Optional Sides to suit All Terrain Platform Trolley (300mm high)				



## Basket Picking Trolley

- The Basket Picking Trolley is lightweight making it ideal for use in clothing stores, mail rooms and order picking in warehouses
- Two mesh baskets allow various sized items to be moved
- Electro galvanised finish
- Rubber castors - 2 x swivel, 2 x swivel with brake



### VERDEX



Code	Load Capacity (kg)	Castors (mm)	Distance Between Baskets (mm)	Size of Lower Basket LxWxH (mm)	Size of Top Basket LxWxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
VI677	100	100	300	605x400x110	605x400x360	690x410x950	13

## Ezi Mover Trolley

- The Ezi Mover trolley is great for both indoor or outdoor use
- Black powder coated frame which fits 3 bin sizes
- Trolley shown with bin which is sold separately (see page 89 for bins)
- Rear pneumatic wheel and rubber front castor

### Durolla™



Code	Load Capacity (kg)	Front Castors (mm)	Rear Wheels (mm)	Height to top lip (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
VI155	70	125	230	730	1040x570x860	10

## Service Cart With Side Rails

- Ideal cart for use in environments such as restaurants, hospitals, libraries, retail stores, schools etc.
- Lightweight trolley yet very robust design
- Electro galvanised finish
- Rubber castors - 2 x swivel, 2 x swivel with brake

### VERDEX



Code	Load Capacity (kg)	Castors (mm)	Distance Between Shelves (mm)	Height to Top Shelf (mm)	Tray Size LxWxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
VI037	250	125	325	705	935x535x90	1130x550x940	24

## Mesh Trolley with Folding Lid

- The Mesh Trolley with Folding Lid is the perfect solution for hospitals, laundries and nursing homes etc
- Lockable lid ensures that goods can be stored securely in high traffic areas
- White powder coated finish
- Polyurethane castors - 4 x swivel



Load Capacity (kg)	Castors (mm)	Size of Basket (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
100	100	770x400	800x600x915	18



# VERDEX

Code	Details
V1680	Mesh Trolley with Folding Lid

## Plastic X Shape Laundry Cart

- Lightweight trolley which is great for carting linen or waste
- Easily remove the waste bag by unhooking from the frame
- Can be folded when not in use
- Strong vinyl bag
- Rubber castors - 4 x swivel

# VERDEX

Load Capacity (kg)	Volume Capacity (L)	Castors (mm)	Folded Size LxWxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
60	178	75	660x440x1100	690x660x950	10

Code	Details
V9070	Plastic X Shape Laundry Cart



## X Shape Laundry Cart 150L

- Lightweight trolley which is great for carting linen or waste
- Can be folded when not in use
- Strong vinyl bag
- Rubber castors - 4 x swivel

### VERDEX

Load Capacity (kg)	Volume Capacity (L)	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
100	150	100	620x620x995	10

Code	Details
V9060	X Shape Laundry Cart - 150L



## Service Cart

- Great for storing small parts and items neatly in the office
- Supplied with plastic tubs as pictured
- Plastic tubs are made from recycled plastic and are not suitable for food applications
- Integrated frame handles
- Rubber castors - 2 x swivel, 2 x swivel with brakes

Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Plastic Tub Size LxWxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
15	75	990	530x390x150	600x400x990	11

Code	Details
V6970	Service Cart

### VERDEX

## 3 Basket Office Trolley

- Great for storing small parts and items neatly in the office
- Supplied with plastic baskets as pictured
- Integrated frame handles
- Plastic Basket Size (LxWxH): 510x360x200mm
- Nylon castors - 2 x swivel, 2 x swivel with brakes



### VERDEX

Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
50	100	500x400	520x470x1085	11

Code	Details
V1525	3 Basket Office Trolley





## 3 Tier Step Ladder Trolley

**Durolla™**

- Strong 3 step ladder which folds up when not required
- Great for picking stock when you need to reach up high
- Middle shelf has 3 shelf positions
- Ladder is connected with the brake to stop wheels turning which enhances safety when using the ladder
- Anti-slip steps which ensure safe operation
- Polyurethane castors – 2 x fixed, 2 x swivel with brakes



Code	Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1105	400	100	700x500	1125x525x1110	45

## 2 Tier Trolley (With Adjustable Shelves)

- This 2 tier trolley is ideal for stock picking in warehouses and retail applications.
- Innovative design allowing shelves to be adjusted at different heights with optional ladder and clipboard as well.
- Ladder can be folded up for compact storage when not in use.
- Electro galvanised finish with laminate shelves
- Shelf Size: 1000x425mm
- Rubber castors – 2 x swivel, 2 x swivel with brakes

Optional clipboard available


**V1670**


Optional ladder available


**VERDEX**

Code	Details	Load Capacity (kg)	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1670	2 Tier Trolley (with adjustable shelves)	250	125	1195x470x1120	26
V1672	Optional Ladder	125	-	550x450x670	9
V1673	Optional Clipboard Unit				

### 3 Tier Trolley (With Adjustable Shelves)

- This 3 tier trolley is ideal for stock picking in warehouses and retail applications.
- Innovative design allowing shelves to be adjusted at different heights with optional ladder and clipboard as well.
- Ladder can be folded up for compact storage when not in use.
- Electro galvanised finish with laminate shelves
- Shelf Size: 1000x425mm
- Rubber castors – 2 x swivel, 2 x swivel with brakes

Optional  
clipboard available



V1671



Optional  
ladder available



FLATPACKED

## VERDEX

Code	Details	Load Capacity (kg)	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1671	3 Tier Trolley (with adjustable shelves)	250	125	1195x470x1120	32
V1672	Optional Ladder	125	-	550x450x670	9
V1673	Optional Clipboard Unit				

### Retail Stock Trolley

- The Retail Stock Trolley is the perfect trolley to take to stores selling bulk and numerous items, as the large shelves fit numerous amounts
- This device is also suitable for transferring goods of any type throughout super markets, factories, and any large warehouse
- Shop trolley with good and robust loading platform. Easy to use even for the heavier loads.
- Electro galvanised and clear coated
- Rubber castors – 2 x fixed, 4 x swivel



## VERDEX



FLATPACKED

Optional  
clipboard available



Code	Load Capacity (kg)	Castors (mm)	Height to Top Shelf (mm)	Distance Between Shelves (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1685	400	125	715	475	1320x430x1120	24
V1673	Optional Clipboard Unit					

## 3 Tier Service Cart

- Heavy duty plastic construction which resists dents, chips and rust
- Polypropylene handles with aluminium frames
- Sturdy and stable but lightweight making it easy to manoeuvre
- Lockable front doors
- Rubber castors – 2 x swivel, 2 x swivel with brakes



# VERDEX

Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
250	100	680x450	870x500x1010	17

Code	Details
V1461	3 Tier Service Cart



## VERDEX

## 2 Tier Utility Service Carts

- Heavy duty plastic construction which resists dents, chips and rust
- Polypropylene handles with aluminium frames
- Sturdy and stable but lightweight making it easy to manoeuvre
- Rubber castors – 2 x swivel, 2 x swivel with brakes



Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
250	100	680x450	870x500x950	9

Code	Details
V1480	2 Tier Utility Service Carts



## Large 2 Tier Utility Cart

- Heavy duty plastic construction which resists dents, chips and rust
- Polypropylene handles with aluminium frames
- Sturdy and stable but lightweight making it easy for manoeuvrability
- Rubber Castors – 2 x fixed, 2 x swivel with brakes

Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
250	100	915x520	1100x500x950	13

Code	Details
V1481	Large 2 Tier Utility Cart



# VERDEX



## 3 Tier Utility Carts

- Heavy duty plastic construction which resists dents, chips and rust
- Polypropylene handles with aluminium frames
- Sturdy and stable but lightweight making it easy to manoeuvre
- Rubber castors - 2 x swivel, 2 x swivel with brakes



V1451



V1452



## VERDEX

Code	Details	Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1451	3 Tier Utility Service Trolley (Narrow)	180	75	485x365	660x380x900	6
V1452	3 Tier Utility Service Trolley	180	100	615x450	810x500x970	10



V1455



V1456

## Utility Carts (With Side Panels)

- These utility carts have the same specifications as the other 3 tier utility carts with the added benefit of polypropylene side panels
- Rubber castors - 2 x swivel, 2 x swivel with brakes



## VERDEX

Code	Details	Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1455	3 Tier Utility Trolley (with sides)	250	100	680x450	870x500x1010	15
V1456	Extra Long 3 Tier Service Trolley (with sides)	250	100	920x520	1110x520x1010	21

## Large 2 Tier Utility Cart

- Heavy duty plastic construction which resists dents, chips and rust
- Polypropylene handles with aluminium frames
- Sturdy and stable but lightweight making it easy to manoeuvre
- These utility carts have the added benefit of polypropylene side panels
- Rubber castors - 2 x swivel, 2 x swivel with brakes



V1482



V1483



## VERDEX

Code	Details	Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1482	Large 2 Tier Utility Cart	250	100	680x450	850x480x950	11
V1483	Drawer Unit with Lock to suit V1482					

### 3 Tier Utility Cart

- Versatile functional carts for food service, catering etc
- Lightweight, strong, reinforced polymer construction with aluminium posts
- Rubber castors – 4 x swivel


**VERDEX**

Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
150	75	910	600x430	845x430x910	10

Code	Details
V1450	3 Tier Utility Cart



### 3 Tier Utility Service Cart

- Heavy duty plastic construction which resists dents, chips and rust.
- Supplied standard with 2 removable buckets
- Small bucket size (LxWxH): 360x290x360mm
- Large bucket size (LxWxH): 360x290x560mm
- Polyurethane castors – 2 x fixed, 2 x swivel with brakes
- Castors: 100mm


**VERDEX**


Code	Load Capacity (kg)	Overall Size LxWxH (mm)	Top Shelf Size (mm)	Unit Weight (kg)
V7100	250	1395x520x975	450x740	19

## 2 & 3 Tier Plastic Utility Carts

**Durolla™**

- Heavy duty plastic construction which resists dents, chips and rust - virtually maintenance free!
- Built in storage bin in the handle which is great for storing small parts or tools
- Sturdy and stable but lightweight making it easy for manoeuvrability
- Round corners which avoid marking of walls and furniture from sharp edges
- Rubber castors - 2 x fixed, 2 x swivel


**V1400**

**V1401**

Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Distance Between Trays (mm)	Tray Size LxWxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1400	250	125	840	500	950x650x110	1170x650x840	21
V1401	250	125	840	200	950x650x110	1170x650x840	28

## Quad Deck Tool Cart (With Tool Board)

- Excellent tool cart with square hole pegboard
- Supplied with accessories
- Tray depth: 50mm
- Nylon castors - 2 x swivel, 2 x swivel with brakes
- Castors: 100mm
- Shelf Heights: 170 + 370 + 570 + 770mm
- Shelf Size: 585x405mm


**VERDEX**


Code	Load Capacity (kg)	Overall Size LxWxH (mm)	Shelf Size (mm)	Unit Weight (kg)
V1466	300	680x430x1215	585x405	24



## 2 Tier Tool Trolley (With Drawers)

- Twin drawers with ball bearing sliders and quick return system
- Top drawer depth: 60mm
- Bottom drawer depth: 80mm
- Rubber castors - 2 x swivel, 2 x swivel with brakes



# VERDEX

Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
250	100	680x450	870x500x950	20

Code	Details
V1485	2 Tier Tool Trolley (with drawers)



## Triple Deck Tool Cart (With Tool Board & Drawer)

- Single drawer with ball bearing sliders and quick return system
- Hooks sold separately
- Side can holder and tray supplied
- Drawer depth: 80mm
- Rubber castors - 2 x swivel, 2 x swivel with brakes



# VERDEX

Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
250	100	680x450	900x500x1430	25

Code	Details
V1465	Triple Deck Tool Cart (with tool board & drawer)

## 3 Tier Tool Trolley (With Drawer)

- Single drawer with ball bearing sliders and quick return system
- Drawer depth: 80mm
- Rubber castors - 2 x swivel, 2 x swivel with brakes



# VERDEX

Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
250	100	680x450	780x500x1010	15

Code	Details
V1460	3 Tier Tool Trolley (with drawer)



## 3 Tier Aluminum Framed Computer Cart

- These computer carts are great for both office and warehouse use
- Rubber castors – 2 x swivel, 2 x swivel with brakes



# VERDEX



Code	Load Capacity (kg)	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1470	250	100	810x510x1160	18

## 3 Tier Steel Computer Cart

- These computer carts are great for both office and warehouse use
- Rubber castors – 2 x swivel, 2 x swivel with brakes



# VERDEX



Code	Load Capacity (kg)	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1472	250	100	610x520x910	28

## Steel Utility Cart (3 Drawers + 3 Shelves)

- Strong steel construction – great for a general parts and tool storage trolley
- Comes complete with 3 drawers and 3 shelves
- Drawers and middle shelf can be removed if not required
- Shelf Depth: 50mm
- Poly castors – 2 x fixed, 2 x swivel with brakes



Load Capacity (kg)	Castors (mm)	Shelf Capacity (kg)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
150	125	50	715x410	830x420x870	23

Code	Details
V1405	Steel Utility Cart



# VERDEX

## Tub Trolleys

- Simple bolt together construction
- Powder coated finish
- Rubber castors - 2 x swivel, 2 x swivel with brakes
- Handle Height: 1050mm
- Top Rail Height: 1000mm
- Bottom Shelf Height: 230mm
- Clipboard and Laptop holder attachments are optional extras and sold separately
- T3190 fits 1 No.7, 10 or 15 Plastic Tub
- T3195 fits 2 No.7, 10 or 15 Plastic Tub
- Fits 1 tub in either No.7, No. 10 and No.15. Plastic tubs are sold separately which are available in 6 colours (black, blue, green, red, white and yellow)



See Page 89 for plastic tubs to suit



V1610



V1611



V1610 pictured with two No.10 tubs, V1614 Laptop Holder Attachment & V1843 Mesh Basket Accessory Tray



V1611 pictured with two No.10 tubs, V1841 Clipboard Holder Attachment & V1843 Mesh Basket Accessory Tray

**Durolla™**



V1841



V1614



V1843

Code	Details	Load Capacity (kg)	Castors (mm)	Overall Size LxW(mm)	Unit Weight (kg)
V1610	Single Tub Trolley	250	125	835x425	16
V1611	Double Tub Trolley	250	125	1010x650	21
V1841	Clipboard Holder Attachment				
V1842	Laptop Holder Attachment				
V1843	Mesh Basket Accessory Tray				



## Twin Offset Tub Order Picking Trolley

**Durolla™**

- Powder coated finish
- Rubber castors - 2 x swivel, 2 x swivel with brakes
- Optional Clipboard, Laptop Holder and Accessory Tray
- Fits 2 tubs in either No.7, No. 10 and No.15. Plastic tubs are sold separately which are available in 6 colours (black, blue, green, red, white and yellow)



Code	Details	Load Capacity (kg)	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1612	Twin Offset Tub Trolley	250	125	1050x450x1300	15
V1841	Clipboard Holder Attachment				
V1842	Laptop Holder Attachment				
V1843	Mesh Basket Accessory Tray				

## General Purpose Trolley (With Writing Shelf)

**Durolla™**

- Strong general purpose warehouse trolleys which are economically priced and great for order picking and general warehouse applications.
- Comes with a writing shelf which is good for picking stock orders.
- Bolted steel construction
- Powder coated blue
- Distance Between Shelves: 540mm
- Rubber castors - 2 x fixed, 2 x swivel with brakes




Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Shelf Heights (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1077	250	125	980	220 + 790	895x495	1330x500x1070	40

## Multi-Purpose Cage Trolleys

**Durolla™**

- Industrial quality trolleys with cage stop goods falling off the platform
- The cage has fold down sides for easy loading and unloading
- Powder coated steel construction with vinyl platform
- Surround bumper on perimeter of trolley
- Ergonomically designed with handle at optimum height
- Polyurethane castors – 2 x fixed, 2 x swivel


**Brake Kit**


Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Platform Size (mm)	Platform Height (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1030	Cage Trolley	220	100	1000	750x490	140	820x490x1000	19
V1031	Cage Trolley	370	125	1000	880x580	190	1000x620x1000	27
V1005	Brake Kit to suit V1031							

## Extra Large Prestige Platform Trolley (With Cage) **Durolla™**

- Wire cage has fold down sides to make loading and unloading easier
- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley
- Cage Height: 770mm
- Polyurethane castors – 2 x fixed, 2 x swivel
- Optional pneumatic wheel kit available includes 2 swivel wheels and 2 fixed wheels
- Platform height with pneumatic wheels: 310mm



**Pneumatic wheel kit**


Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Platform Size (mm)	Platform Height (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1032	Platform Trolley	500	200	1000	1170x770	240	1270x770x1000	47
V1033	Pneumatic Wheel Kit							

## Multi-Purpose 2 Tier Cage Trolleys

**Durolla™**

- General purpose 2 tier trolleys with wire sides which keep items on platform
- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley
- Ergonomically designed with handle at optimum height
- Polyurethane castors – 2 x fixed, 2 x swivel


**Brake Kit**

Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Platform Size (mm)	Platform Height (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1035	2 Tier Trolley	220	100	1010	740x480	140 + 660	790x480x1010	23
V1036	2 Tier Trolley	370	125	1000	920x620	180 + 650	960x620x1000	33
V1005	Brake Kit to suit V1036							

## 3 Tier Convertible Cage Trolley

**Durolla™**

- General purpose 3 tier trolley which can be converted into a platform trolley with sides as pictured
- Rubber castors – 2 x fixed, 2 x swivel with brakes



Image shown with top and middle shelves removed and inserted as sides to convert into a cage trolley



Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Shelf Heights (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1085	200	125	1160	190 + 600 + 980	900x600	950x610x1160	45



## Mesh Trolley with Folding Lid & Side

**VERDEX**


- The Mesh Trolley is able to hold items safely and securely due to the attached lid.
- This trolley is ideal for use in warehouses, hospitals, schools and sporting events etc
- Foldable side and lid for easy access to products
- Comes with a padlock hook which allows the trolley to be securely locked when not in use
- Mesh Size: 50x50mm
- Electro galvanised finish
- Polyurethane castors - 2 x swivel, 2 x swivel with brakes



Code	Load Capacity (kg)	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1682	150	100	1180x662x858	28

## Mesh Trolley

- The Mesh Trolley is suitable for holding and storing a large variety of items
- This trolley is ideal for use in warehouses, hospitals, schools and sporting events etc
- Optional lid for storing items securely
- Electro galvanised finish
- Polyurethane castors - 2 x swivel, 2 x swivel with brakes



Optional Lid

**VERDEX**

Code	Details	Load Capacity (kg)	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1683	Mesh Trolley	100	125	830x630x735	18
V1684	Optional Lid for Mesh Trolley				2

## Parcel Trolley with Removable Sides

- This Parcel Trolley is ideal for stock picking and transferring boxed products.
- Removable sides for ease of access to platform.
- Height of handle can be adjusted
- Electro galvanised finish with white laminate base
- Rubber castors – 2 x fixed, 2 x swivel with brakes




# VERDEX

Code	Load Capacity (kg)	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1675	300	160	1190x650x1025	36

## Scooter Stock Picker VERDEX

- The Scooter Stock Picker is the ideal product for moving stock in large warehouses
- Comes standard with single base shelf
- Optional extra shelf, clipboard writing panel and cage basket
- Rubberized handles for ergonomic grip.
- Base plate with Antislip surface.
- Bell on handle to alert people when approaching
- Rubber surround on base shelf
- Rubber wheels – Rear wheel has brake



Code	Details	Capacity (kg)	Wheels (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1720	Scooter Stock Picker	200	200	1470x70x1020	42
V1721	Optional Shelf (used to make a 2nd tier)			520x610 (LxW)	8
V1673	Optional Clipboard Writing Panel			340x248 (LxW)	2
V1723	Optional Cage Basket			541x645x535	7



## Wire Cage Trolley (With Fold Down Side)

- Great for stock picking in the warehouse or for linen collection in hospitals and nursing homes
- Front cage folds down for easy access to trolley
- Quality castors for smooth and effortless moving
- Powder coated finish
- Mesh size: 75x75mm
- Polyurethane castors - 2 x fixed, 2 x swivel



**Durolla™**

Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Gate Height (mm)	Platform Height (mm)	Internal Size LxWxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1120	500	150	850	520	225	1040x640x630	1200x720x850	40



## Wire Cage Trolley (With Hinged Lid)

- Great for stock picking in the warehouse or for linen collection in hospitals and nursing homes
- Front cage folds down for easy access to trolley
- Quality castors for smooth and effortless moving
- Powder coated finish
- Polyurethane castors - 2 x fixed, 2 x swivel
- Can be locked with a padlock if required



**Durolla™**

Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Gate Height (mm)	Platform Height (mm)	Internal Size LxWxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1121	500	150	850	520	225	1040x640x630	1200x720x850	52



## Solid Cage Trolley (With Fold Down Side)

- Great for stock picking in the warehouse or for linen collection in hospitals and nursing homes
- Front cage folds down for easy access to trolley
- Quality castors for smooth and effortless moving
- Powder coated finish
- Polyurethane castors – 2 x fixed, 2 x swivel



**Durolla™**

Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Internal Size LxWxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1122	500	150	850	1040x640x630	1200x700x850	47



## Fully Welded 2 Tier Trolley

- Fully welded steel construction
- Powder coated finish
- Mesh cage sides – 25x25mm size mesh
- 25mm square tube fully welded frame
- Base Height: 175mm
- Clearance Between Top and Bottom Shelf: 415mm
- Height To Top Platform: 620mm
- Depth of Top Tray: 225mm
- Rubber castors – 2 x fixed, 2 x swivel with brakes

**Durolla™**

Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Platform Size (mm)	Internal Size of Top Shelf (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1630	300	125	940	905x605	845x550	1046x605x940	35

## Fully Welded Cage Trolley

- Fully welded steel construction
- Powder coated finish
- Drop down removable front gate which makes it easy for loading and unloading
- Mesh cage sides – 50x50mm size mesh
- 25mm square tube fully welded frame
- Height to Top Rail: 860mm
- Height to Middle Rail: 535mm
- Rubber castors – 2 x fixed, 2 x swivel with brakes



**Durolla™**

Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Base Height (mm)	Internal Size LxWxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1631	300	125	980	175	850x550x670	1090x630x980	33

## Multi Purpose Platform Convertible Tiered Trolley

- 3 options available with this configurable platform trolley.
- Bolt together steel construction (supplied flatpack)
- Powder coated blue
- Rubber castors – 2 x fixed, 2 x swivel with brakes
- Load Capacity: 500kg (top shelf capacity on M1852 is 200kg)
- Castors: 160mm
- Handle Height: 1000mm
- Shelf Size: 1100x600mm
- Shelf Heights: 230 + 720mm
- Overall Size (LxWxH): 1320x600x1000mm
- Unit Weight: 48kg

**Durolla™**

**V1850**  
Single Handle Platform Trolley



**V1860**  
Double Handle Platform Trolley



**V1862 - Double Handle 2 Tier Trolley**



Top tier can be reversed to use as a tray



**V1841 - Clipboard Holder**



**V1842 - Laptop Holder**




**V1843 - Mesh Basket Accessory Tray**

Code	Details
V1850	Single Handle Platform Trolley (600x1320mm)
V1860	Double Handle Platform Trolley (600x1320mm)
V1862	Double Handle 2 Tier Trolley (600x1320mm)
V1841	Clipboard Holder Attachment to suit
V1842	Laptop Holder Attachment to suit
V1843	Mesh Basket Accessory Tray to suit V1862

## Heavy Duty Security Cage (With Doors & Roof)

- Fully lockable security cages available in 2 versions (Bar or Mesh)
- These cage trolleys are an ideal trolley for stock packing and goods movement
- The base folds up for compact storage which is great if you have multiple trolleys so they can be stored in a compact area
- Optional heavy duty removable shelves available as pictured
- These trolleys come with a removable bar at the front which when removed the doors can be opened and sides folded in
- Comes with signboard area on the side
- Powder coated finish
- Base Height: 225mm
- Distance Between Shelves: 330, 360, 360, 300mm (bottom to top)
- Shelf Capacity: 125kg (evenly distributed)
- Rubber castors - 2 x swivel, 2 x swivel with brakes




### Durollo™



Able to folded  
for compact storage



Pictured with  
2 Shelves



Pictured with  
doors open




Image of underside of shelf



Latch to keep doors firmly shut



Signboard Area

Code	Details	Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1136	Cage Trolley – Mesh Version	500	150	1020x750	1100x850x1700	55
V1137	Optional Shelves to suit V1136					



# Heavy Duty Goods Trolley

Durolla™

- This goods trolley is able to be completely folded when not in use
- Multi-purpose trolley with lockable gates is ideal for transporting goods safely and securely
- Powder coated finish
- Rubber castors – 2 x swivel, 2 x swivel with brakes
- Optional pneumatic wheel kit available – Includes 2 fixed wheels and 2 swivel wheels with brakes



Optional Pneumatic Wheel Kit – Includes 2 Swivel Wheels with Brakes and 2 Fixed Wheels



Trolley can be folded for nesting when not in use



Fold out doors for easy access to items inside



Trolley shown with optional pneumatic wheel kit

Code	Details	Load Capacity (kg)	Castors (mm)	Internal Size LxWxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1090	Goods Trolley	500	125	1030x720x750	1085x795x990	75
V1055	Pneumatic Wheel Kit – Includes 2 Swivel Wheels with Brakes and 2 Fixed Wheels					

## Heavy Duty Goods Trolley with Shelf

**Durolla™**

- An extremely versatile goods cage with the space saving benefit of being able to be collapsed easily for storage when not in use.
- Fitted with a fold up upper shelf and 270 degree opening lockable gates, this cage can be used in a single or a two shelf configuration.
- Powder coated finish
- Lower Shelf Height Space: 780mm
- Upper Shelf Height Space: 700mm
- Lower Shelf Height: 205mm
- Upper Shelf Height: 1010mm
- Rubber castors – 2 x swivel, 2 x swivel with brakes
- Optional pneumatic wheel kit available – Includes 2 fixed wheels and 2 swivel wheels with brakes



Optional Pneumatic Wheel Kit – Includes 2 Swivel Wheels with Brakes and 2 Fixed Wheels



Trolley can be folded for nesting when not in use



Trolley shown with optional pneumatic wheel kit



2 door configuration is ideal for moving different products

Code	Details	Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1091	Goods Trolley with Shelf	500	125	1030x750	1100x800x1700	90
V1055	Pneumatic Wheel Kit – Includes 2 Swivel Wheels with Brakes and 2 Fixed Wheels					



## Mesh Cage Trolley (With Steel Shelves)

- Comes with 3 steel shelves plus the base shelf
- Shelf Heights: 650mm, 1050mm and 1440mm
- Base Height: 270mm
- Key lockable
- Mesh Size: 50x50mm
- Powder coated finish
- Rubber castors – 2x fixed, 2x swivel with brakes



Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1145	500	200	940	1170x730	1300x750x1790	55



## Heavy Duty Sloping 4 Shelf Trolleys


**Durolla™**

- Heavy duty bolt together trolley which is great for stock picking
- 4 backwards sloping shelves which prevents items falling off
- Shelves are removable but not adjustable
- Shelves have 10° decline
- 350mm space between each shelf
- Push/pull handles on each end
- Rubber castors: 2 fixed, 2 swivel with brakes



Shelves are reinforced underneath for extra strength


**V1080**

**V1081**

Code	Details	Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1080	Sloping Shelf Trolley – 1410mm wide	500	150	1160x580	1410x620x1770	94
V1081	Sloping Shelf Trolley – 1730mm wide	500	150	1460x730	1730x770x1770	122

## Zinc Plated Roll Cage Trolley

- Shelf Height : 230mm and 1200mm / 750mm (for add-on shelf)
- Mesh Size: 50x50x3mm
- Capacity: 150kg per shelf
- Castors: (2) swivel with brake (2) fixed
- Foldable sides for nesting
- Nestable A-frame base design
- Foldable shelves
- Single full size lockable swing door
- Comes with 1 shelf and 2nd shelf available as optional add-on
- Zinc plated finish


**Durolla™**

Code	Details	Load Capacity (kg)	Castors (mm)	Overall Size (mm)
V1141	Roll Cage Trolley	500	125	845x732x1700 (WxDxH)
V1142	Extra Shelf to suit Roll Cage Trolley			670x790 (WxD)

## Steel Triangular Frame Panel Cart

**Durolla™**

- Triangular framed panel cart is ideal for transporting large sheets of building materials
- Rubber castors – 2 x fixed, 2 x swivel with brakes



Load Capacity (kg)	Castors (mm)	Front Platform Height (mm)	Back Platform Height (mm)	Platform Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
500	150	330	220	380x1200	580x1200x1160	40

Code	Details
V1230	Triangular Panel Cart

Raised Platform to ensure goods don't fall off in transit


**V7215**

See page 66


**V1178**

See page 60


**V7525**

See page 102


**V1860**

See page 48


**V7320**

See page 76


**V8105**

See page 91

## Heavy Duty Panel Rack Cart – 2000kg Capacity

These powder coated panel carts are ideal for moving large bulky goods including, timber sheets, plasterboard, mattresses etc.

- Middle divider post can be removed
- Space Between Bars: 310mm
- Polyurethane castors – 2 x fixed, 2 x swivel with brakes



Bars can be removed if required for carrying of larger items



**Durolla™**

Code	Load Capacity (kg)	Castors (mm)	Platform Height (mm)	Platform Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1240	2000	125	220	770x915	770x915x970	79

## Steel Panel Rack Cart (With Tool Bin)

These powder coated panel carts are ideal for moving large bulky goods including, timber sheets, plasterboard, mattresses etc.

- Convenient tool bucket located in middle of unit for storing small parts and tools
- Bucket is removable if not required
- Easy loading rollers included on 1 end
- Space Between Outer Bars: 70mm
- Space Between Inner Bars: 205mm
- Heavy duty resin castors – 2 x fixed, 2 x swivel with brakes



Tool bucket supplied with cart  
Overall Size (LxWxH):  
510x270x190mm

**Durolla™**



Code	Load Capacity (kg)	Castors (mm)	Platform Height (mm)	Platform Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1235	700	100	200	685x810	820x690x1120	51



## A Frame Panel Trolley

- The A frame panel trolley is ideal for transporting bulky items such as artworks, plasterboard, building material and mattresses etc.
- Optional trestle racks so that long lengths of product can be stored at different heights
- Electro galvanised 'A Frame'
- Rubber castors – 2 x fixed, 2 x swivel with brakes



# VERDEX

Code	Details	Load Capacity (kg)	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1261	A Frame Panel Trolley	500	200	1000x700x1380	46
V1262	Trestle Racks to suit A Frame Panel Trolley				

## Panel Cart with Adjustable Load Bars

- The Panel Cart is ideal for moving long/bulky products
- Bars can be set at different spacing so that a variety of different sized products can be transported.
- Electro galvanised finish
- Supplied standard with 2 load bars, but can be fitted with up to 7 bars at once
- Rubber castors – 2 x fixed, 2 x swivel with brakes



# VERDEX

Code	Details	Load Capacity (kg)	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1265	Panel Cart	500	200	1250x700x945	39
V1266	Additional Load Bars to suit Panel Cart				

## 400L Steel Waste Trolley

- The waste trolley is an ideal device for collecting and moving waste and scrap parts
- Perfect for collecting waste from production lines and engineering workshops
- Powder coated finish
- Pneumatic Wheels: 400mm diameter
- Single Rubber Rear Wheel: 200mm diameter



## VERDEX

Load Capacity (kg)	Overall Size LxWxH (mm)	Unit Weight (kg)
400	1390x740x920	55

Code	Details
V6060	400L Steel Waste Trolley

## Construction Trolley


- Ideal for transporting large and bulky items on rough ground due to the pneumatic wheels
- Construction trolley with steel tubular frame and heavy duty plywood base
- Handy basket for storage of small items
- Very manoeuvrable due to the centre wheels
- 2 x swivel rubber castors with brake
- 2 x pneumatic fixed centre wheels



## VERDEX

Load Capacity (kg)	Pneumatic Wheels (mm)	Rubber Castors (mm)	Platform Height (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
500	260	200	320	1000x700x1250	36

Code	Details
V1248	Construction Trolley



## Plastic Bin Trolleys

- Heavy duty rotomoulded tub with 25mm steel tubular frame
- Internal Base Dimension (WxL): 500x780mm
- Internal Top Dimension (WxL): 615x910mm
- Outer Rim Dimension (WxL): 740x1045mm
- Height From Ground To Top Rim: 740mm
- Nylon castors - 2 x fixed, 2 x swivel
- Load Capacity: 400kg
- Bin Capacity: 280L
- Castors: 100mm
- Handle Height: 780mm
- Both Tubs are ribbed for extra strength
- Tubs available to buy separate from the Tub Trolley



# VERDEX

Code	Details	Overall Size LxWxH (mm)	Unit Weight (kg)
V1270B	Blue Bin Trolley (Includes Tub)	117x72x80	25
V1270W	White Bin Trolley (Includes Tub)	117x72x80	25
V1130B	Blue 280L Tub	see description in text above	8.5
V1130W	White 280L Tub	see description in text above	8.5



## 350L Waste Collection Trolley

- Great for use in warehouses and on sites, for general waste and rubbish
- Pull handle which releases the bin forward
- Rubber wheels – 2 x fixed, 1 x swivel



**VERDEX**

Code	Load Capacity (kg)	Bin Capacity (L)	Front Wheel Size (mm)	Rear Wheel Size (mm)	Bin Size LxWxH (mm)	Unit Weight (kg)
V6300	350	350	340	125	1350x850x1040	72

## Industry Specific Hand Trolleys

- Industrial quality hand trolleys to suit specific requirements



**V1210**  
Single Cylinder Trolley



**V1211**  
Double Cylinder Trolley



**V1212**  
Keg Trolley

**Durolla™**

Code	Details	Castors (mm)	Cylinder Size Dia. (mm)	Overall Size WxDxH (mm)	Unit Weight (kg)
V1210	Single Cylinder Trolley	200	140-250	600x600x1360	17
V1211	Double Cylinder Trolley	390	210-250	700x700x1380	46
V1212	Keg Trolley	250	-	530x1150	10

## Folding Hand Truck (125kg Capacity)

- Great lightweight hand trucks for general load carting
- Folds completely flat as pictured



**VERDEX**



Code	Load Capacity (kg)	Open Size LxWxH (mm)	Folded Size LxWxH (mm)	Unit Weight (kg)
V1177	125	500x520x1070	490x65x770	7.5

## Folding Hand Truck (68kg Capacity)

- Great lightweight hand trucks for general load carting
- Folds completely flat as pictured
- The V1178 trolley has a clip on attachment to fit the V-Cart folding basket

The V1178 trolley fits the V-Cart folding crate



**VERDEX**

Code	Details	Load Capacity (kg)	Open Size LxWxH (mm)	Folded Size LxWxH (mm)	Unit Weight (kg)
V1178	Folding Hand Truck	68	400x400x1000	385x55x635	14.5
V1805	V-Cart Extra Basket				

## Folding Hand Trolley

- Extremely light weight folding hand trolley
- Foot Plate folds up and handle collapses for easy storage when not in use
- Rubber castors

Load Capacity (kg)	Castors (mm)	Foot Plate Size WxD (mm)	Closed Size WxDxH (mm)	Open Size WxDxH (mm)	Unit Weight (kg)
90	150	355x240	710x390x180	390x410x1090	6
Code	Details				
V1170	Folding Handle Trolley				

**Durolla™**



## 150kg Capacity Aluminium Hand Trolley

- Great lightweight hand truck for general load carting
- Pneumatic tyres

# Durolla™


Load Capacity (kg)	Castors (mm)	Foot Plate Size WxD (mm)	Overall Size WxDxH (mm)	Unit Weight (kg)
150	260	355x180	520x470x1260	10
Code	Details			
V1190	Aluminium Hand Trolley			



## Aluminium Convertible Hand Trolley

- Lightweight Aluminium Convertible Hand Trolley
- Quickly convert from a 2 wheel upright trolley to a 4 wheel platform trolley
- Load Capacity: two wheels status: 200kg; four wheels status: 250kg
- Pneumatic wheel size: 260mm
- Rubber wheel size: 125mm

# VERDEX



Code	Foot Plate Size WxD (mm)	Closed Size WxDxH (mm)	Open Size WxDxH (mm)	Unit Weight (kg)
V1180	460x180	470x520x1030	1180x520x1320	18




## Heavy Duty Appliance Trolleys

**Durolla™**

- Industrial quality hand trolleys to suit a variety of applications
- Available in flat free or solid stair climber wheels tyres



Nylon Support Wheels




Clear Plastic Protection Sleeves



V1256- Appliance Strap



Great for moving cartons



Code	Details	Load Capacity (kg)	Foot Size WxD (mm)	Overall Size WxDxH (mm)	Unit Weight (kg)
V1250	Heavy Duty Appliance Trolley - Stair Climber	220	450x200	450x560x1545	22
V1254	Heavy Duty Appliance Trolley - Flat Free	220	470x175	720x500x1260	18
V1255	Heavy Duty Appliance Trolley - Flat Free	220	455x185	570x640x1550	19
V1256	Appliance Strap Unit				

## Chair Trolley

- Lifts and moves stacks of chairs with ease
- Powder coated black finish
- Chair Capacity: 10 chairs
- Rubber castors - 2 x fixed, 2 x swivel

**Durolla™**

Load Capacity (kg)	Front Castors (mm)	Rear Castors (mm)	Handle Height (mm)	Overall Size HxWxL (mm)	Unit Weight (kg)
70	200	100	1120	1080x490x1350	15

Code	Details
V1209	Chair Trolley



## Court / Solicitors File Trolleys

- These steel basket court trolleys are ideal for solicitors documents
- The trolley has 3 separate levels which are designed specially to fit lever arch files
- The 2 shelves fold back which gives more space for larger items and boxes
- Available with solid or pneumatic wheels
- Shelf Depth: 340mm
- Optional rain cover also available as pictured
- Court trolleys are supplied assembled ready for immediate use



V1162  
Vinyl Rain Cover



V1160  
Solid Tyres



V1161  
Pneumatic Tyres

**Durolia™**

Code	Details	Front Castors (mm)	Rear Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1160	Court Trolley - Solid Rear Wheels	80	250	620x640x1160	20
V1161	Court Trolley - Pneumatic Rear Wheels	80	270	620x740x1160	20
V1162	Vinyl Rain Cover to suit Court Trolleys				

## Platform and Fork Lift Trolley

- The ideal trolley for lifting loads up to 150kg with ease
- Complies to AS1418.2
- Swappable accessories for handling of different loads
- Forks for lifting small pallets and skids
- Platform for general lifting
- Patented silent winch which locks the load at any height
- Steel cable which runs inside the mast to prevent pinching
- Puncture proof rear wheels
- Made from aluminium
- Load Capacity (with forks): 150kg
- Load Capacity (with platform only): 120kg
- Platform Dimensions: 360x420mm (DxW)
- Fork Dimensions: 50x460mm (WxL)

**LIFTEX**

Folded view



V2265


Image shown with optional fork kit (V2266)



Code	Details	Lift Height (mm)	Folded Size LxWxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V2265	Platform Lift Trolley	1030	300x500x1320	710x530x1320	27
V2266	Fork Kit to suit V2265				

## Steerable Load Skates


- The steerable skate can be used to move heavy objects up to 12000kg
- The rubber padded platform swivels on a thrust bearing allowing easy movement around corners
- V1330 & V1335 have nylon roller wheels
- V1340 has steel roller wheels

**LIFTEX**


Code	Details	Load Capacity (kg)	Castors Dia. (mm)	Castors Width (mm)	Pad Size (mm)	Base Size LxWxH (mm)	Unit Weight (kg)
V1330	Steerable Load Skate	3000	85	90	180x150	230x185x105	15
V1335	Steerable Load Skate	6000	85	90	400x220	550x590x120	45
V1340	Steerable Load Skate	12,000	80	85	400x220	560x585x120	66

## Equipment Roller Skates

- Ideal for linear motion, repetitive movement or use as a built in component in equipment
- Fixed hole pattern for bolt mounting
- The rollers can be used in up down or sideways position


**LIFTEX**

Code	Details	Load Capacity (kg)	Hole Centres A (mm)	Hole Centres B (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1350	Roller Skates	750	64	140	165x178x80	5
V1355	Roller Skates	2500	64	140	165x180x90	10
V1360	Roller Skates	5000	83	171	203x203x80	15
V1365	Roller Skates	15,000	94	216	270x254x100	21



## Roller Load Skates

- These skates are designed to move heavy loads e.g machinery and heavy workshop equipment up to 10 tonnes.
- Available with diamond steel top or rubber pad top which protects items from scratching.
- Optional steering handle available
- Turntable is lockable
- Number of Rollers: 14
- Handle Length: 1310mm
- Rotating Top Diameter: 145mm


**LIFTEX**

Code	Details	Load Capacity (kg)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1300	Roller Load Skate - Diamond Steel Top	10,000	270x150x135	17
V1301	Roller Load Skate - Rubber Pad Top	10,000	270x150x125	17
V1302	Steering Handle to Suit V1300 & V1301			7

## Load Shifting Skates 2.5 Tonne & 6 Tonne Capacity



V1310



V1315

- These shifting skates can be used wherever heavy objects need to be moved
- Large diameter nylon rollers ensure ease of movement and spread the load to protect floors from damage caused from high load points
  - Fitted with a rubber surface to protect the objects being moved


**LIFTEX**

Code	Details	Load Capacity (kg)	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V1310	Shifting Skates	2,500	2 x 85	210x100x105	4
V1315	Shifting Skates	6,000	6 x 85	260x230x105	12

## Pegboard Tool Trolley

**STORMAX**

- Great tool trolley for general workshop use
- Comes with metal pegboard on back as well as the sides which can be used to hold tools and equipment
- Powder coated light grey finish
- 75mm rubber castors – 2 x fixed, 2 x swivel with brakes



Load Capacity (kg)	Handle Height (mm)	Shelf Heights (mm)	Shelf Size (mm)	Back Panel Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
250	825	160 + 510 + 900	595x405	605x440	670x415x1730	30

Code	Details
V7225	Pegboard Tool Trolley

## Industrial Tooling Cabinet on Wheels

**STORMAX**

- Heavy duty tooling cabinets are ideal for industrial applications
- The sliding drawers are a welded strengthened single rail design coupled with high quality mechanical bearings for long lasting smooth operation
- Each drawer is rated at 100kg load capacity with 97% access
- Single key lock design for safe storage. Each drawer has a mechanical safety lock which allows one drawer to be opened at a time, preventing the cabinet from tipping over
- Polyurethane castors – 2 x fixed, 2 x swivel with brakes
- All drawers come with adjustable steel dividers
- 6 Drawers:
  - 2 Drawers x 75mm
  - 2 Drawers x 100mm
  - 2 Drawers x 150mm



Code	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V7215	125	565x580x900	76



## Parts Bin Trolley

**tanko**



- PVC mat on top and bottom tray
- Transparent front window on the parts bin
- Each bin comes with one divider and one bin label card
- Parts trays have a raised back lip
- Plastic Parts Bin size (LxWxH): 450x165x105mm
- 265mm distance between bottom and middle shelf on V7226 model
- 400kg load capacity
- Rubber castors – 2 x fixed, 2 x swivel with brakes



V7226



V7227



Code	Details	Castors (mm)	Distance Between Shelves (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V7226	Parts Bin Trolley (8 parts bins)	100	110	755x465	850x500x855	34
V7227	Parts Bin Trolley (16 parts bins)	100	110	755x465	850x500x855	38



V1720

See page 45



V1209

See page 62



V1190

See page 61



# Mobile Panel Cart with Storage Cabinet

- The Panel Cart is used for transporting and storing a range of products
- Three storage shelves plus the base mean that numerous products of larger size can be stored neatly, but can still be easily accessed.
- Pegboard Size (WxH): 850x300mm
- Louvre and pegboard panels are compatible with our Stor-Pak and pegboard accessories
- Storage cabinet supplied with a lock
- Powder coated dark grey finish
- Rubber castors – 2 x swivel, 2 x swivel with brakes



**STORMAX**



Code	Castors (mm)	Shelf Capacity (kg)	Shelf Size (mm)	Cupboard Internal Size WxDxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V7275	125	50	870x150	865x220x430	1025x670x1420	63



See page 76




See page 84



See page 62

## Louvre & Pegboard Panel Trolleys

- Strong metal panel trolleys which are ideal for storing either Stor-Pak Bins or tools on hooks
- Fitted with 4 swivel castors (2 with brakes)
- Powder coated grey colour
- Can be ordered one side with louvre panel and one side with square hole metal pegboard with code V7262
- Wheels can be removed to make fixed shelving if required
- Stor-Pak Bins and panel hooks are sold separately



V7265 - Shelf to suit panel trolley


**STORMAX**




V7260K - Louvre Panel Trolley Kit  
(with Stor-Pak Bins as listed below)

- 16 x No. 5 Stor-Pak Bins (Blue)
- 16 x No. 5 Stor-Pak Bins (Yellow)
- 16 x No. 10 Stor-Pak Bins (Red)
- 16 x No. 10 Stor-Pak Bins (Green)
- 12 x No. 25 Stor-Pak Bins (Yellow)
- 8 x No. 60 Stor-Pak Bins (Blue)
- 8 x No. 60 Stor-Pak Bins (Red)
- 4 x No. 120 Stor-Pak Bins (Green)

Pegboard



Louvre Panel



Code	Details	Overall Size LxWxH (mm)	Unit Weight (kg)
V7260	Louvre Panel Trolley	980x600x1540	60
V7262	Panel Trolley (1 side pegboard & 1 side louvre panel)	980x600x1540	60
V7270	Square Pegboard Panel Trolley	980x600x1540	60
V7260K	Louvre Panel Trolley Kit*	980x600x1540	85
V7265	Shelf to suit Panel Trolley	940x220	3

\*With Stor-Pak Bins exactly as pictured above



## Industrial Tooling Workstation

- Heavy duty tooling cabinets for industrial workshop applications
- The sliding drawers have quality smooth operation bearings
- Lockable cupboard with adjustable shelf
- The shelf as shown in the image is adjustable
- Finish: Powder coated light grey and blue
- 2 fixed castors and 2 swivel lockable castors
- Fixed metal pegboard panel which suits our range of hooks and accessories
- Rubber mat on workbench area
- 5 lockable drawers with dividers (3 x 100mm and 2 x 200mm drawers)

Individual Drawer Capacity (kg)	Bench Height (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
75	950	1100x580x1450	115
Code	Details		
V7230	Industrial Tooling Workstation		



**STORMAX**

## Industrial Cabinet with 2 Drawers

- Storage cabinet is ideal for workshop and industrial applications
- Pegboard, drawer and cupboard storage spaces guarantee various sized tools and equipment can be stored efficiently
- Metal pegboard to neatly arrange tools and equipment for easy access
- Sliding drawers with smooth operation bearings allow smaller parts to be organised. Drawers also have adjustable dividers.
- 2 door lockable cabinet with 1 adjustable shelf


**STORMAX**

Rubber mat

2 x 75mm high lockable drawers

Adjustable shelves

Lockable cabinet



Code	Shelf Capacity (kg)	Drawer Capacity (kg)	Bench Height (mm)	Bench Size (mm)	Pegboard Size (mm)	Overall Size WxDxH (mm)	Unit Weight (kg)
V7211	100	75	1010	875x555	870x500	900x585x1515	90



## 7 Drawer Industrial Tooling Cabinet

- Heavy duty tooling cabinets for heavy duty industrial applications
- The sliding drawers are a welded strengthened single rail design coupled with high quality mechanical bearings for long lasting smooth operation
- Single key lock design for safe storage. Each drawer has a mechanical safety lock which allows one drawer to be opened at a time, preventing the cabinet from tipping over
- All drawers come with adjustable steel dividers
- Drawer 1 to 6 - 150mm high
- Drawer 7 - 200mm high



**STORMAX**

Code	Individual Drawer Capacity (kg)	Overall Size WxDxH (mm)	Unit Weight (kg)
V7220	100	881x653x1200	135

## 10 Drawer Industrial Tooling Cabinet

**STORMAX**

- Heavy duty tooling cabinets for heavy duty industrial applications
- The sliding drawers are a welded strengthened single rail design coupled with high quality mechanical bearings for long lasting smooth operation
- Single key lock design for safe storage. Each drawer has a mechanical safety lock which allows one drawer to be opened at a time, preventing the cabinet from tipping over
- All drawers come with adjustable steel dividers
- Drawer 1 to 9 - 100mm high
- Drawer 10 - 200mm high



Individual Drawer Capacity (kg)	Overall Size WxDxH (mm)	Unit Weight (kg)
100	881x653x1200	160

Code	Details
V7221	10 Drawer Industrial Tooling Cabinet

## Heavy Duty Industrial Storage Cabinets



- These heavy duty industrial storage cabinets are made from reinforced sheet metal and are great for storing tools, parts and many other items in the workplace
- Full height cabinets come standard with 4 adjustable shelves and 1/2 height cabinet comes standard with 2 adjustable shelves – extra shelves can be purchased if required
- Optional drawer units can be purchased in either 100mm or 200mm deep
- Drawers come standard with 15 compartments (4 slotted partitions & 10 dividers)
- Total Cabinet Load Capacity: 600kg
- Shelf Capacity: 100kg
- Finish: Powder coated light grey with light blue coloured doors/drawers







Code	Details	Capacity (kg)	Overall Size WxDxH (mm)	Unit Weight (kg)
V7200	1/2 Height Industrial Cabinet	100 per shelf	900x450x900	45
V7201	Full Height Industrial Cabinet	100 per shelf	900x450x1800	85
V7202	Small Drawer Unit (to suit cabinets)	50 per drawer	100mm deep	8
V7203	Large Drawer Unit (to suit cabinets)	75 per drawer	200mm deep	15
V7204	Extra Shelves to suit Cabinets	150	840x380x30	5
V7205	Cabinet Base Stand (suits V7200 & V7201) raises cabinet 70mm			4
V7206	100mm Divider to suit Drawer Units (Pack of 10)	-	-	-
V7207	200mm Divider to suit Drawer Units (Pack of 10)	-	-	-

## Industrial Tooling Drawer Unit **STORMAX**

- These industrial tooling drawers are a heavy duty drawer cabinet for industrial applications
- The 1/2 height industrial cabinet can be mounted on top of the tooling cabinet (as per image shown below)
- Finish: Powder coated light grey with light blue coloured drawers
- 2 x 100mm deep drawers
- 3 x 200mm deep drawers
- Drawers have adjustable dividers



V7210 - Drawer Unit

Drawer Capacity (kg)	Overall Size WxDxH (mm)	Unit Weight (kg)
75	900x450x900	95

Code	Details
V7210	Industrial Tooling Drawer Unit

This image is shown with the V7210 on the bottom with V7200 mounted on top





# Heavy Duty Industrial Storage Cabinets Complete With Drawers



- These heavy duty industrial storage cabinets are made from reinforced sheet metal and are great for storing tools, parts and many other items in the workplace
- Finish: Powder coated light grey with light blue coloured doors
- Supplied with 4 adjustable shelves
- Drawers come standard with 15 compartments (4 slotted partitions & 10 dividers)
- Total Cabinet Load Capacity: 600kg
- 100mm Drawer Capacity: 50kg
- 200mm Drawer Capacity: 75kg
- Shelf Capacity: 100kg

## V8150 - 2 Drawer Cabinet

- 1 x 100mm drawer & 1 x 200mm drawer

## V8151 - 4 Drawer Cabinet

- 2 x 100mm drawers & 2 x 200mm drawers

## V8152 - 6 Drawer Cabinet

- 3 x 100mm drawers & 3 x 200mm drawers

## V8160 - 8 Drawer Cabinet

- 8 x 100mm drawers

## V8162 - 10 Drawer Cabinet

- 10 x 100mm drawers

## V8170 - 7 Drawer Cabinet

- 2 x 100mm drawers & 5 x 200mm drawers

## V8171 - 6 Drawer Cabinet

- 5 x 100mm drawers & 1 x 200mm drawer

## V8172 - 8 Drawer Cabinet

- 5 x 100mm drawers & 3 x 200mm drawers

## V8175 - 5 Drawer Cabinet

- 5 x 200mm drawers



Code	Details	Unit Weight (kg)
V8150	2 Drawer Cabinet ( 1 x 100mm & 1 x 200mm drawers)	108
V8151	4 Drawer Cabinet ( 2 x 100mm & 2 x 200mm drawers)	131
V8152	6 Drawer Cabinet ( 3 x 100mm & 3 x 200mm drawers)	154
V8160	8 Drawer Cabinet ( 8 x 100mm drawers)	149
V8162	10 Drawer Cabinet ( 10 x 100mm drawers)	165
V8170	7 Drawer Cabinet ( 2 x 100mm & 5 x 200mm drawers)	176
V8171	6 Drawer Cabinet ( 5 x 100mm & 1 x 200mm drawers)	140
V8172	8 Drawer Cabinet ( 5 x 100mm & 3 x 200mm drawers)	170
V8175	5 Drawer Cabinet ( 5 x 200mm drawers)	160



**V8150**  
(1 x 100mm & 1 x 200mm drawers)



**V8151**  
(2 x 100mm & 2 x 200mm drawers)



**V8152**  
(3 x 100mm & 3 x 200mm drawers)



**V8160**  
(8 x 100mm drawers)



**V8162**  
(10 x 100mm drawers)



**V8170**  
(2 x 100mm & 5 x 200mm drawers)



**V8171**  
(5 x 100mm & 1 x 200mm drawers)



**V8172**  
(5 x 100mm & 3 x 200mm drawers)



**V8175**  
(5 x 200mm drawers)

## Heavy Duty Warehouse Packing Bench

**STORMAX**

- Strong heavy duty work or packing bench
- 25mm MDF bench top and shelf
- Bench is supplied flat packed
- Image shown with optional bottom shelf
- Castor Kit raises bench height by 140mm
- Top and bottom shelves are height adjustable
- Bench Size: 2390x860x25mm

Timber shelf is chamfered to remove sharp edge



FLATPACKED




Image shown with optional bottom shelf level and castor kit



Code	Details	Load Capacity(kg)	Overall Size LxWxH (mm)	Unit Weight (kg)
V7320	Heavy Duty Packing Bench	500	2525x900x1000	74
V7321	Optional Bottom Shelf	-	2390x860x25	36
V7325	100mm Lockable Castor Kit to suit Packing Bench			8

## Heavy Duty Industrial Workbenches 900 Series

**STORMAX**

- Heavy duty steel industrial workbench is ideal for use as a work or tool bench
- This workbench has a 600kg top bench capacity
- 28mm thick laminated wooden top
- Comes standard with adjustable feet for levelling on uneven floors
- Finish: Powder coated light grey



V7300 - Workbench



Dividers supplied with drawer unit



V7301

Code	Details	Dimensions WxLxH (mm)
V7300	Industrial Workbench	900x750x800
V7310	Lockable Drawer Unit 410x680x180mm (WxDxH)	100mm Drawer
V7301	Castor Kit to suit V7300 Workbench	





## Heavy Duty Industrial Workbenches 1200 Series

- Heavy duty steel industrial workbench with bottom shelf is ideal for use as a work or tool bench
- 1000kg wood top bench capacity
- 53mm thick laminated wooden top
- Comes standard with adjustable feet for levelling on uneven floors and an optional lockable castor kit is available if required
- Drawer Unit Capacity: 100kg per drawer
- Finish: Powder coated light grey



**V7246**  
Lockable  
Castor Kit




**V7315** – Cabinet Unit



**V7312** – 3 Drawer Unit  
2 x 100mm, 1 x 200mm drawers




**V7244** – 2 Drawer Unit  
2 x 100mm drawers



**V7253** – 2 Tier Shelf

300mm overall



**V7250** – Adjustable Shelf

270mm overall

250mm Internal

Can be used flat or on angle as pictured

270mm

Code	Details	Dimensions (mm)
V7305	Industrial Workbench	1200x750x900 (WxLxH)
V7244	Lockable Drawer Unit (2 drawer)	565x650x280mm (WxDxH)
V7312	Lockable Drawer Unit (3 drawer)	565x650x450mm (WxDxH)
V7315	Lockable Cabinet Unit (with shelf)	565x650x450mm (WxDxH)
V7253	2 Tier Shelf Unit to suit V7305	1200mm long
V7250	Adjustable Shelf to suit V7305	1200mm long
V7246	Workbench Castor Kit (includes 4 swivel castors with brakes)	

## Heavy Duty Industrial Work Benches 1800/2100 Series

- Heavy duty steel industrial workbenches which are ideal for use as a work or tool benches
- 1000kg wood top bench capacity
- 40mm thick laminated wooden top (V7240, V7242)
- 53mm thick laminated wooden top (V7306, V7307)
- Comes standard with adjustable feet for levelling on uneven floors and an optional lockable castor kit is available if required
- Bottom shelf benches available in both 1800 and 2100mm sizes
- Drawer Unit Capacity: 100kg per drawer
- Finish: Powder coated light grey



V7242 - Workbench shown with back panel kit and 6 drawer unit

**STORMAX**



Workbench with no bottom shelf  
(available in 1800mm and 2100mm long)



Workbench with bottom shelf  
(available in 1800mm and 2100mm long)



Bottom shelf workbench shown with adjustable shelf unit and cabinet unit



Back panel kit is supplied with both louvre panel and metal pegboard and 2 shelves



Workbench shown with back panel set and 2 drawer unit



Workbench shown with back panel and castor kit




Bottom shelf workbench shown with 2 tier shelf and 3 drawer unit



Bottom shelf workbench shown with adjustable shelf unit







**V7312 - 3 Drawer Unit**  
2 x 100mm, 1 x 200mm drawers



**V7315 - Cabinet Unit**



**V7246**  
Lockable Castor Kit



**V7244 - 2 Drawer Unit**  
2 x 100mm drawers



**V7245 - 6 Drawer Unit**  
2 x 75mm, 2 x 150mm,  
2 x 200mm drawers

Code	Details	Dimensions (mm)
V7240	Industrial Workbench 1800mm	1800x750x900 (LxWxH)
V7242	Industrial Workbench 2100mm	2100x750x900 (LxWxH)
V7306	Industrial Workbench 1800mm (with bottom shelf)	1800x750x900 (LxWxH)
V7307	Industrial Workbench 2100mm (with bottom shelf)	2100x750x900 (LxWxH)

#### Shelf Options

V7251	Adjustable Shelf to suit 1800mm bench	1800x250 (LxD)
V7252	Adjustable Shelf to suit 2100mm bench	2100x250 (LxD)
V7254	2 Tier Shelf Unit to suit 1800mm bench	1800x285 (LxD)
V7255	2 Tier Shelf Unit to suit 2100mm bench	2100x285 (LxD)
V7241	Back Panel Kit to suit 1800mm bench	1800x750x900 (LxWxH)
V7243	Back Panel Kit to suit 2100mm bench	21035x205x825 (LxWxH)

#### Underbench Options

V7244	Lockable Drawer Unit (2 drawer)	565x650x280mm (WxDxH)
V7312	Lockable Drawer Unit (3 drawer)	565x650x450mm (WxDxH)
V7245	Lockable Drawer Unit (6 drawer)*	565x580x750mm (WxDxH)
V7315	Lockable Cabinet Unit (with shelf)	565x650x450mm (WxDxH)
V7246	Workbench Castor Kit (includes 4 swivel castors with brakes)	

\*Please Note: The V7245 (6 drawer unit) wont fit under the workbenches with bottom shelves




# Heavy Duty Parts Cabinet

## (30 Parts Trays)

- These Heavy Duty Parts Cabinets are a great way to store parts neatly and efficiently
- Parts Trays have a transparent front window to easily view product inside
- Parts trays have a raised back lip
- Each bin comes with one divider and one bin label card
- Different color tags can be applied for easier identification



tanko



Code	Details	Parts Bin Capacity (kg)	Plastic Parts Bin Size LxWxH (mm)	Overall Size WxDxH (mm)	Unit Weight (kg)
V7350	Heavy Duty Parts Cabinet (30 Trays)	10	415x170x105	900x420x880	51

# Heavy Duty Parts Cabinet

## (60 Parts Trays)

tanko

- These Heavy Duty Parts Cabinets are a great way to store parts neatly and efficiently
- Parts Trays have a transparent front window to easily view product inside.
- Parts trays have a raised back lip
- Each bin comes with one divider and one bin label card
- Different color tags can be applied for easier identification



Parts Bin Capacity (kg)	Plastic Parts Bin Size LxWxH (mm)	Overall Size WxDxH (mm)	Unit Weight (kg)
10	415x170x105	900x420x1760	110

Code	Details
V7351	Heavy Duty Parts Cabinet (60 Trays)

## Steel Shelving Unit

- This steel shelving is roll formed from premium pre-painted steel to ensure durability and engineering integrity for both office and warehouse storage applications.
- Colour: Silver Grey
- Supplied Flatpacked - Easy to assemble
- Shelf sets come standard with 5 adjustable shelves plus a top and bottom shelf, each with a 100kg load rating (top and bottom shelves are fixed)
- Max Load Capacity Per Bay: 500kg
- Overall Size: 910x400x2200mm (WxDxH)




Code	Details	Unit Weight (kg)
V7080	Shelf Unit (includes 5 adjustable shelves)	40
V7081	Extra Shelves to suit	2

## Steel Shelving Parts Tray Kits



- This steel shelving is roll formed from premium pre-painted steel to ensure durability and engineering integrity for both office and warehouse storage applications.
- Colour: Silver Grey
- Supplied flat packed - Easy to assemble
- 100kg shelf load capacity
- Max Load Capacity Per Bay: 500kg
- Overall Size: 910x400x2200mm (WxDxH)



V7082



V7083



V7084



**IH-017**  
Parts Trays  
Size LxWxH:  
400x100x100mm  
(with 3 dividers)



**IH-025**  
Parts Trays  
Size LxWxH:  
400x200x100mm  
(with 3 dividers)

Code	Details
V7082	Shelf Unit Kit (includes 112 x IH-017 parts trays)
V7083	Shelf Unit Kit (includes 56 x IH-025 parts trays)
V7084	Shelf Unit Kit (includes 48 x IH-017 & 32 x IH-025 parts trays)




## Stor-Pak Parts Bins

- Strong polypropylene bins which are ideal for parts and products storage
- Sit on shelves, benches, stack them or clip them to louvre panels
- All Stor-Pak bins are stackable
- Available in green, blue, red, yellow and clear
- Optional dividers available for #60, #120 and #240 bins
- Hospital grade material - bacterial free and chemical free
- Bin colours available:



Green Blue Red Orange Yellow Clear

**Fischer**



Optional dividers available for sizes 60, 120 & 240 bins



Size #5



Size #10



Size #25



Size #60



Size #80



Size #120



Size #240

Code	Details	Size WxDxH (mm)	Volume (L)	Outer Ctn Qty
IH-060	Stor-Pak Bin #5	100x115x60	0.5	12
IH-061	Stor-Pak Bin #10	100x170x85	1.0	6
IH-062	Stor-Pak Bin #25	133x220x125	2.5	6
IH-063	Stor-Pak Bin #60	200x275x165	6.0	6
IH-200	Stor-Pak Bin #80	200x440x165	8.0	6
IH-064	Stor-Pak Bin #120	410x275x165	12	5
IH-065	Stor-Pak Bin #240	410x440x210	24	4
<b>Dividers</b>				
IH-058	Stor-Pak Dividers (suits bins #60 and #120)			40
IH-057	Stor-Pak Dividers (suits bins #240)			45

*\*Please specify colour when placing your order*




## Spare Parts Trays

**Fischer**

- Strong polypropylene oil resistant trays which are supplied with dividers
- Extra dividers are available to create more compartments in the trays
- Ideal for small parts storage
- Hospital grade material - bacterial free and chemical free


**Size #12**

**Size #17**

**Size #27**

**Size #24**

**Size #25**

**Size #28**

**Size #30**

**Size #31**

**Size #32**

Code	Details	Size LxWxH (mm)	Dividers Supplied	Ctn Qty
IH-012	Spare Parts Tray #12	300x100x100	2	24
IH-017	Spare Parts Tray #17	400x100x100	2	24
IH-027	Spare Parts Tray #27	600x100x100	5	12
IH-024	Spare Parts Tray #24	300x200x100	2	12
IH-025	Spare Parts Tray #25	400x200x100	2	12
IH-028	Spare Parts Tray #28	600x200x100	5	6
IH-230	Spare Parts Tray #30	300x300x100	2	8
IH-231	Spare Parts Tray #31	400x300x100	2	8
IH-232	Spare Parts Tray #32	600x300x100	5	4
<b>Dividers</b>				
IH-014	Spare Parts Dividers-100mm wide			12
IH-026	Spare Parts Dividers-200mm wide			12
IH-233	Spare Parts Dividers-300mm wide			12

## Mesh-Pak Storage Bins

# Fischer

- The ultimate practical storage system and part of the stor-pak range
- Available in three sizes to accommodate small as well as bulky items
- Produced in tough and durable hospital grade material - bacterial free and chemical free
- Angled front provides easy picking access
- Perforated bottom ensures no dust collects at the bottom of the box
- Dividers available for Stor-Pak #60 and #120
- Colours Available: Blue or Clear



Size #10



Size #25



Size #60



Size #120



Code	Details	Size WxDxH (mm)	Volume (L)	Outer Ctn Qty
IH-061MPB	Mesh-Pak Bin #10-Blue	100x170x 85	1.0	6
IH-061MPC	Mesh-Pak Bin #10-Clear	100x170x 85	1.0	6
IH-062MPB	Mesh-Pak Bin #25-Blue	133x220x125	2.5	6
IH-062MPC	Mesh-Pak Bin #25-Clear	133x220x125	2.5	6
IH-063MPB	Mesh-Pak Bin #60-Blue	200x275x165	6.0	6
IH-063MPC	Mesh-Pak Bin #60-Clear	200x275x165	6.0	6
IH-064MPB	Mesh-Pak Bin #120-Blue	410x275x165	12	5
IH-064MPC	Mesh-Pak Bin #120-Clear	410x275x165	12	5

### Dividers

IH-058	Dividers (to suit bins #60 & #120)	40
--------	------------------------------------	----



## Visi-Pak Storage Bins

**Fischer**

- Fully modular the Visi-Pak is supplied with special clips which enable them to fit onto a louvre panel – doors swivel forward for easy access
- They can also be screwed onto a wall or left free standing on a bench top
- Ideal for small parts storage
- Available in 3 standard sizes
- Hospital grade material – bacterial and chemical free



IH-040



IH-041



IH-042



Code	Details	Size WxDxH (mm)	Volume (L)	Outer Ctn Qty
IH-040	Visi-Pak - Small	103x83x120	0.25	12
IH-041	Visi-Pak - Medium	154x126x180	1.5	6
IH-042	Visi-Pak - Large	208x167x235	3.5	6




## Louvre Panel & Square Hole Boards & Accessories

- These wall mountable panels are available with louvre panel slots or square pegboard holes for hanging items
- Panels can be mounted onto benches, walls, racking, shelving trolleys and more
- Large range of hanging hooks accessories available

**STORMAX**


V7291

Rear View



V7292

Rear View



V7280



V7281



V7282



V7283



V7284



V7285



V7286



V7287



V7288



V7289



V7290

Code	Details	Overall Size (mm)	Unit Weight (kg)	Ctn Qty
V7291	Metal Louvre Panel Board	900x455x20 (WxHxD)	5	1
V7292	Metal Square Hole Pegboard	900x455x20(WxHxD)	5	1
V7280	Single Hook	25mm long	-	5
V7281	Single Hook	75mm long	-	5
V7282	Single Hook	150mm long	-	5
V7283	Double Hook	25mm long	-	5
V7284	Double Hook	75mm long	-	5
V7285	U Shape Hook	23x35mm (LxW)	-	5
V7286	U Shape Hook	70x25mm (LxW)	-	5
V7287	3 Prong Hook	150mm long	-	5
V7288	Round Hook	115x70mm (LxW)	-	5
V7289	Spanner Holder	135mm long	-	1
V7290	Screwdriver Holder	390mm long	-	1


## Louvre Panels

### (Metal & ABS Plastic)


- These louvre panels are available in both metal and ABS plastic and can be used for many applications including workbenches, packing areas, walls, shelving etc
- 4 standard sizes in the metal louvre panel and 2 standard sizes in the ABS plastic panels




V7297




V7298




V7295



V7296



V7293



V7294

Code	Details	Overall Size WxH (mm)	Unit Weight (kg)	Ctn Qty
V7293	Metal Louvre Panel Board	450x450	2.5	1
V7294	Metal Louvre Panel Board	455x610	3.3	1
V7295	Metal Louvre Panel Board	455x914	5	1
V7296	Metal Louvre Panel Board	450x1800	10	1
V7297	ABS Plastic Louvre Panel Board	460x153	0.2	1
V7298	ABS Plastic Louvre Panel Board	460x460	0.5	1



See page 158



See page 66



See page 53

## Enviro Plastic Stack & Nest Crates

### (Recycled Plastic)

- These recycled stack and nesting crates are injection moulded from tough, durable, UV resistant recycled polypropylene.
- Crates can stack or nest depending on which way around they are stored
- Size 4 and 4D are nest only



Code	Details	Size LxWxD (mm)	Capacity (L)	Ctn Qty
V7820	No. 4 Bins (Black Recycled)	430x323x127	13.5	10
V7821	No. 4D Bins (Black Recycled)	430x323x210	22	10
V7822	No. 7 Bins (Black Recycled)	645x413x210	32	5
V7823	No. 10 Bins (Black Recycled)	645x413x276	52	5
V7824	No. 15 Bins (Black Recycled)	645x413x397	68	3

#### Lids to suit

V7825	Bin Crate Lids to suit No. 4 crates (Black Recycled)	10
V7826	Bin Crate Lids to suit No. 7-15 crates (Black Recycled)	5

## Stack & Nest Crate Dollies

- Industrial strength – made from heavy duty, durable recycled PP material
- Zinc plated wheels with bearings
- Stackable for secure storage (when not in use) through reservoirs for the wheels
- Rear castors with brakes to secure when stopped on an inclination and to prevent spinning around.
- Good Environmental Choice Australia (GECA) approved



Code	Details	Load Capacity (kg)	Unit Weight (kg)
V7840	Enviro Dolly (405x615x190mm LxWxH)	600	6
V7841	Enviro Dolly (405x615x190mm LxWxH) - with Stainless Castors	600	6



## Plastic Stack & Nest Crates (Virgin Plastic)

**STORMAX**

- These stack and nesting crates are injection moulded from tough, durable, UV resistant polypropylene. They are suitable for food handling, engineering, warehousing or distribution
- Crates can stack or nest depending on which way around they are stored
- Size 4 and 4D are nest only
- Available in 5 colours (please specify your preferred colour when ordering)
- Colours Available:



Code	Details	Size LxWxD (mm)	Capacity (L)	Ctn Qty
V7830	No. 4 Bins	430x323x127	13.5	10
V7831	No. 4D Bins	430x323x210	22	10
V7832	No. 7 Bins	645x413x210	32	5
V7833	No. 10 Bins	645x413x276	52	5
V7834	No. 15 Bins	645x413x397	68	3

### Lids to suit

V7835	Bin Crate Lids to suit No. 4 crates (Black or white)	5
V7836	Bin Crate Lids to suit No. 7-15 crates (Black or white)	5

*\*Please specify colour when placing order*

# Access Plastic Bin Rack

- These access bin racks store and display products for easy access and stock picking
- Extra strong powder coated frames and beams
- Rack fits the No. 4D size bins (choice of 6 colours)
- Available in 2 standard sizes
- This rack can have castors fitted for easy maneuverability
- V8100 Access Plastic Bin Racking: 1800x1800x450mm
- V8101 Access Plastic Bin Racking: 2400x1800x450mm
- Add-on Bays available so you can make one continuous line of Access Bin Racking

**Bin Colours Available:**  
(Please specify your preferred bin colour when placing your order)

Green

Red

Yellow

Black

Blue

White



V8100



V8101



V7325 Castor Kit



No.4D Bins

V7831G

V7831R

V7831Y

V7821

V7831B

V7831W

Code	Details
V8100	Access Plastic Bin Rack (includes 20 plastic bins)
V8100A	Access Plastic Bin Rack (1800x1800mm) Add on Bay
V8101	Access Plastic Bin Rack (includes 28 plastic bins)
V8101A	Access Plastic Bin Rack (2400x1800mm) Add on Bay
V7325	Castor Kit to suit (includes 4 castors with brakes)

## Access Stor-Pak Bin Rack

- These access Stor-Pak bin racks store and display products for easy access and stock picking
- Stor-Pak bins are available in Red, Green, Blue or Yellow
- Stor-Pak Bin Size: 410x440x210mm (Length x Depth x Height)
- Extra strong powder coated frames and beams
- Available in 2 standard sizes
- This rack can have castors fitted for easy maneuverability
- V8105 Access Plastic Bin Racking: 1800x1800x450mm
- V8106 Access Plastic Bin Racking: 2400x1800x450mm
- Add-on Bays available so you can make one continuous line of Access Bin Racking

### Bin Colours Available:

(Please specify your preferred bin colour when placing your order)

Green

Yellow

Red

Blue

**STORMAX**


V8105



V8106

V7325 Castor Kit



IH-065 Stor-Pak Bins



IH-065G



IH-065Y



IH-065R



IH-065B

Code	Details
V8105	Access Stor-Pak Rack (includes 16 plastic bins)
V8105A	Access Plastic Bin Rack (1800x1800mm) Add on Bay
V8106	Access Stor-Pak Rack (includes 20 plastic bins)
V8106A	Access Plastic Bin Rack (2400x1800mm) Add on Bay
V7325	Castor Kit to suit (includes 4 castors with brakes)




## Multistaka Crates

- Industrial strength – made from heavy duty, durable PP material
- Food grade material
- Available in white and blue colour
- Lids available in white only

**STORMAX**


V7850



V7851



V7852



V7853



Code	Details	Overall Size LxWxH (mm)	Cty Qty
V7850B	Blue Multistaka Crate – 13 Litre	432x324x127	5
V7850W	White Multistaka Crate – 13 Litre	432x324x127	5
V7851B	Blue Multistaka Crate – 22 Litre	432x324x203	5
V7851W	White Multistaka Crate – 22 Litre	432x324x203	5
V7852B	Blue Multistaka Crate – 32 Litre	432x324x305	3
V7852W	White Multistaka Crate – 32 Litre	432x324x305	3
V7853	Multistaka Crate Lid	438x330	5



V7227

See page 67



V7670

See page 170



V1860

See page 48

# Orbitwrap 1000 Semi-Auto Stretch Wrapping Machine

The ORBITWRAP machines have been designed and built with economy, efficiency and safe operation in mind.



These stretch wrapping machines will give you all of the features you need to wrap pallet loads quickly and efficiently. The OR-1000 can dramatically increase efficiency and profitability through lower film cost per load compared to manual (hand) stretch wrapping.

- Forklift relocation slots for easy machine transportation
- Automatic and manual wrapping programs
- Includes ramp for pallet truck access
- User friendly 'Soft Touch' controls
- Eliminate the need for labour intensive, inefficient manual hand wrapping
- Rugged steel construction for long-term reliability
- Photocell eye for automatic height detection


## Standard Features

- Electronic screen with 'Soft Touch' control
- Variable film carriage and turntable speeds
- Forklift relocation slots
- Photocell eye for automatic height detection
- Automatic and Manual wrapping programs
- Soft-start and stop turntable drive
- Ramp can be fixed to the table at 3 different angles
- Includes pallet truck access ramp
- Adjustable friction brake stretch system
- Heavy-duty industrial chain driven turntable
- Safety crush prevention device fitted to carriage
- Standard 12 month warranty

## Technical Data

Max height of wrapping: 2200 mm  
 Ramp Size: 1070x1325mm (WxL)  
 Max pallet size: 1200 x 1200 mm  
 Turntable diameter: 1520 mm  
 Turntable speed: 1-10 RPM  
 Stretch film size: 500 mm  
 Load capacity: 2000kg  
 Power supply: 240v, single phase  
 Warranty: 1 Year  
 Machine weight: 450 kg

Removable ramp is supplied with all machines



Code	Details
V7740	Orbitwrap Pallet Wrap Machine

## Standard Plastic Export Pallet

Excellent pallets for one way use with no fumigation or heat treatment required.



- Suitable for food processing plants and pharmaceutical industries
- Passes all export regulations – ISPM -15 compliant
- Able to be hot washed, steam cleaned and chemically sterilised
- No nails or splinters
- Re-sell value after usage
- Material: Made from recycled plastic
- 2 types available – 2 way entry & 4 way entry



V7860



V7861

Code	Details	Static SWL (kg)	Overall Size LxWxH (mm)	Unit Weight (kg)
V7860	Standard Plastic Export Pallet-2 way entry	1000	1140x1140x120	7.7
V7861	Standard Plastic Export Pallet-4 way entry	1000	1100x1100x120	7.6

## Heavy Duty Hygiene Pallet

Heavy duty Environmentally friendly plastic pallets which are made from recycled polyethylene material



- Size: 1165x1165x150mm (Length x Width x Height)
- Pallet Weight: 34kgs
- Static Capacity: 8000kgs
- Beam Racking & Forklift Movement Capacity: 2000kgs
- Drive-In Racking Capacity: 1000kgs



**Please Note:** Capacity weights are approx only and we recommend that racking trials be carried out in each case

Code	Static SWL (kg)	Overall Size LxWxH (mm)	Unit Weight (kg)
V7865	8000	1165x1165x150	34



## Plastic Mega Bins

**Nally**

The Nally MegaBin is the original Australian bulk bin. Designed for fruit and vegetable movement and retail high performance the Nally MegaBin is clearly the way of plastic bins in Australia.

Rounded corners and smoother interior surfaces results in less bruising and damage to your produce. Multiple vents in sides and base provide superior airflow so products cool faster adding valuable shelf life to your produce. The smooth, non-absorbent surface will not harbour or transfer mould, bacteria or disease carrying organisms.

Nally Megabins are up to 40% lighter in weight than wood bins and the weight is constant as they don't absorb moisture. This allows for increased freight efficiencies of 4-5%. In practice you are able to transport 2-3 extra bins of fruit per semi-trailer load.



- Available in both solid and vented
- Standard pallet size (1165mm x 1165mm)
- Fits on standard pallet racking
- Maximum load capacity: 500kgs


**V7800**

**V7810**

Code	Details	Capacity (L)	External Size LxWxH (mm)	Internal Size LxWxH (mm)	Unit Weight (kg)
V7800	Solid Mega Bin	780	1165x1165x780	1082x1082x650	44
V7810	Vented Mega Bin	780	1165x1165x780	1082x1082x650	44
V7815	Mega Bin Lid	-	1180x1180x35	-	10

## Mesh Stillage Transport Storage Cage

**STORMAX**

- Multi-purpose transport or storage cages which are great for storing products both indoor and outdoor
- Pallet Rack Safe – these cages have built in racking locators making it an ideal storage cage and safe storage on pallet racking
- Drop down removable front gate
- Rear gate hinges open for easy access to cage
- Cages can be stacked 3 high when loaded and 5 high unloaded
- Finish: Zinc plated
- Base to the top of the front gate when folded is 390mm (internally)
- Base to the top of the front and back gates is 780mm (internally)




Code	Load Capacity (kg)	Base Height (mm)	Internal Size LxWxH (mm)	External Size LxWxH (mm)	Unit Weight (kg)
V7530	1000	130	1070x1070x838	1160x1160x1030	80



## Double Width Storage Transport Cage



- Front and rear gates half fold down and are fully removable, allowing safe, easy and fast access to goods
- Pallet Rack Safe – these cages have built in racking locators making it an ideal storage cage and safe storage on pallet racking
- Collapse/Assemble in seconds
- Lockable lids & weather covers are available on request
- 4 Way forklift access & pallet truck entry
- Anti-tip base design
- Half fold down & Fully removable front and rear gates
- Zinc plated finish
- Stackable 4 high
- Collapsed height: 320mm



Code	Load Capacity (kg)	Internal Size LxWxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V7540	1050	2100x1085x810	2200x1160x1055	125



## Mesh Stillage Transport Storage Cage

- This Galvanised storage cage is great for storing products both indoor and outdoor.
- Pallet Rack Safe – Unique Positive Locking Base Design
- These cages can also be stored on pallet racking
- Removable front gate
- Cages can be stacked 2 high when loaded
- 4 Way forklift & 2 Way Pallet Truck entry
- Finish: Zinc plated
- Supplied flatpacked



Watch a video of this in operation on our website here, [www.verdex.com.au/V7529](http://www.verdex.com.au/V7529)



**STORMAX**



Code	Load Capacity (kg)	Base Height (mm)	Internal Size LxWxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V7529	1000	125	1070x1070x480	1160x1205x652	61

## Galvanised Mesh Cage

- These mesh cages are an excellent form of warehouse and yard storage.
- These units are stackable as well as having the capability of being stored in a pallet rack.
- Can be folded down flat for easy storage when not in use
- Can be safely stacked 2 high when in use
- Load Capacity: 1000kg



Watch a video of this in operation on our website here, [www.verdex.com.au/V7518](http://www.verdex.com.au/V7518)



Folded Height (mm)	Mesh Size (mm)	Overall Size WxDxH (mm)	Unit Weight (kg)
300	100x50x6	1150x1150x890	80

Code	Details
V7518	Galvanised Mesh Cage

**STORMAX**

## Wire Pallet Cages

- Convert your pallets into cages with the quick and easy to use cages.
- Can be folded down flat for easy storage when not in use
- Mesh Size: 100x50mm – 6mm



V7514 – 1/2 Height



V7515 – Full Height



Watch a video of this in operation  
on our website here,  
[www.verdex.com.au/V7514](http://www.verdex.com.au/V7514)



Code	Details	Half Height Size WxDxH (mm)
V7514	1/2 Height Pallet Cage	1195x1170x400
V7515	Full Height Pallet Cage	1195x1170x800

## Pallet Cages

- Multi-purpose transport or storage cage
- Great for storing products both indoor and outdoor
- These cages can also be stored on pallet racking
- V7509 features a drop down swing gate
- V7510 features a double swing gate
- Stackable Height: 2 high loaded, 4 high empty
- Supplied with a hardwood timber pallet
- Finish: Zinc Galvanised
- Load Capacity: 2000kg



V7509



V7510



Code	Details	Overall Size LxWxH (mm)	Internal Size LxWxH (mm)
V7509	Pallet Cage (1/2 Height)	1200x1200x655	1080x1080x448
V7510	Stillage Pallet Cage (with hardwood pallet)	1205x1165x1028	1080x1080x825



## Collapsible and Stackable Stillage Cage

Multi-purpose transport or storage cages which are great for storing products both indoor and outdoor.

- Pallet Rack Safe – Unique Positive Locking Base Design
- These cages can also be stored on pallet racking
- Fold down gates
- Front and rear gates are removable and half
- Quick collapse sides so the unit can be quickly folded, stored and transported in the knock-down position
- Cages can be stacked 3 high when loaded and 10 high folded
- Finish: Zinc plated
- Supplied flatpacked
- 4 way pallet truck and forlift entry

**STORMAX**



Watch a video of this in operation  
on our website here,  
[www.verdex.com.au/V7541](http://www.verdex.com.au/V7541)



Load Capacity (kg)	Internal Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
1200	1035x1035x805	1125x1125x1040	80
Code	Details		
V7541	Collapsible and Stackable Cage		



## Stackable Mesh Stillage Picking Cage

- Can be double stacked
- Drop down / removable gates
- Supplied flatpacked for easy transport
- Finish: Zinc plated or powder coated colour of your choice

**STORMAX**



Watch a video of this in operation  
on our website here,  
[www.verdex.com.au/V7532](http://www.verdex.com.au/V7532)



Load Capacity (kg)	Internal Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
750	1035x1035x805	1165x1165x1650	96
Code	Details		
V7532	Stackable Stillage Picking Cage		





## Custom Stillage and Storage Cages

Verdex offer a vast range of stillage cages for purchase. Our Storage Cages are an excellent form of warehouse and yard storage and designed to store long and awkward objects for easy transport. They help to improve workplaces as they can be stacked to make use of the vertical space in warehouses.

In addition to our vast range of Stillage Cages, Verdex offer Custom Stillage and Storage Cages for purchase. Custom Stillage and Storage Cages provides an opportunity to create the best storage solution suited to your particular storage requirements. Whether you are after a cage with foldable sides, removable lid, pallet base or whatever size, Verdex will ensure this is a possible result.

Our Custom Stillage Cages are made to suit a variety of industries such as retail, logistics, mining, industrial, construction, transportation and warehouse. Verdex are able to provide custom made stillages cages in any colour and any size to suit your requirements.





# Stackable Stillage Cage

These stackable stillage cages are an excellent form of warehouse and yard storage. Designed to store long awkward objects for easy transport, these units may be stacked to make use of the vertical space in your warehouse.

- Fits standard Australian size pallets including Chep and Loscam
- Can be safely stacked 3 high when in use
- Finish: Zinc plated
- Base Material Size: RHS 30x60x1.8mm
- Post Size: 60x2.5mm
- Cupped feet add an additional 100mm to the external size (50mm per side)
- Clearance between ground and bottom frame is 110mm
- Clearance between stillages when stacked is 1545mm

**STORMAX**



Watch a video of this in operation on our website here, [www.verdex.com.au/v7525](http://www.verdex.com.au/v7525)



Code	Load Capacity (kg)	Post Height from Top of Base (mm)	Internal Size LxWxH (mm)	External Size LxWxH (mm)	Base Height (mm)	Unit Weight (kg)
V7525	1000	1490	1250x1250x1490	1390x1390x1655	170	54



## Stillage Mesh Cage

**STORMAX**

- These mesh cages are an excellent form of warehouse storage.
- Combining the usefulness of mesh cages with the flexibility of stillages, these stillage mesh cages may be stacked higher than a normal mesh cage due to the stillage posts.
- Pallet Rack Safe – these cages have built in racking locators making it an ideal storage cage and safe storage on pallet racking
- Powder coated frames with gal mesh sides
- Forklift access from front and sides
- Solid steel floor
- Can be collapsed for storage
- Can be safely stacked 4 high empty and 2 high fully loaded





Code	Load Capacity (kg)	Collapsed Height (mm)	Internal Size LxWxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V7640	1000	350	1134x931x790	1250x1050x980	78



# Heavy Duty Longspan Shelving (1800mm Wide)



- This heavy duty longspan shelving system is a strong and versatile shelving system, which is similar to pallet racking just in a similar profile, which is great for storing small parts and archives.
- This system is supplied standard with 3 adjustable shelves however extra shelf levels can be ordered for each set
- Available in 2 shelf options, steel or mesh
- End frames are supplied assembled for quick and easy setup
- Step beams so that the shelves sit flush inside the beam
- Shelf Capacity: 375kg per shelf (evenly distributed)
- Steel and mesh shelves are supplied as 2 seperate pieces per level




	Height (mm)	Width (mm)	Depth (mm)	Starter Bay Code	Add On Bay Code	Extra Shelf Level Code
Steel	1800	1800	450	V8000	V8001	V8008
	1800	1800	600	V8002	V8003	V8009
	2400	1800	450	V8004	V8005	V8008
	2400	1800	600	V8006	V8007	V8009
Mesh	1800	1800	450	V8030	V8031	V8038
	1800	1800	600	V8032	V8033	V8039
	2400	1800	450	V8034	V8035	V8038
	2400	1800	600	V8036	V8037	V8039

V7325 Castor Kit to suit Longspan Shelving (includes 4 castors with brakes)

## Heavy Duty Longspan Shelving (2400mm Wide)



- This heavy duty longspan shelving system is a strong and versatile shelving system, which is similar to pallet racking just in a similar profile, which is great for storing small parts and archives.
- This system is supplied standard with 3 adjustable shelves however extra shelf levels can be ordered for each set
- Available in 2 shelf options, steel or mesh
- End frames are supplied assembled for quick and easy setup
- Step beams so that the shelves sit flush inside the beam
- Shelf Capacity: 375kg per shelf (evenly distributed)
- Steel and mesh shelves are supplied as 2 separate pieces per level



Step Beams



Castor Kit



Initial Bay



Add-on Bay

	Height (mm)	Width (mm)	Depth (mm)	Starter Bay Code	Add On Bay Code	Extra Shelf Level Code
Steel	1800	2400	450	V8015	V8016	V8023
	1800	2400	600	V8017	V8018	V8024
	2400	2400	450	V8019	V8020	V8023
	2400	2400	600	V8021	V8022	V8024
Mesh	1800	2400	450	V8045	V8046	V8053
	1800	2400	600	V8047	V8048	V8054
	2400	2400	450	V8049	V8050	V8053
	2400	2400	600	V8051	V8052	V8054

V7325 Castor Kit to suit Longspan Shelving (includes 4 castors with brakes)

# Pallet Racking End Protectors




Pallet Racking End Protectors are a highly effective solution for preventing damage to racking and inventory by forklifts.

No matter how good your forklift drivers are, there will always be sometime when an accident or mistake happens when they crash into the pallet racking. You can avoid major injuries and pallet rack damage by installing these protection guards.

Damage and failure not only cause serious safety issues but disassembling, repair, reassembling and reloading of pallet racks add significantly to running costs.

- Single Bay End Protector to suit 838mm frame
- Double Bay End Protector to suit 838mm frame + 430mm space + 838mm frame
- Conforms to relevant Australian Standards



V7405





V7406

Code	Description	Height (mm)	Overall Length (mm)
V7405	Racking End Protector (to suit single bay of racking)	400	1080
V7406	Racking End Protector (to suit double bay of racking)	400	2350



## Pallet Racking Mesh Decks

- Our mesh decks are made to suit almost any standard pallet racking system
- Mesh decks come in 2 standard sizes 1250mm and 1350mm wide
- Comes complete with support bars
- 1000kg version is suitable for skids and pallets of heavier weights



**STORMAX**

Code	Details	Load Capacity (kg)	Width (mm)	Depth (mm)
V7462	Pallet Racking Mesh Decks (suits 2600mm beams)	1000	1250	840
V7463	Pallet Racking Mesh Decks (suits 2750mm beams)	1000	1350	840

## Pallet Racking Column Guards

**STORMAX**

- Pallet Racking Column Guards are a highly effective solution for preventing damage to racking and inventory by forklifts.
- No matter how good your forklift drivers are, there will always be sometime when an accident or mistake happens when they crash into the pallet racking.
- You can avoid major injuries and pallet rack damage by installing these protection guards.
- Damage and failure not only causes serious safety issues but disassembling, repair, reassembling and reloading of pallet racks add significantly to running costs.
- Conforms to relevant Australian Standards



Top View



Code	Overall Size HxD (mm)
V7400	400x220

## Safety Bollards

- Ideal for protecting expensive equipment and racking from possible forklift damage
- Great for protecting edges of roller doors from truck damage
- 5 options available however other sizes can be made to order to your particular specifications



Code	Bollard Type	Size (mm)	Diameter (mm)	Bolt Hole Size (mm)	Base Plate Size (mm)	Wall Thickness (mm)	Finish
V7420	U Bar High	1068x1220 (HxL)	115	22	205x205x10	3mm	Powder coated
V7421	U Bar Low	230x1220 (HxL)	115	22	205x205x10	3mm	Powder coated
V7422	Post	915 (H)	115	22	255x255x10	3mm	Powder coated

Code	Description	Details
V7420	'U' Bar High Bollard	-
V7421	'U' Bar Low Bollard	-
V7422	Standard Post Bollard 915mm (Powder coated)	Fixed Cap

V7427 Tru-Bolt Galvanised 16x120mm (M16)

4 per pack



## Safety Bollards (Concrete Fillable)

- Ideal for protecting expensive equipment and racking from possible forklift damage
- Great for protecting edges of roller doors from truck damage
- 5 options available however other sizes can be made to order to your particular specifications
- The 1200mm high bollards (V7426 & V7425) can be concrete filled



Removable cap which allows bollards to be concrete filled if required

V7426



V7425



V7427



Code	Bollard Type	Size (mm)	Diameter (mm)	Bolt Hole Size (mm)	Base Plate Size (mm)	Wall Thickness (mm)	Finish
V7426	Post	1200 H)	165	17	280x280x10	3mm	Galvanised + Powder coated
V7425	Post	1200 (H)	165	17	280x280x10	3mm	Galvanised


Code	Description	Details
V7426	Large Post Bollard-1200mm (Powder coated)	Removable Cap
V7425	Large Post Bollard (Galvanised)	Removable Cap
V7427	Tru-Bolt Galvanised 16x120mm(M16)	4 per pack



## Safety Guard Rail Fencing

- Protect expensive equipment from forklift damage using bolt together post and panel modular system
- Heavy duty powder coat yellow steel construction
- Easily assembled and disassembled rail system
- Supplied with all necessary bolts and fixings
- Base Size of the post is 255x255x16mm

**STORMAX**






Code	Description	Height (mm)	Length (mm)
V7435	Safety Rail Section	370	1120
V7436	Safety Rail Section	370	1730
V7437	Safety Rail Section	370	2340
V7438	Safety Rail Section	370	2945

Code	Description	Dimensions (mm)	Height (mm)
V7430	Single Height Corner/End Post	100x100	470
V7431	Single Height Centre Post	100x100	470
V7432	Double Height Corner/End Post	100x100	1085
V7433	Double Height Centre Post	100x100	1085



## 3 Metre Expanding Barrier

- Made from powder coated steel, aluminium and high-tech plastics
- Colour: Black/Yellow
- Compact design
- Rubber castors – 4 x swivel with brakes




**STORMAX**

Code	Castors (mm)	Base Width (mm)	Collapsed Size LxH (mm)	Expanded Size LxH (mm)	Height with castors (mm)	Height without castors (mm)	Unit Weight (kg)
V7412	50	305	350x1030	3000x1030	1030	970	6

## 5 Metre Double Expanding Barrier

- Made from powder coated steel, aluminium and high-tech plastics
- Colour: Black/Yellow
- Rubber castors – 6 x swivel with brakes



**STORMAX**





Code	Castors (mm)	Base Width (mm)	Collapsed Size LxH (mm)	Expanded Size LxH (mm)	Height with castors (mm)	Height without castors (mm)	Unit Weight (kg)
V7410	50	305	540x1030	5000x1030	1030	970	11



## 7.1 Metre Expanding Barrier

- Made from powder coated steel and aluminium
- Colour: Black
- Rubber castors – 8 x swivel with brakes




Code	Castors (mm)	Base Width (mm)	Collapsed Size LxH (mm)	Expanded Size LxH (mm)	Barrier Tube Size (mm)	Post Size (mm)	Unit Weight (kg)
V7415	75	460	560x2050	7100x1930	20x20	40x40	36

## T-Top Bollards

- Fluoro red post with reflective tape
- Heavy weight Rubber base
- Complies to relevant Australian Standards



Overall Height (mm)	Rubber Base Weight (kg)
1150	6
Code	Details
V7450	T-Top Bollards



## Wet & Dry Vacuum Cleaners

- Industrial wet and dry vacuum cleaners
- Portable on wheel base with push handle
- Complete with all accessories
- Suitable for large workshops and factories
- Fitted with standard 10Amp 240V plug
- 70L Version supplied with push handle on trolley (V7000)



# VERDEX

Code	Details	Motor (W)	Airflow (L/Sec)	Hose Length (mm)	Cable Length (mm)	Height (mm)	Unit Weight (kg)
V3000	30L Wet/Dry Vacuum Cleaner	1200	53	2500	7200	720	11
V7000	70L Wet/Dry Vacuum Cleaner	2000	106	2500	7200	980	24

## Manual Push Floor Sweeping Machine

- Ideal for sweeping factory floors, carpark, footpaths, entry ways etc
- Independent rolling brushes prevent waste fallback
- Sweeper works by simply being pushed along which activates the roller and brushes
- Waste is picked up by the roller and brushes and pushed into the waste container located under the main cover
- Waste container is removable allowing for easy tipping into another bin



# VERDEX



Watch a video of this in operation on our website here, [www.verdex.com.au/V9000](http://www.verdex.com.au/V9000)



Code	Waste Container Capacity (L)	Cleaning Width (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V9000	40	920	1260x960x1040	23



## Anti-fatigue Safety Cushion Matting

- Popular general purpose safety mat
- Comfort non-slip mat
- Bevelled edges for safety
- Optional grease resistant formula
- Ideal for factories, kitchens, food preparation areas, boats and behind counters

# VERDEX



General Purpose



Grease Resistant




Code	Details	Type	Overall Size (mm)
V7720	Anti-fatigue Safety Cushion Mat	General Purpose	600x900mm
V7721	Anti-fatigue Safety Cushion Mat	General Purpose	900x1500mm
V7722	Anti-fatigue Safety Cushion Mat	Grease Resistant	600x900mm
V7723	Anti-fatigue Safety Cushion Mat	Grease Resistant	900x1500mm


## Ergo Tred Anti-Fatigue Matting

Ergo Tred is a hardwearing, comfortable, non-slip anti-fatigue mat. It is used in dry, demanding work areas such as at checkouts, counters, machines, workbenches and workstations.


- Extremely comfortable – provides relief from constant standing
- Domed surface is ergonomically designed to improve circulation in feet and legs
- Hard wearing – long mat life even in demanding conditions
- Yellow border option – makes mat edges stand out to warn user of hazard
- HACCP Certified for use in dry areas



Black with yellow border



Black



# VERDEX

Code	Details	Type	Overall Size (mm)
V7730	Ergo Tred Anti-Fatigue Mat	Black	600x900mm
V7731	Ergo Tred Anti-Fatigue Mat	Black with Yellow Border	600x900mm
V7732	Ergo Tred Anti-Fatigue Mat	Black	900x1200mm
V7733	Ergo Tred Anti-Fatigue Mat	Black with Yellow Border	900x1200mm



## Scissor Lift Trolleys (Single Scissor)

**LIFTEX**

- These units help take the strain out of loading and unloading items from raised levels.
- The table is elevated by a pump action foot pedal and smoothly lowered by a hand operated release trigger.
- Foot operated hydraulic operation
- Lever release control
- Safety overload bypass valve
- Stepless rate of lowering regardless of load weight
- The 150kg version code V2000 has a foldable handle as pictured
- Durable powder coated finish
- Polyurethane castors - 2 x fixed, 2 x swivel with brakes



V2000



V2001



V2002



V2003

Code	Details	Load Capacity (kg)	Castors (mm)	Table Size (mm)	Lifting Range (mm)	Unit Weight (kg)
V2000	Single Scissor	150	100	700x450	225-730	46
V2001	Single Scissor	300	125	850x500	340-900	77
V2002	Single Scissor	500	125	850x500	340-850	81
V2003	Single Scissor	750	150	1000x510	435-1000	175

## Scissor Lift Trolleys (Double Scissor)

**LIFTEX**

- These units help take the strain out of loading and unloading items from raised levels.
- The table is elevated by a pump action foot pedal and smoothly lowered by a hand operated release trigger.
- Foot operated hydraulic operation
- Lever release control
- Safety overload bypass valve
- Stepless rate of lowering regardless of load weight
- Durable powder coated finish
- Polyurethane castors - 2 x fixed, 2 x swivel with brakes



V2010



V2011



V2012

Code	Details	Load Capacity (kg)	Castors (mm)	Table Size (mm)	Lifting Range (mm)	Unit Weight (kg)
V2010	Double Scissor	350	125	910x500	380-1330	105
V2011	Double Scissor	500	150	1010x520	440-1615	168
V2012	Double Scissor	700	125	1220x610	445-1510	195

## Rough Terrain Scissor Lift Trolley

**LIFTEX**

- Rough terrain scissor lift trolley is ideal for outdoor applications
- Foot Pedal Cycles to Max Height: 25
- Durable powder coated finish
- Rubber castors - 2 x fixed, 2 x swivel with brakes
- Min. Height of Table: 330mm
- Max Lift Height: 1000mm
- Overall Length: 1120mm



Code	Load Capacity (kg)	Castors (mm)	Table Size (mm)	Lifting Range (mm)	Unit Weight (kg)
V2015	200	200	1000x500	340-1010	71

## Electric Scissor Lift Trolleys

**LIFTEX**

- The battery electric scissor lift trolleys are available in both standard lift and high lift versions and 3 load capacities; 300kg, 500kg and 1000kg.
- Smooth lifting of heavy loads with ease
- Automatic 12v charger
- Push button, battery/hydraulic operation
- Polyurethane castors - 2 x fixed, 2 x swivel with brakes



Code	Details	Load Capacity (kg)	Castors (mm)	Table Size (mm)	Lifting Range (mm)	Unit Weight (kg)
V2060	Scissor Lift Trolley	300	125	850x500	290-880	115
V2063	Scissor Lift Trolley	500	150	1010x520	495-1618	198
V2064	Scissor Lift Trolley	1000	150	1200x800	430-1220	225



## Extra Large Scissor Lift Trolleys

**LIFTEX**

- The extra large scissor lift trolleys are excellent for handling large bulky items.
- The table is elevated by a pump action foot pedal and smoothly lowered by a hand operated release trigger.
- Foot operated hydraulic operation
- Lever release control
- Safety overload bypass valve
- Positive braking system on rear wheels
- Durable powder coated finish
- Stepless rate of lowering regardless of load weight
- Available in 500kg and 1000kg load capacities
- V2020: Polyurethane castors- 2 x fixed, 2 x swivel with brakes
- V2021: Nylon castors- 2 x fixed, 2 x swivel with brakes



Code	Details	Load Capacity (kg)	Castors (mm)	Table Size (mm)	Lifting Range (mm)	Unit Weight (kg)
V2020	Scissor Lift Trolley	500	125	1600x810	300-935	154
V2021	Scissor Lift Trolley	1000	180	2035x750	360-1360	198

## Aluminium Scissor Lift Trolley

- Extremely lightweight - Great for vehicle transport
- Aluminium construction with a painted finish
- Foot operated hydraulic operation
- Lever release control
- Safety overload bypass valve
- Stepless rate of lowering regardless of load weight
- Foldable handle
- Polyurethane castors - 2 x fixed, 2 x swivel with brakes


**LIFTEX**

Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Table Size (mm)	Lifting Range (mm)	Unit Weight (kg)
V2030	100	100	1000	700x450	265-755	24

## Stainless Steel Scissor Lift Trolleys

- These stainless steel scissor lift trolleys are great for use in food, pharmaceutical or hygiene areas.
- Foot operated hydraulic operation
- Lever release control
- Safety overload bypass valve
- Stepless rate of lowering regardless of load weight
- Scissor and pump unit is galvanised
- Stainless Steel Grade 304
- Polyurethane castors - 2 x fixed, 2 x swivel with brakes


**LIFTEX**

Code	Load Capacity (kg)	Castors (mm)	Table Size (mm)	Handle Height (mm)	Lifting Range (mm)	Unit Weight (kg)
V2040	100	100	700x445	1000	250-1220	55
V2041	350	100	830x500	1000	330-1295	78

## Galvanised Scissor Lift Trolley

- Galvanised version which is great for food and medical areas
- Foot operated hydraulic operation
- Lever release control
- Double scissor lift version
- Safety overload bypass valve
- Stepless rate of lowering regardless of load weight
- Polyurethane castors – 2 x fixed, 2 x swivel with brakes

**LIFTEX**


Code	Load Capacity (kg)	Castors (mm)	Table Size (mm)	Lifting Range (mm)	Unit Weight (kg)
V2050	150	100	830x500	435-1430	80

## Spring Scissor Lift Trolleys (With Centre Wheel Kit)

**LIFTEX**

- Self-leveling, fully adjustable, weight sensitive
- Designed to maintain an ideal working height for assembly lines and loading / unloading operations
- Balance achieved by double springs fitted to the shock absorbers
- Simple to operate spring tension adjustment
- Centre wheel kit is ideal for movement in small spaces
- Polyurethane castors – 2 x fixed centre, 4 x swivel with brakes



V2075



V2076

Code	Details	Load Capacity (kg)	Centre Castors (mm)	Swivel Castors (mm)	Table Size (mm)	Lifting Range (mm)	Unit Weight (kg)
V2075	Scissor Lift Trolley	300	200	100	830x500	360-770	65
V2076	Scissor Lift Trolley	300	200	100	1200x500	360-770	82



## Self Propelled Electric Scissor Lift Trolley (With Cage)

**LIFTEX**

- These self propelled lift tables take the effort of having to push heavy items manually as well as having electric operated lift.
- With the centre drive wheel it makes it extremely easy to manoeuvre loads in narrow aisles or tight spaces.
- Comes complete with side cage as pictured which can be easily removed if not required
- 4 x swivel castors with brakes
- 2 x pneumatic centre drive wheels
- Batteries: 2x12V 33Ah
- Curtis Controller: 70A
- Motor (Driving): 400W
- Motor (Lifting): 400W
- Lifting Time: 17 seconds



Load Capacity (kg)	Castors (mm)	Middle Wheels (mm)	Table Size (mm)	Lifting Range (mm)	Cage Height (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
400	150	275	1000x600	460-900	600	1240x600x1100	180

Code	Details
V2080	Electric Scissor Lift Trolley (with cage)

## Self Propelled Electric Scissor Lift Trolley (Single Scissor)

- Powered Lift and Drive makes this unit ideal for a wide range of applications, including in hospitals and libraries
- 2 x rear swivel castors with brakes
- 2 x pneumatic drive wheels
- Batteries: 2x12V 33Ah
- Curtis Controller: 70A
- Motor (Driving): 400W
- Motor (Lifting): 400W
- Lifting Time: 17 seconds


**LIFTEX**

Code	Load Capacity (kg)	Rear Castors (mm)	Front Wheels (mm)	Table Size (mm)	Lifting Range (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V2081	400	150	275	1000x600	460-900	1240x600x1100	180

## Self Propelled Electric Scissor Lift Trolley (Double Scissor)

**LIFTEX**

- Double Scissor lift is optimal for reaching high spaces with heavy loads
- 2 x rear swivel castors with brake
- 2 x pneumatic drive wheels
- Batteries: 2x12V 33Ah
- Curtis Controller: 70A
- Motor (Driving): 400W
- Motor (Lifting): 400W
- Lifting Time: 17 seconds



Load Capacity (kg)	Rear Castors (mm)	Front Wheels (mm)	Table Size (mm)	Lifting Range (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
400	150	275	1100x600	460-1600	1340x660x1100	234

Code	Details
V2082	Electric Scissor Lift Trolley (Double Scissor)

## Self Propelled Electric Scissor Lift Trolley with Cage (Double Scissor)

**LIFTEX**

- These self propelled lift tables take the effort of having to push heavy items manually as well as having electric operated lift.
- With the centre drive wheel it makes it extremely easy to manoeuvre loads in narrow aisles or tight spaces.
- Comes complete with side cage as pictured which can be easily removed if not required
- Includes centre wheel unit
- 4 x swivel castors with brake
- 2 x pneumatic centre drive wheels
- Batteries: 2x12V 33Ah
- Curtis Controller: 70A
- Motor (Driving): 400W
- Motor (Lifting): 400W
- Lifting Time: 17 seconds



Load Capacity (kg)	Castors (mm)	Middle Wheels (mm)	Table Size (mm)	Lifting Range (mm)	Cage Height (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
400	150	260	1000x600	450-1625	450	1340x600x1055	234

Code	Details
V2083	Electric Scissor Lift Trolley (with centre wheel)



# Super Low Profile Lift Tables



- These lift tables achieve a super low closed height, eliminating the need for a pit installation
- The upper platform is fitted with a safety perimeter to prevent descent on contact with obstructions
- 24v control unit with up/down buttons and emergency stop
- Power supply is AC 415V/50HZ/3phase
- The external power pack is equipped with a relief valve against overloading and a compensated flow valve for controlling lowering speed
- Hose burst safety valve which stops the table lifting in case of a hose breakage



35mm low platform allows easy pallet truck entry

Easy to use controller which sits 900mm off ground level

Code	Load Capacity (kg)	Platform Size WxL (mm)	Lifting Range (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V2122	1500	1200x1270	35-800	1650x1850x235	380



## Low Profile Pallet Lift Tables

**LIFTEX**

- Many applications require the regular loading and unloading of palletised goods.
- Repetitive lifting and stretching can be time consuming and hazardous.
- Using pallet lift tables elevates pallets to the optimum lift height reducing the risk of repetitive strain injury and increasing productivity.
- Supplied with entry ramp to allow pallet truck entry
- Can be supplied with optional rotator ring
- Tables are specially made for handling pallets, no need for a pit or load ramps
- Upper platform fitted with safety perimeter to prevent descent on contact with obstructions
- 24v control box with UP and DOWN buttons and emergency stop
- External power pack equipped with a relief valve against overloading and a compensating flow valve for controlling lowering speed
- Power Supply: 240v (3 phase 415v available if required)
- Hose burst safety valve to stop the lift table lowering in case of hose breakage
- Removable lifting eyes to facilitate handling and installation of the lift table
- Oil-less bushings on pivot points

Easy to use controller which sits 900mm off ground level



Ramp supplied with lift table



Turntables available to suit - see page 138



Code	Load Capacity (kg)	Platform Size (mm)	Lifting Range (mm)	Lifting Time	Unit Weight (kg)
V2100	1000	1140x1420	85-880	25	357
V2101	2000	1180x1600	105-880	25	419

## Bishamon Pneumatic Rotating Pallet Positioner (For Same Weight Pallets)

- Bishamon automatic work positioners are the modern way to manually load and unload pallets.
- They improve efficiency and reduce injury by bringing the level and location of the top of the load closer to the person doing the work.
- Pallet loading and unloading time can be reduced by 40%, thereby substantially increasing productivity
- Self leveling design automatically keeps the top of the load at a convenient working height
- Rotator ring with integral finger guard eliminates reaching and stretching
- Secured ball bearing centre pivot of the 1092mm diameter rotator ring provides smooth, even rotation
- EZ Loaders arrive at your facility fully assembled – just add air!
- Rotator Ring Diameter: 1092mm
- Minimum Self Levelling Capacity: 113kgs
- Maximum Self Levelling Capacity: 1588kgs



**Bishamon®**



Code	Details	Load Capacity (kg)	Rotator Ring Dia. (mm)	Lifting Range (mm)	Base Frame Size (mm)	Unit Weight (kg)
V2170	EZ X Loader	1814	1092	249-757	1232x610	234
V2171	Rotator Ring Brake					
V2172	Bellows Skirting to suit EZ X Loader					



# Bishamon Pneumatic Rotating Pallet Positioner

## (For Varying Pallet Weights)

**The most advanced pallet positioner available!**

- EZ Loaders are designed to eliminate worker bending by automatically raising and lowering pallets during loading or unloading without the use of mechanical springs, motors or hydraulics.
- The new EZ loader can now handle a wide range of weight capacities from 110 kilos to 1800 kilos.
- The EZ Adjust knob – a three position knob that allows adjustment of the collapsed capacity without changing the air pressure.
- EZ Loaders also allow easy pallet rotation for near-side loading so the worker does not have to reach or strain.
- As the load weight changes, the EZ Loader automatically adjusts, keeping the top of the load at a convenient working height.
- The patented pneumatic system found only on the EZ Loader has proven to be the choice of industry professionals worldwide.



**Bishamon®**



EZ adjust knob provides up to 550kgs of capacity adjustment with the turn of a knob




Patented self-contained pneumatic system offers unsurpassed performance



Rollers are entrapped in the base frame and platform for added stability



Bellows Skirting (V2172)



Rotator Ring Brake (V2171)

Code	Details	Load Capacity (kg)	Rotator Ring Dia. (mm)	Lifting Range (mm)	Base Frame Size (mm)	Unit Weight (kg)
V2175	EZ Loader	110-1800	1092	267-775	1245x617	172
V2171	Rotator Ring Brake					
V2172	Bellows Skirting to suit EZ Loader					



## Spring Loaded Rotating Pallet Tables

**LIFTEX**

- The pallet elevator keeps the active layer of the load at or above waist height, eliminating bending and lifting.
- This pallet elevator can be moved with a standard Pallet Truck
- It is proving highly effective at reducing the incidences of repetitive strain and back injury.
- The construction of the pallet elevator is a scissor type action with varying springs which can be adjusted for different heights
- Turntable allows the operator to rotate the load with minimal stretching and reaching.
- No ground fixing required
- Available in Galvanised or Powder Coated finishes
- Fork Pocket Centres: 615mm



Ready to load



Beginning loading



Partly loaded



Fully loaded


**V2134**  
(powder coated model)

**V2135**  
(galvanised model)


PVC Protection screen supplied standard

Rotating Tops (can be fixed if required)

Springs to suit a wide range of pallet weights

Easy spring changing lock mechanism

Fork pocket centres for easy relocation

Code	Details	Load Capacity (kg)	Table Diameter (mm)	Lifting Range (mm)	Fork Pocket Size (mm)	Unit Weight (kg)
V2134	Powder coated	2000	1110	290-750	300x90	195
V2135	Galvanised	2000	1110	290-750	300x90	195


## Rotatable Electric Lift Table

**LIFTEX**

- The pallet elevator is electric up and down via foot pedal and manual rotating top
- It is ideal for varying weight pallets as there is no need to change springs
- Turntable allows the operator to rotate the load with minimal stretching and reaching while controlling the up/down operation via the foot pedal controls
- Can be easily moved around factory with a forklift
- No ground fixing required
- Power: 240V



Foot Pedal to raise and lower platform



Watch a video of this in operation on our website here, [www.verdex.com.au/V2125](http://www.verdex.com.au/V2125)

Code	Load Capacity (kg)	Lifting Range (mm)	Table Diameter (mm)	Base Frame Size LxW (mm)	Unit Weight (kg)
V2125	2000	300-710	1110	935x915	175

## Powered Rotatable Electric Lift Table

**LIFTEX**

- The pallet elevator is electric up, down and rotating top via pendant control
- It is ideal for varying weight pallets as there is no need to change springs
- Powered Rotation in both directions which can be set to rotate continuously.
- Can be easily moved around factory with a forklift
- No ground fixing required
- Power: 240V



Pendant Control Unit



Watch a video of this in operation on our website here, [www.verdex.com.au/V2126](http://www.verdex.com.au/V2126)

Code	Load Capacity (kg)	Lifting Range (mm)	Table Diameter (mm)	Base Frame Size LxW (mm)	Unit Weight (kg)
V2126	2000	340-710	1110	935x915	190

## Battery Electric Work Positioner


- A range of highly manoeuvrable, lightweight lifts, designed to take the strain out of any lifting job from ground level to over shoulder height
- Ideal for use in narrow aisles and confined spaces. Perfect for all applications from pharmaceutical to catering, from packing line to food processing
- Automatic electric overload protection system ensures safe operation
- Quick change attachment options available
- EN1757 compliant. CE marked
- Battery electric with built in charger that you can plug in anywhere
- Load Centre: 235mm
- 24v, 7.2Ah battery
- 75mm fixed rubber castors on front
- 125mm swivel rubber castors with brakes on rear
- Leg Height: 105mm




V Block Attachment  
(V2202)



Roll Prong Attachment  
(V2203)



Double Prong Attachment  
(V2204)



Reel Handler Rotator Attachment  
(V2205)

Code	Details	Load Capacity (kg)	Platform/ Attachment Size (mm)	Lifting Range (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V7200	Work Positioner	100	470x660	130-1700	890x600x1990	62
V2201	Work Positioner	150	470x660	130-1500	890x600x1790	65
V2202	V Block Attachment – 400x400x80mm					
V2203	Roll Prong Attachment – 600x50mm					
V2204	Double Prong Attachment – 450x50mm (200mm between)					
V2205	Reel Handler Rotator Attachment – 430x90mm					



## Stainless Steel Battery Electric Work Positioner

- These stainless steel lifters are ideal for the food and pharmaceutical industries where hose down is required.
- Automatic electric overload protection system ensures safe operation.
- EN1757 compliant. CE marked
- Battery electric with built in charger that you can plug in anywhere
- Battery: 24V, 12.0Ah
- Power: 24V, 200W
- Compatible with attachments pictured on previous page
- Load Centre: 235mm
- 75mm fixed rubber castors on front
- 125mm swivel rubber castors with brakes on rear
- Leg Height: 115mm
- S/S Grade: 304



Pendant controller  
on flexi cord



Control Unit



Quality rubber  
castors with rear brakes



Built in charger

**LIFTEX**

Code	Load Capacity (kg)	Platform/ Attachment Size(mm)	Lifting Range (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V2210	100	470x600	130-1700	890x600x1990	63
V2211	150	470x600	130-1500	890x600x1790	66

## Battery Electric Platform Work Positioners

- A range of highly manoeuvrable, lightweight lifts, designed to take the strain out of any lifting job from ground level to over shoulder height
- Ideal for use in narrow aisles and confined spaces. Perfect for all applications from pharmaceutical to catering, from packing line to food processing
- Automatic electric overload protection system ensures safe operation
- Load Centre: 237mm
- Platform/ Attachment Size: 475x605mm
- Lifting/Lowering Speed: 55mm/s
- Steering Wheel: 100mm
- Battery: 12x2-10Ah
- Charger: DC-24V-2A


**LIFTEX**

Code	Load Capacity (kg)	Lifting Range (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V2190	100	130-1700	920x505x2160	65
V2191	150	130-1500	920x505x1950	65

## Liftex 1000kg Smart Tow Tug

Great for moving dollies, trolleys and roll cages throughout the warehouse, workshop or shopping centres etc. Compact design which makes it extremely manoeuvrable and easy to transport in vehicles.

- Travel Speed: up to 6km/h
- Programmable speed controller
- Battery: 24v, 18Ah
- Motor: DC 24v, 300w
- Tyres: Solid - 250mm




**LIFTEX**

Code	Traction Capacity (kg)	Width (mm)	Handle Height (mm)	Unit Weight (kg)
VI500	2000	465	650-1050	65

## 10 Tonne Hydraulic Jack

- Great for jacking up containers and large equipment
- Removable pump hand lever
- The housing rotates 360 degrees



Load Capacity (kg)	Lifting Range of Foot (mm)	Lifting Range of Head (mm)	Maximum Lever Force (kg)	Unit Weight (kg)
10,000	30-260	420-650	40	35

Code	Details
V2450	10 Tonne Hydraulic Jack

**LIFTEX**





## Manual Fork/Platform Stacker


- Foot pump hydraulic lift
- Comes with a removable platform and has 2 adjustable fork tines under platform for lifting skids and pallets
- Polyurethane castors - 2 x fixed, 2 x swivel with brakes



Code	Load Capacity (kg)	Rear Castors (mm)	Front Castors (mm)	Platform Size (mm)	Fork Length (mm)	Lifting Range (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V2230	400	125	75	660x580	650	75-1500	1040x590x1710	85

## Electric Fork/Platform Stacker

- Electric hydraulic lift
- Battery: 12v 80Ah
- Comes with a removable platform and has 2 adjustable fork tines under platform for lifting skids and pallets
- Polyurethane castors - 2 x fixed, 2 x swivel with brakes



Code	Load Capacity (kg)	Rear Castors (mm)	Front Castors (mm)	Platform Size (mm)	Fork Length (mm)	Lifting Range (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V2231	400	125	75	660x580	650	80-1500	1040x590x1710	120

## Aluminium Lift Assist Device

- These aluminium lifters are great for assisting in the lifting, positioning and installation of goods at varying heights
- Ideal for lifting items into ceiling spaces or handling machine parts at height and can be folded for storage and transport
- Manual hand winch control with automatic braking action
- Fits through standard doorways
- Quick set up - requires no tools

**LIFTEX**


Arm Length (mm)	Ground Clearance (mm)	Operating Length (mm)	Front Castors (mm)	Rear Castors (mm)
800	50	1880	100	125

Code	Load Capacity (kg)	Min. Height (mm)	Max Height (mm)	Folded Size LxWxH (mm)	Unit Weight (kg)
V2241	350	150	5000	870x730x2000	145

## Aluminium Hand Stacker

- These aluminium lifters are great for assisting in the lifting, positioning and installation of goods up to 2500mm in height
- Manual hand winch control with automatic braking action
- Foot pedal brake
- Fits through standard doorways
- Quick set up - requires no tools
- Legs are straddle with quick adjustment

**LIFTEX**


Code	Load Capacity (kg)	Rear Castors (mm)	Front Castors (mm)	Platform Length (mm)	Load Centre (mm)	Lifting Range (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V2250	180	200	50	570	254	50-2500	1100x736x1700	66

## 120KG Fork/Platform Trolley

- Robust, light weight steel construction platform lift trolley which is ideal for lifting heavy items to a work bench level for working on
- The platform is removable and has 2 fork tines which are adjustable under platform for lifting small skids



Load Capacity (kg)	Rear Castors (mm)	Front Castors (mm)	Platform Size (mm)	Fork Size (mm)	Lifting Range (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
120	200	50	500x420	50x420	95-1050	700x460x1370	39

Code	Details
V2255	120KG Fork/Platform Trolley

## Platform and Fork Lift Trolley

- The ideal trolley for lifting loads up to 150kg with ease
- Complies to relevant Australian Standards
- Swappable accessories for handling of different loads
- Forks for lifting small pallets and skids
- Platform for general lifting
- Patented silent winch which locks the load at any height
- Steel cable which runs inside the mast to prevent pinching
- Puncture proof rear wheels
- Made from aluminium
- Load Capacity (with forks): 150kg
- Load Capacity (with platform only): 120kg
- Platform Dimensions: 360x420mm (DxW)
- Fork Dimensions: 50x460mm (WxL)

**LIFTEX**



Code	Details	Lift Height (mm)	Folded Size LxWxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V2265	Platform Lift Trolley	1030	300x500x1320	710x530x1320	27
V2266	Fork Kit to suit V2265				



## Heavy Duty Manual Fork Stackers


- These manual fork stackers are a very heavy duty construction and are an economical alternative to forklifts
- Manual hydraulic lift via pallet truck style handle or foot pedal
- Straddle leg model for use with standard 1170mm Australian pallets
- Standard leg model for use on Euro pallets and small skids
- Lockable rear wheels are standard on all models

**LIFTEX**


Handles for easy manoeuvrability



Handle pump



Foot pedal pump



Standard Legs

Straddle Legs

Code	Details	Load Capacity (kg)	Rear Castors (mm)	Front Castors (mm)	Lifting Range (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V2280	Standard Leg	500	150	80	90-1600	1640x805x2000	160
V2281	Straddle Leg	500	150	80	70-1600	1600x1500x2000	225
V2282	Standard Leg	1000	150	80	90-1600	1640x1000x2085	250
V2283	Straddle Leg	1000	150	80	70-1600	1560x1450x2050	295

## Pallet Turntable Disc

- The Liftex Pallet Turntable Disc is designed specifically so that pallets can be placed on or removed from the turntable using only a hand pallet truck
- Lifting lug screws into the centre of the disc and makes transportation of the unit easy.
- Disc Diameter: 1105mm



# LIFTEX

Code	Load Capacity (kg)	Overall Size HxD (mm)	Unit Weight (kg)
V2145	2000	25x1235	120

## Pallet Rotator Ring

- The rotator ring is popular due to its light weight and easy maneuverability.
- It can be moved easily by one person.
- 16 roller bearings to ensure smooth rolling for heavy loads



Suits Pallet  
Lift Tables


# LIFTEX

Code	Load Capacity (kg)	Overall Size WxH (mm)	Unit Weight (kg)
V2140	2000	1000x65	36

## The Edge – Electric Pallet Truck

- The function of driving with the handle in the vertical position helps when working in confined areas and with a short body length of only 380mm makes the truck extremely compact and ideal for use in retail stores, elevators and delivery vehicles.
- The handle of the truck is supported by an air spring and the handle returns to its vertical position smoothly.
- Strong and compact structure ensures extreme durability but with an overall unit weight of only 123kg
- The Edge pallet truck comes standard with a built in security function where a pin can be set and the pallet truck can only be used once the pin is entered making it ideal for use in retail stores only giving authorised staff members use of the machine.
- Emergency stop button with a horn and reverse signals
- Electric drive and electric lifting and lowering of the pallet.
- The Edge is equipped with a maintenance-free 24V/24Ah Lithium battery with optional different capacities for various applications; with its fast charging feature the Edge works as easy as a hand pallet truck and virtually maintenance free. The battery weighs only 4.6kgs making it ideal for quick battery change over so there is no downtime with charging.

# LIFTEX



Capacity up to **1500kg** and ability to overcome ramps up to **4/16%** (loaded/unloaded) makes the truck suitable for work in loading docks and on delivery operations in different conditions

Ideal for use in delivery vehicles



Removable Lithium Battery



Pin can be set so only selected personnel can use the unit



Handle is supported by an air spring so that the handle returns smoothly to the vertical position

Code	Details	Load Capacity (kg)	Tine Size (mm)	Length of Tines (mm)	Overall Size LxW (mm)	Lowered Height (mm)	Unit Weight (kg)
V2385	The Edge	1500	60x142x1070	1185	1530x685	80	123
V2386	The Edge Additional Battery 24V/24Ah						



## 2500KG Industrial Pallet Trucks

All our pallet trucks come with a maintenance free pump which are all made using high quality parts and German seal kits and are fitted with long life rollers and steering wheels.

- These safety yellow powder coated trucks are available in standard size 685mm wide, narrow pallet size 520mm and small skid size 450mm wide
- Steering Wheel Size: 50x180mm
- Rear steering wheels and fixed front castors

# LIFTEX



Polyurethane wheels



Nylon wheels



V2325



V2322

V2326



Watch a video of this in operation on our website here, [www.verdex.com.au/V2322](http://www.verdex.com.au/V2322)



Code	Details	Load Capacity (kg)	Tine Size (mm)	Fork Length (mm)	Width (mm)	Overall Length (mm)	Min. Fork Height (mm)	Unit Weight (kg)
V2322	Standard Size - Poly Wheels	2500	50x160	1150	685	1550	85	70
V2323	Standard Size - Nylon Wheels	2500	50x160	1150	685	1550	85	67
V2326	Narrow Size - Poly Wheels	2500	50x160	1150	520	1550	85	60
V2325	Small Skid Size - Poly Wheels	2500	50x160	1150	450	1550	85	66

## Low Profile Pallet Truck

- Easy access into low skids and pallets.
- Great for unloading containers with low import type pallets with a low clearance of only 51mm.
- Powder coated safety yellow
- Steering Wheel Size: 50x180mm
- Comes standard with nylon wheels, however polyurethane available on request



# LIFTEX



Watch a video of this in operation on our website here, [www.verdex.com.au/V2330](http://www.verdex.com.au/V2330)



Code	Details	Load Capacity (kg)	Tine Size HxW(mm)	Fork Length (mm)	Width (mm)	Overall Length (mm)	Min. Fork Height (mm)	Unit Weight (kg)
V2330	Low Profile Pallet Truck	1000	47x160	1120	685	1550	51	80

## Super-Low Profile Pallet Truck

- Easy access into low skids and pallets.
- Great for unloading containers with low import type pallets with a super low clearance of only 35mm.
- Powder coated safety yellow
- Steering Wheel Size: 50x160mm
- Polyurethane rear wheels and steel rollers as front wheels to achieve an extremely low clearance



Watch a video of this in operation  
on our website here,  
[www.verdex.com.au/v2331](http://www.verdex.com.au/v2331)


**LIFTEX**

Code	Details	Load Capacity (kg)	Tine Size (mm)	Length (mm)	Width (mm)	Min. Fork Height (mm)	Unit Weight (kg)
V2331	Super Low Profile Pallet Truck	1000	30x160	1120	520	35	100

## Extra Long 2000KG Pallet Trucks

- These extra long pallet trucks are extremely useful for extra deep pallets
- Available in 1800 and 2500mm long as standard however other sizes are available on request
- The V2347 Picks up two pallets in one lift.
- Steering Wheel Size: 50x200mm
- Powder coated safety yellow
- Polyurethane wheels



Watch a video of this in operation  
on our website here,  
[www.verdex.com.au/v2345](http://www.verdex.com.au/v2345)


**LIFTEX**

Code	Details	Load Capacity (kg)	Tine Size (mm)	Length (mm)	Width (mm)	Min. Fork Height (mm)	Unit Weight (kg)
V2345	Extra Long Pallet Truck	2000	60x160	1800	520	85	100
V2346	Extra Long Pallet Truck	2000	60x160	1800	685	85	110
V2347	Extra Long Pallet Truck	2000	60x160	2500	685	85	285

## Galvanised Pallet Trucks

- These galvanised pallet trucks are available in both standard size 680mm wide and Euro pallet size 520mm
- Ideal for the food, chemical and pharmaceutical industry or outdoor use
- Steering Wheel Size: 50x200mm
- Nylon wheels



**LIFTEX**

Code	Details	Load Capacity (kg)	Tine Size (mm)	Length (mm)	Width (mm)	Min. Fork Height (mm)	Unit Weight (kg)
V2336	Euro Size	2000	60x160	1150	520	85	65
V2335	Standard Size	2000	60x160	1120	685	85	67

## Stainless Steel Pallet Trucks

- These Stainless steel pallet trucks are available in both standard size 680mm wide and Euro pallet size 520mm
- Ideal for the food, chemical and pharmaceutical industry or where corrosive acids are used
- Front wheels are fully enclosed which is a required for clean rooms and food environments
- Nylon Wheels
- Steering Wheel Size: 50x200mm
- Nylon wheels



**LIFTEX**

Code	Details	Load Capacity (kg)	Tine Size (mm)	Length (mm)	Width (mm)	Min. Fork Height (mm)	Unit Weight (kg)
V2341	Euro Size	2000	60x160	1150	520	85	75
V2340	Standard Size	2000	60x160	1150	685	85	77



## 2000KG Pallet Truck With Load Scales

- Our scale pallet trucks are extremely reliable and highly accurate in measuring your pallet weight.
- This fork truck has a totalising function which adds up multiple pallet weights giving the total weight per shipment or order.
- The weighing unit uses four AA batteries which give approx 4200 weighting actions
- The unit gives a low battery warning and shuts off after 3 minutes
- The digital display can be read from any angle in ambient light conditions
- Optional scale printer unit available on request
- Scale Increments: 1kg
- Scale Functions: Zero correction, gross/net weight, total weight
- Nylon Wheels



**LIFTEX**

Code	Load Capacity (kg)	Steering Wheel Size (mm)	Tine Size (mm)	Fork Length (mm)	Width (mm)	Min. Fork Height (mm)	Overall Size LxW (mm)	Unit Weight (kg)
V2350	2000	50x180	50x182	1150	690	76	1650x690	113

## Stainless Steel 2000KG Pallet Truck With Load Scales

- These stainless steel pallet trucks are ideal for applications in the food and medical industries or areas where corrosive acids are used.
- Fully stainless steel - 316 grade
- Scale Increments: 2kg
- Scale Functions: Zero correction, gross/net weight, total weight
- Steering Wheel Size: 50x180mm
- Nylon Wheels



**LIFTEX**

Code	Details	Load Capacity (kg)	Tine Size (mm)	Length (mm)	Width (mm)	Min. Fork Height (mm)	Unit Weight (kg)
V2355	Standard Size	2000	50x182	1150	690	85	138

## 5 Tonne Pallet Truck

- These extra heavy duty pallet trucks can be used to move heavy machinery and come with a towing hook for pulling if required
- Steering Wheel Size: 50x200mm
- Powder coated safety yellow
- Steel roller wheel



Heavy duty steel rollers




**LIFTEX**

Code	Load Capacity (kg)	Length (mm)	Width (mm)	Min. Fork Height (mm)	Max. Fork Height (mm)	Unit Weight (kg)
V2365	5000	1150	680	90	200	198

## Rough Terrain Pallet Truck

This rough terrain pallet truck is great for applications such as timber yards, brick yards and hard stand areas where the ground is gravel or rough.

- Large pneumatic wheels
- Adjustable Fork Width: 228-735mm
- Width Inside Front Wheels: 1230mm
- Front Wheel Size: 550x132mm (Dia x Width)
- Rear Wheel Size: 265x80mm (Dia x Width)
- Turning Radius: 1500mm
- Axle Distance Between Front and Rear Wheels: 973mm



**LIFTEX**

Code	Load Capacity (kg)	Load Centre (mm)	Tine Size (mm)	Fork Length (mm)	Min. Fork Height (mm)	Max. Fork Height (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V2360	1200	450	100x50	860	63	233	1375x1605x1200	245

## 1000KG Hi-Lift Pallet Trucks (Manual)

- Great for lifting skids and pallets with no bottom rail
- Extremely easy to pump and light weight
- Quick-lift as standard with automatic transfer to normal lifting loads over 150kg
- Automatic descending speed control, regardless of load
- Front support legs and adjustable stabilisers ensure maximum stability
- Heavy duty design
- Conforms to EN 1757-4
- Not suitable for closed pallets with a bottom rail



**LIFTEX**

Code	Details	Load Capacity (kg)	Length (mm)	Width (mm)	Min. Fork Height (mm)	Max. Fork Height (mm)	Tine Size (mm)	Lifting Range (mm)	Unit Weight (kg)
V2371	Manual	1000	1100	520	85	800	50x160	85-800	118
V2370	Manual	1000	1150	680	85	800	50x160	85-800	125

## 1000KG Hi-Lift Pallet Trucks (Electric)

- Great for lifting skids and pallets with no bottom rail
- Quick-lift as standard with automatic transfer to normal lifting loads over 150kg
- Automatic descending speed control, regardless of load
- Front support legs and adjustable stabilisers ensure maximum stability
- Heavy duty design
- Conforms to EN 1757-4
- Not suitable for closed pallets with a bottom rail
- Battery: 12v, 54Ah



**LIFTEX**

Code	Details	Load Capacity (kg)	Length (mm)	Width (mm)	Min. Fork Height (mm)	Max. Fork Height (mm)	Tine Size (mm)	Lifting Range (mm)	Unit Weight (kg)
V2373	Electric	1500	1100	520	85	800	50x160	85-800	150
V2372	Electric	1500	1150	680	85	800	50x160	85-800	160



## Fork Extension Slippers / Tines (Powder Coated)

**LIFTEX**

- Fork slippers extend the versatility of your lift truck
- The safe working load (SWL) is measured per pair at 600mm load centre
- These slippers are for general usage and are required to not exceed the forklift tine length by more than 50% (eg, a fork tine of 1050mm long can only use the V2400 slippers)




Code	*SWL (kg)	Length (mm)	Internal Tine Size (mm)	External Tine Size (mm)	HCG (mm)	Weight Per Pair (kg)
V2400	*2700	1524	140x50	155x60	685	49
V2401	*2700	1830	140x50	155x60	825	55
V2402	*2700	2435	140x50	155x60	1095	79

\*SWL shown here is the maximum however it varies depending on forklift capacity - Refer to load chart provided on fork slippers and forklift capacity

## Fork Extension Slippers / Tines (Galvanised)

- Fork slippers extend the versatility of your lift truck
- The safe working load (SWL) is measured per pair at 600mm load centre
- Slippers conform to relevant Australian Standards
- Designed and manufactured in accordance with AS2359.15 and other relevant Australian standard which requires the slippers used for general usage to be not longer than 167% of the supporting tine's length.



Code	*SWL (kg)	Length (mm)	Internal Tine Size (mm)	External Tine Size (mm)	HCG (mm)	Weight Per Pair (kg)
V2405	*4500	1780	138x55	150x67	845	66
V2406	*4500	2400	138x55	150x67	1130	88
V2407	*8000	1800	170x76	185x92	830	133
V2408	*8000	2400	170x76	185x92	1135	177
V2409	*8000	3000	170x76	185x92	1435	221

\*SWL shown here is the maximum however it varies depending on forklift capacity - Refer to load capacity plate on your forklift

## Slip-On Roll Forklift Prong

Slip-on Roll Prong suitable for fabric, cable and coil products. Can also be used for carpet handling, but usage is generally restricted to larger forklifts due to the extended load centre created by the length of the tines.

These attachments quickly adapt to almost any forklift and require only the connection of a safety chain to prevent unintentional disengagement.

- Prongs are manufactured from solid steel
- Finish: Zinc Plated
- The safe working load (SWL) is measured at 1400mm load centre

**LIFTEX**



Code	SWL (kg)	Prong Diameter (mm)	Length (mm)	Fork Pocket Size (mm)	Fork Centres (mm)	HCG (mm)	Unit Weight (kg)
V2415	510	70	2800	190x65	345	845	163

## Crane / Forklift Spreader Beam

The Spreader Beam is a unique multitasking Beam which can be used by Crane or Forklift to lift long loads.

Using a Crane, loads can be lifted via the centre single hook point (as a 'Lifting Beam'), or end lifted using a 2 leg Chain Sling (as a 'Spreader Beam').

If lifting by forklift, the 600mm long slipper pockets allow for fast and safe connection to the truck.

The Spreader Beam load connection points are adjustable to 3 positions by moving the extendable arms each end. Both extendable arms are locked into position via safety pins. The unit is supplied standard with a safety swivel hook each end.

The extendable arms are zinc plated with the main body painted in 'safety orange'.

**LIFTEX**



Rated Capacity When used as	Fully Retracted (LC @ 2405mm)	Middle Position (LC @ 3165mm)	Fully Extended (LC @ 3925 mm)
Forklift Attachment	3500kg	1500kg	750kg
Lifting Beam	4500kg	2500kg	1300kg
Spreader Beam	9000kg	7200kg	5600kg

Code	F/Lift HCG (mm)	Fork Pocket Size (mm)	Fork Centres (mm)	Unit Weight (kg)
V2470	300	190x65	900	172


## 2200KG Standard Pallet Hook

The V2461 Pallet Hook features variable body height and adjustable tine width, making this versatile attachment ideal for the transport and construction industry.

Load balancing is via the moveable lifting ring.

The Pallet Hook has been designed & certified in accordance with relevant Australian Standards

- Adjustable Clearance is the distance between tines and head
- Finish: Zinc plated



**LIFTEX**

Code	SWL (kg)	Load Centre (mm)	Tine Size (mm)	Adjustable Clearance (mm)	Unit Weight (kg)
V2461	2200	600	100x45x1055	1005-1605	215

**LIFTEX**



## 4500KG Heavy Duty Pallet Hook

A heavy duty 4.5 tonne capacity pallet hook for loads up to 4500kg. Fully adjustable tines makes this unit extremely versatile. Load balancing is carried out by positioning the lifting ring to suit the Centre of Gravity of the load.

Load balancing is via the moveable lifting ring.

The Pallet Hook has been designed & certified in accordance with relevant Australian Standards

- Clearance is the distance between tines and head
- Finish: Enamel painted



Code	SWL (kg)	Load Centre (mm)	Tine Size (mm)	Clearance Between Tines and Head (mm)	Unit Weight (kg)
V2460	4500	600	125x50x1070	1405	456




## 2000KG Automatic Pallet Hook

The automatic pallet hook, type V2462, is self-levelling for ease of operation. An internal spring mechanism ensures the lifting eye is in the correct position to keep the tines horizontal, eliminating the need to reposition the lifting ring.

Enclosed frame members protect the operator from moving parts.

The Pallet Hook has been designed & certified in accordance with relevant Australian Standards

- Clearance is the minimum distance between tines and head
- Finish: Zinc plated



Code	SWL (kg)	Load Centre (mm)	Adjustable Tine Size (mm)	Clearance (mm)	Unit Weight (kg)
V2462	2000	600	100x45x1055	1355	196



Needing a forklift safety cage?  
See Page 200

## 4.5 Tonne Fixed Short Jib

- This 4500kg short fixed jib is designed as an affordable general purpose jib which is great for confined spaces and has a 1.9 metre reach when fully extended.
- Finish: Zinc plated
- 4 jib positions
- Overall Dimensions (closed): 1270x490x250mm (LxWxH)

### SAFE WORKING LOADS (SWL) PER POSITION

POSITION	1	2	3	4
EXTENSION (mm)	670	1165	1545	1925
SWL (kg)	4500	2900	1300	750



**LIFTEX**

Code	SWL (kg)	Jib Length When Closed (mm)	Jib Length When Extended (mm)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Unit Weight (kg)
V2420	4500	1250	1900	185x65	290	95

## 4.5 Tonne Fixed Long Jib

- This 4500kg long jib is a general purpose jib which is great for reaching across pits and areas where the forklift cant drive up to as it has a 3.5 metre reach when fully extended.
- Safe Working Load: 4500kg
- Finish: Zinc plated
- 6 jib positions
- Overall Dimensions (closed): 2040x490x250mm (LxWxH)



**LIFTEX**

### SAFE WORKING LOADS (SWL) PER POSITION


POSITION	1	2	3	4	5	6
EXTENSION (mm)	870	1945	2325	2705	3085	3465
SWL (kg)	4500	1300	750	560	380	200

Code	SWL (kg)	Jib Length When Closed (mm)	Jib Length When Extended (mm)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Unit Weight (kg)
V2421	4500	2000	3500	185x65	290	140

## 2.0 Tonne Hook & Tow Jib Attachment

This 2000kg hook & tow jib is suitable for most forklifts and is a simple slip-on attachment with safety chain and swivel hook as pictured.

- Safe Working Load: 2000kg at 1160mm load centre
- Finish: Zinc plated
- Maximum weight on towball must not exceed 500kg
- Hook jib has 2 lifting positions
- Overall Dimensions: 1410x420x140mm (LxWxH)



Code	SWL (kg)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Fork Pocket Length (mm)	Unit Weight (kg)
V2430	2000	140x65	250	1220	45

## 4.5 Tonne Long Tilting Jib


This 4500kg long tilting jib is the most versatile jib in our range and allows for additional height of up to 2.23 metres.

- SWL chart is show in table
- Finish: Zinc plated
- 6 jib positions
- Overall Dimensions (closed): 2100x520x650mm (LxWxH)

**LIFTEX**

### SAFE WORKING LOADS (SWL) PER POSITION

POSITION	1	2	3	4	5	6
EXTENSION (mm)	770	2010	2390	2770	3150	3530
SWL (kg)	4500	1100	630	470	300	150



Code	SWL (kg)	Jib Length When Closed (mm)	Jib Length When Extended (mm)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Unit Weight (kg)
V2422	4500	2100	3530	185x65	322	190





See page 148




See page 114




See page 128



See page 140



See page 112



See page 146



See page 136



See page 11



See page 190



See page 177



See page 122



See page 181



See page 194



See page 176



See page 180



See page 144



See page 8



See page 154



See page 198



See page 118



See page 108



See page 96



See page 41




See page 17

## Floor Pallet Scales

- Great for weighing pallets and large bulky and heavy items
- Adjustable levelling feet for uneven ground
- Can be pit mounted so that it sits flush with the ground
- Low Profile 70mm height from ground level
- Construction: Mild Steel

**troden**



Post or wall mountable display unit

Code	Load Capacity (kg)	Increments (kilo)	Power Supply (v)	Platform Size LxWxH (mm)	Unit Weight (kg)
V7700	2000	0.5	240	1200x1200x70	75

## Shipping / Parcel Scales

- Low profile design
- Rigid construction
- Remote display unit for weighing ease
- Hold or net / gross function
- Unit conversion available (KG/LB/OZ)
- Large and bright easy-to-read LCD display
- Auto-off function for power saving in seconds (120, 180, 240, 360, off optional)
- Rechargeable Battery and AC adaptor supplied
- Function Keys: Zero, Tare, Hold, Unit, On/Off



**LIFTEX**

Code	Details	Load Capacity (kg)	Increments (g)	Platform Size (mm)	Unit Weight (kg)
V7703	Parcel Scale	30	10	310x310	5
V7706	Parcel Scale	60	20	405x355	6




## Expanding Skate Conveyors

- Self tracking flexible expanding conveyor which expands from 1100mm to 4000mm
- Multiple units can be joined to make 1 continuous conveyor system
- Excellent for truck and container unloading and for assembly lines
- Easy and quick setup with adjustable height legs and brake castors on every leg
- Reduces manual handling
- Bolted steel construction with skate wheels



Skate Wheel


**troden**  
conveyors

Code	Width (mm)	Load Capacity Per Metre (kg)	Castors (mm)	Length Retracted (mm)	Length Expanded (mm)	Height Range (mm)	Unit Weight (kg)
V3005	460	100	125	1100	4000	690-1000	112
V3006	610	100	125	1100	4000	690-1000	124
V3007	760	100	125	1100	4000	690-1000	142

## Expanding Roller Conveyors

- The flexible expanding roller conveyor expands from 1500mm to 4000mm
- Multiple units can be joined to make 1 continuous conveyor system
- The roller conveyor is good for odd shaped cartons and bags of goods where the skate wheel conveyor won't work
- Easy and quick setup with height adjustable legs and brake castors on every leg
- Reduces manual handling
- Bolted steel construction with steel rollers



Steel Rollers


**troden**  
conveyors


Code	Width (mm)	Load Capacity Per Metre (kg)	Castors (mm)	Length Retracted (mm)	Length Expanded (mm)	Height Range (mm)	Unit Weight (kg)
V3010	460	130	125	1500	4000	690-1000	96
V3011	610	130	125	1500	4000	690-1000	116
V3012	760	130	125	1500	4000	690-1000	126



## Expanding Nylon Skate Conveyor



- Self tracking flexible conveyor which can expand from 1100mm to 4000mm
- Multiple units can be joined to make 1 continuous conveyor system
- Excellent for truck and container unloading and for assembly lines
- Easy and quick setup with adjustable height legs and brake castors on every leg
- Reduces manual handling
- Bolted steel construction with nylon skate wheels



Nylon Skate Wheel



Code	Width (mm)	Load Capacity Per Metre (kg)	Castors (mm)	Length Retracted (mm)	Length Expanded (mm)	Height Range (mm)	Unit Weight (kg)
V3041	610	75	105	1100	4000	690-1000	90

## Electric Expanding Roller Conveyors



- Simply plug in and go, this powered electric roller conveyor is great for carrying boxes and items up hill where gravity may not be achievable
- This conveyor is flexible and expands from 1500mm to 4000mm
- Multiple units can be joined to make 1 continuous powered conveyor system
- Great for loading and unloading containers
- Easy and quick setup with adjustable height legs and brake castors on every leg
- Quiet operation 240V AC motor with forward and reverse action and adjustable roller speed



Code	Width (mm)	Load Capacity Per Metre (kg)	Castors (mm)	Length Retracted (mm)	Length Expanded (mm)	Height Range (mm)	Unit Weight (kg)
V3030	460	140	125	1500	4000	690-1000	126
V3031	610	140	125	1500	4000	690-1000	131
V3032	760	140	125	1500	4000	690-1000	172

## Deluxe Drum Cradle

- Heavy duty drum cradle with retractable handles for use on 210 litre steel drums
- Great for moving drums around the site and to lay drums into the side position.
- Durable zinc plated finish
- Single person operation
- Wheel Type: Nylon


**LIFTEX**

Load Capacity (kg)	Length (mm)	Width (mm)	Horizontal Height (mm)	Unit Weight (kg)
300	1000	370	450	14.5
Code	Details			
V5000	Deluxe Drum Cradle			

## Steel Drum Palletiser

- Loads and unloads drums to and from the corner of a pallet
- Suit steel drums with rim tops
- Locking handle holds weight of drum for easy transport
- Wheel Type: Polyurethane


**LIFTEX**

Load Capacity (kg)	Overall Size LxWxH (mm)	Unit Weight (kg)
365	800x1220x1160	85
Code	Details	
V5020	Steel Drum Palletiser	


**V6341**

See page 180


**V4030**

See page 198


**V1063**

See page 28

## Steel Drum Carrier / Rotator

- Remarkably versatile 210 litre Drum Carrier/Rotator Raises, transports, rotates, tilts and drains fully loaded drums
- Lockable in horizontal or vertical position
- Can be turned end over end to agitate contents
- 200mm roller bearing castors and 100mm swivel castor



**LIFTEX**

Code	Load Capacity (kg)	Length (mm)	Height (mm)	Width (mm)	Clearance under drum while horizontal (mm)	Unit Weight (kg)
V5005	370	1250	1180	800	370	42

## Plastic Drum Carrier / Rotator

- Remarkably versatile 210 litre Drum Carrier/Rotator Raises, transports, rotates, tilts and drains fully loaded plastic drums
- Lockable in horizontal or vertical position
- Can be turned end over end to agitate contents
- 200mm roller bearing castors and 100mm swivel castor



**LIFTEX**

Code	Load Capacity (kg)	Length (mm)	Height (mm)	Width (mm)	Clearance under drum while horizontal (mm)	Unit Weight (kg)
V5006	370	1250	1180	800	370	47



## Steel & Plastic Drum Trolley

- This drum trolley suits both steel and plastic 210 litre drums
- Suits plastic drums with a top lip
- Hydraulic handle pump which provides smooth easy lifting



Code	Load Capacity (kg)	Overall Size LxWxH (mm)	Unit Weight (kg)
V5015	250	820x800x1050	42

## Steel & Plastic Drum Trolley


- These drum trolleys are ideal for transporting both steel and plastic drums and are available in solid wheel and pneumatic wheels for rough and uneven ground
- This trolley is also self-standing which means the operator can leave without drums falling over
- Wheels: 400mm front, 75mm castors on the rear



Code	Details	Load Capacity (kg)	Overall Size LxWxH (mm)	Unit Weight (kg)
V5025	Steel/Plastic Drum Trolley (Solid Wheel)	450	1050x700x750	24
V5026	Steel/Plastic Drum Trolley (Pneumatic Wheel)	450	1050x700x750	28

## Steel & Plastic Drum Lifter/Palletiser

- This drum trolley suits both steel and plastic 210 litre drums.
- Loads and unloads drums from the corner of a pallet and can also be used to lift and carry drums around the warehouse or yard.
- Spring loaded clamp grabs the drum rib with no manual input
- The lifter has a brake to avoid rolling on sloped areas
- Internal size of adjustable legs: 660-1380mm

**LIFTEX**


Code	Load Capacity (kg)	Lifting Height (mm)	Length (mm)	Height (mm)	Width (mm)	Unit Weight (kg)
V5030	400	1070	1120	1850	900-1550	100

## Drum Palletiser Stackers

- These drum palletisers stackers are great for loading and unloading both plastic and steel drums onto pallets
- Can also be used to stack drums on top of another drum or to place on a truck or ute
- V5036 comes with a battery operated weighing scale which gives you an accurate measurement of the drums weight


**LIFTEX**


Code	Details	Load Capacity (kg)	Max Lift Height (mm)	Leg Length (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V5035	Drum Palletiser Stacker	450	1100	500	1140x950x1870	130
V5036	Drum Palletiser Stacker (with load scales)	450	1100	500	1150x950x1870	135

## Hydraulic Drum Truck

- Easily transport steel drums with this drum truck
- Pallet truck style design
- Nylon wheels

### LIFTEX

Load Capacity (kg)	Min Arm Height (mm)	Max Arm Height (mm)	Radius of Arm (mm)	Overall Size LxW (mm)	Unit Weight (kg)
365	270	390	270	1022x722	53

Code	Details
V5040	Hydraulic Drum Truck



## Low Profile Drum Trolley

- This drum trolley has a built in handle which is used for tilting the drum back to push the trolley under.
- Handle has built in bung remover and seal remover
- Wheel Size: 150x50mm (front), 75x32mm (rear)

### LIFTEX

Load Capacity (kg)	Radius of Arm (mm)	Overall Size HxDxW (mm)	Unit Weight (kg)
500	270	950x570x750	17


Code	Details
V5045	Low Profile Drum Trolley



## Drum Dollies

- Drum dollies are suitable for both steel and plastic drums and containers
- Powder coated and stainless steel options
- Heavy duty easy wheel castors
- 3 versions available

### LIFTEX



Code	Details	Load Capacity (kg)	Overall Size LxWxH (mm)	Unit Weight (kg)
V5050	Drum Dolly (Powder coated)	300	610x710x150	7.5
V5051	Drum Dolly (Stainless Steel)	300	610x710x150	7.5
V5052	Heavy Duty Drum Dolly (Powder coated)	500	630x630x150	9



## Drum Tongs

- For lifting steel drums with an overhead crane or the fork tine hook
- To operate, set locking lever in locked open position
- Hooks automatically engage when lifted and disengage when the drum is put down

Load Capacity (kg)	Jaw Opening Distance (mm)	Unit Weight (kg)
500	910	8
Code	Details	
V5055	Drum Tongs	



## 2.5 Tonne Forklift Tine Hook

- Converts forklift into a mobile crane in seconds
- Adjustable mounting position along the length of the fork
- Secured to forks by thumb screw
- Swivel hook includes safety latch

Load Capacity (kg)	Fork Pocket Size (mm)	Unit Weight (kg)
2500	60x150	25
Code	Details	
V2440	2.5 Tonne Forklift Tine Hook	



## Hook Drum Lifter

- Suitable for both steel and plastic 210 litre drums
- Works on almost any drum that has a rim to grab onto
- Ideal for picking up a drum in the middle of a cluster without having to move any that are in front

Load Capacity (kg)	Overall Size HxWxD (mm)	Unit Weight (kg)
500	215x711x711	13
Code	Details	
V5056	Hook Drum Lifter	

## Drum Sling Lifter

- This sling lifter is ideal for lifting drums and cylinders using an overhead crane or forklift lifting hook device
- Suits up to 210 litre drums
- Supplied with metal head ring

Code	Load Capacity (kg)	Sling Length (mm)	Unit Weight (kg)
V5057	500	1100	3
V5058	1000	1100	4
Code	Details		
V5057	Drum Sling Lifter		
V5058	Drum Sling Lifter		



## Geared Drum Lifter & Turner

- Allows the operator to lift up the drums and rotate to decant via the manual pull chains
- Can be lifted using a gantry or overhead crane or with our fork tine hook
- 3 metre control chain
- 360 degree rotatable
- Suitable for both steel and plastic drums



**LIFTEX**

Code	Load Capacity (kg)	Overall Size LxWxH (mm)	Unit Weight (kg)
V5061	380	1000x720x200	38

## Forklift Geared Drum Rotator

- Converts your forklift into a drum handler
- Suitable for 210 litre steel and plastic drums
- Easily attached to most fork trucks
- Able to lift, raise and tilt loaded drums
- Finish: Painted safety yellow
- 360 degree rotatable



**LIFTEX**

Code	Load Capacity (kg)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Drum Size (mm)	Unit Weight (kg)
V5065	300	150x55	825	570-600	60



## Forklift Drum Rotator

- Converts your forklift into a drum handler
- Suitable for 210 litre steel drums
- Easily attached to most fork trucks
- Able to lift, raise and tilt loaded drums
- 3 metre pull chain from operators seat
- 30:1 gearing ratio
- Finish: Painted safety yellow




**LIFTEX**

Code	Load Capacity (kg)	Fork Pocket Size (mm)	Drum Size dia. (mm)	Unit Weight (kg)
V5066	380	180x65	570-600	97

## Galvanised Forklift Drum Grab

- Attaches quickly and easily to most fork trucks
- Heavy duty welded steel construction
- Lifts, transports and deposits steel drums without having to leave the drivers seat
- Finish: Galvanised

Load Capacity (kg)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Unit Weight (kg)
500	165x65	325	78
Code	Details		
V5076	Galvanised Forklift Drum Grab		



## Forklift Drum Grab

- Attaches quickly and easily to most fork trucks
- Heavy duty welded steel construction
- Lifts, transports and deposits steel drums without having to leave the drivers seat
- Finish: Painted safety yellow

Load Capacity (kg)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Unit Weight (kg)
680	177x58	330	56
Code	Details		
V5075	Forklift Drum Grab		



See page 165



See page 197



See page 181



See page 171



See page 131



See page 162



See page 187



See page 125





## Parrot Beak Drum Lifters

- Suitable for both steel and plastic 210 litre drums
- Simple auto clamp operation - no need to leave the drivers seat
- Allows the operator to remove and place drums on pallets or bunds without having to leave the forklift seat
- Height adjustable for use with different drum shapes
- Available in single and double drum pickups
- Finish: Painted safety yellow

**LIFTEX**

V5080



V5081

Code	Details	Load Capacity per beak (kg)	Fork Pocket Size LxWxH (mm)	Fork Pocket Centres (mm)	Unit Weight (kg)
V5080	Parrot Beak Drum Lifter (single)	360	750x150x55	500	45
V5081	Parrot Beak Drum Lifter (double)	360	750x150x55	590	62

## Galvanised Parrot Beak Drum Lifter

- Suitable for both steel and plastic 210 litre drums with a top lip
- Simple auto clamp operation - no need to leave the drivers seat
- Allows the operator to remove and place drums on pallets or bunds without having to leave the forklift seat
- Finish: Zinc plated


**LIFTEX**


Code	Load Capacity (kg)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Unit Weight (kg)
V5085	1000	185x60	250	72

## Drum Positioner

- Suitable for both steel and plastic 210 litre drums
- Can change drum position from vertical to horizontal and vice-versa
- Hinged tines automatically lock when lowered to the ground in horizontal position
- Suitable for loading drums onto transport vehicles
- Works great for loading and unloading drums off rack stands
- Can be operated without the driver having to leave the forklift seat

**LIFTEX**


Code	Load Capacity (kg)	Prong Distance Apart (mm)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V5090	400	575	150x60	420	1800x700x660	75

## Fixed Prong Drum Positioner

- Suitable for both steel and plastic 210 litre drums
- Works great for loading and unloading drums off rack stands

**LIFTEX**


Code	Load Capacity (kg)	Prong Distance Apart (mm)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V5091	300	565	140x50	560	1360x715x120	42

## Drum Tipper / Dumper

**LIFTEX**

- Fast and efficient solution to emptying 205 litre steel drums, ideally suited to waste and scrap products
- The drum is secured with the sturdy belly strap and locked in place with the over-centre catch and locking pin
- A rope draw chord is pulled from the driver's seat to dump the drum where required. A custom locking mechanism is fitted to prevent accidental release while driving over bumpy ground
- Rotational ability 180 degrees




Code	Working Load Limit (kg)	Load Centre (mm)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V5069	500	1000	185x65	840	1400x1040x600	85



# Side Shift Drum Palletiser

- The Side Shift Drum Palletiser is specially designed for moving drums and barrels from any position on a pallet.
- It uses a sliding side-shift arrangement allowing it to even be used for moving containers and drums placed in the centre of a pallet.
- The palletiser straddles the pallet and only requires access to one side, thus allowing pallets in confined areas to be kept against the wall even when unloading.
- When moving the drum onto another pallet, scales or the floor, the drum can also be moved to either side using the side-shift arrangement
- This unique design side shift drum palletiser can pickup drums from any position on the pallet, skid or bund -straddles beside and over the pallet
- Suitable for both steel and plastic drums
- The operator requires only 12kg of force on the handle to lift a 300kg drum



Spring loaded clamp to securely hold the drum



Handle lever to lower drum



Foot pedal to raise drum



**LIFTEX**

Code	Load Capacity (kg)	Ground / Pallet Clearance (mm)	Max Lift Height (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V5160	350	350	575	920x1550x1520	168



## Fully Electric Drum Stacker & Rotator

**LIFTEX**

- Stand on or walk behind battery electric operation
- Suitable for 210 litre steel drums
- Will work with some plastic drums depending on size and shape
- Lifts, transports and rotates
- Max Slope Ability: 3% loaded 5% unloaded
- Wheel Size: 125x50mm
- Power: 24V, 210Ah
- Electromagnetic brake



Watch a video of this in operation on our website here,  
[www.verdex.com.au/V5180](http://www.verdex.com.au/V5180)

Code	Load Capacity (kg)	Max Lift Height (mm)	Drum Rotating Range (deg.)	Turning Radius (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V5180	420	2400	135	2150	2270x1170x1860	1100

# Steel & Plastic Drum Lifter & Rotator

- This drum lifter can pickup and rotate drums with ease
- Manual foot or handle hydraulic pump for lifting
- Worm drive handle for drum tilting



**LIFTEX**

Code	Load Capacity (kg)	Lifting Height (mm)	Leg Length (mm)	Distance between inner legs (mm)	Distance between outer legs (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V5106	450	1500	770	630	810	1400x1000x2100	190



## Electric Drum Lifter & Rotators

These electric drum lifters pickup, rotate and weigh drums using battery electric power for both up and down and for tilting.

- Suitable for both steel and plastic drums
- Drum weighing scale version available
- Lifting Speed: 120mm per second
- Rotation Speed: 180° - 30 seconds
- Max Lift Height: 2300mm
- Distance Between Straddle Legs: 630mm
- Leg Length: 740mm
- Battery: 12v, 120Ah



V5150



V5125



Load Scale Unit

Code	Details	Load Capacity (kg)	Max Lift Height (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V5150	Electric Drum Lifter/Rotator	450	2300	1600x950x1920	355
V5125	Electric Drum Lifter/Rotator (with scale)	450	2300	1600x950x1920	355



## 2 & 4 Drum Bunded Pallets

- Heavy duty bunded pallets made from polyethylene
- Available in 2 sizes (2 drum and 4 drum)
- Removable grate
- Easy forklift and pallet truck entry
- 100% Australian made
- Corrosion Resistant
- Ample containment capacity to meet all relevant regulations
- Nestable for easy transport



V7671



V7670



Code	Details	SWL (kg)	Drum Capacity (mm)	Bund Capacity (L)	Overall Size WxDxH (mm)	Unit Weight (kg)
V7670	2 Drum Bunded Pallet	500	2	230	1275x815x400	23
V7671	4 Drum Bunded Pallet	1000	4	230	1275x1275x310	33

## Single IBC Bunded Pallet

- Offers a cost effective IBC bunding area
- Tough and durable polyethylene construction
- Fully compliant to Australian Standards
- Easy forklift and pallet truck entry



Code	Bund Capacity (L)	SWL (kg)	Overall Size LxWxH (mm)	Pallet Weight (kg)
V7675	1300	1650	1760x1350x875	138

## IBC Tilting Trolley

- The IBC Tilting Cart is designed from a sturdy steel construction to provide a secure tilting of containers for complete draining.
- To operate – place the container on the cart. When the container is in a secure position, start the draining process. As the fluid flows from the container, the rear of the cart will rise to 5 degrees creating an angle for a better release.
- The cart features casters for smooth transition from workstation to workstation.
- Nylon Castors (2 x swivel with brakes, 2 x fixed)
- Tilts up to 5 degrees




**LIFTEX**

Code	Load Capacity (kg)	Castors (mm)	Tipping Height (mm)	Overall Size LxWxH (mm)
V7685	2000	125	320-410	1350x1050x910

## Spring Loaded Tilting Stand

- These clever yet simple spring loaded tilting stands are designed to make it easy to decant from IBC bulk storage containers.
- The hinged platform slowly raises to a 10 degree angle as the weight decreases.
- Sits on a base with bolt on fork pockets which can be removed if required
- Easy to move with a forklift
- Simple and easy-to-use
- Finish: Zinc Plated



**LIFTEX**

Code	Details	Load Capacity (kg)	Fork Pocket Centres (mm)	Fork Pocket Size (mm)	Platform Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V7680	Tilting Stand	2000	730	190x90	1200x1130	1130x1200x360	105
V7681	Extra Spring for V7680						

## Flammable Liquid Safety Cabinets

**STORMAX**

- High quality construction using zinc coated steel sheeting
- Powder coat finish giving high resistance to splashes and spills
- All products designed to comply with Australian Standards and relevant Dangerous Goods Regulations
- All cabinets supplied inclusive of all relevant safety signage and decals
- Adjustable slow release user friendly hydraulic door control closure systems
- Stainless steel continuous pin hinging for reliable and accurate door closing
- Adjustable and removable shelves



4L Drums Capacity: 8  
20L Drums Capacity: 1  
Number of Shelves : 2



4L Drums Capacity: 12  
20L Drums Capacity: 2  
Number of Shelves : 2



4L Drums Capacity: 24  
20L Drums Capacity: 3  
Number of Shelves : 2



4L Drums Capacity: 40  
20L Drums Capacity: 6  
Number of Shelves : 2

Code	Storage Capacity (L)	Internal Size HxWxD (mm)	External Size HxWxD (mm)	Unit Weight (kg)
V7650	30	550x410x370	800x510x470	33
V7651	60	820x410x370	1070x510x470	41
V7652	100	715x825x525	800x920x620	65
V7653	160	1030x1010x370	1300x1100x470	78



## 250L Flammable Liquid Safety Cabinet

**STORMAX**



Durable and chemical resistant, lead-free powder coat is painted inside and outside cabinets, minimizing the effects of corrosion and humidity



Recessed door handle with lock



Sequential Self Closing Doors




Adjustable and removable shelves

Code	Storage Capacity (L)	4L Drum Capacity	20L Drum Capacity	Number of Shelves	Internal Size HxWxD (mm)	External Size HxWxD (mm)	Unit Weight (kg)
V7610	250	70	9	3	1590x1000x430	1975x1100x500	123


# Lockable Storage Cage



- Secure gas cylinder cage, suitable for workshops, building sites and mines
- The cage is fitted with crane lifting lugs and fork pockets underneath
- Cage comes with securing load straps to prevent cylinders from moving during transport
- Full metal roof which provides weather protection
- Finish: Zinc plated
- Lockable door



Padlockable



Fork slots for easy moving



Ratchet strap supplied

Code	Details	Safe Working Load(kg)	Fork Pocket Size (mm)	Overall Size WxDxH (mm)	Unit Weight (kg)
V7600	Storage Cage	750	165x65	1060x1060x1800	180
V7600A	Assembly of Lockable Storage Cage				



## Gas Cylinder Cage



Heavy duty lockable cage suited for storage of up to 24 x 9kg BBQ gas bottles but can be used for many other storage applications including firewood at service stations where easy access and excellent security is a requirement.

- Tamper-proof lock guard prevents cutting of the padlock by bolt cutters, along with anti-tamper gate hinges
- Sturdy construction with bump rails to protect the high visibility mesh sides
- Stack 3 high when empty and 2 high when fully loaded
- Bolted mid shelf can be excluded during construction for storage of 18kg forklift gas bottles
- Sheet metal shelves allow easy sliding of cylinders to the back of the cage.
- Sheet metal roof provides weather protection
- Forklift provision is provided under the cage for transport around worksite
- Zinc finish for long life corrosion protection



Padlockable

Code	Details	Load Limit (kg)	Overall Size WxDxH (mm)	Unit Weight (kg)
V7555	Gas Cylinder Cage	500	2040x760x1285	200
V7555A	Assembly of Gas Cylinder Cage			



## Lockable Mesh Storage Cage

- Lockable mesh storage cage is designed for strength, visibility and ventilation
- Ideal for use in workshops, warehouses, construction sites and industrial applications
- Can be bolted to the ground for additional security
- Key Lockable for safe and secure storage
- Supplied with 3 adjustable shelves
- Shelf capacity: 200kg
- Powder coated finish



**STORMAX**



Code	Details	Load Capacity (kg)	Mesh Size (mm)	Overall Size WxDxH (mm)	Unit Weight (kg)
V7550	Storage Cage	600	50x50	1150x450x1800	70
V7550A	Assembly of Lockable Mesh Storage Cage				

## Single and Double Cylinder Trolleys

- These gas cylinder trolleys are available for transporting either 1 or 2 cylinders
- Heavy duty solid rubber wheels to suit the V1210 & V1211
- Supplied with securing chains as pictured
- The V7635 gas cylinder rack can be bolted to the wall for secure storage of gas cylinders

**STORMAX**

V1210



V1211



V7635



Code	Details	Castors (mm)	Cylinder Size Dia. (mm)	Overall Size WxDxH (mm)	Unit Weight (kg)
V7635	Gas Cylinder Rack	-	140-250 x 2	540x350x1000	18
V1210	Single Cylinder Trolley	200	140-250	600x600x1360	17
V1211	Double Cylinder Trolley	390	140-250 x 2	690x690x1310	44

## Forklift Gas Storage Cages

**STORMAX**

- Heavy duty steel construction storage cages specifically designed for storage of LPG cylinders used on forklifts
- Powder coated green
- Cylinder chain restraint
- All cages have padlockable doors for increased safety
- Designed to comply with relevant Australian Standards
- V7623 - Distance between shelves: 880mm



Code	LPG Cylinder Capacity	Internal Size HxWxD (mm)	External Size HxWxD (mm)	Unit Weight (kg)
V7620	2	780x710x395	960x730x430	35
V7621	4	790x720x695	990x730x740	65
V7622	6	840x1030x675	1005x1090x740	95
V7623	12	1790x1030x675	1950x1090x740	182



## Lockable Storage Cages

- Heavy duty steel construction storage cages designed specifically for aerosol cans, however are a great storage cage for tools and equipment
- Power coated green
- All cages have lockable doors and bolt down plates for added security
- Designed to comply with relevant Australian Standards

**STORMAX**


V7660 12 Can Aerosol Storage Cabinet



V7661 60 Can Aerosol Storage Cabinet



V7662 108 Can Aerosol Storage Cabinet



V7663 216 Can Aerosol Storage Cabinet

Code	Can Storage Capacity	Internal Size HxWxD (mm)	External Size HxWxD (mm)	Distance between shelves (mm)	Unit Weight (kg)
V7660	12	305x490x220	400x500x250	-	9
V7661	60	570x690x270	650x700x300	270	12
V7662	108	805x850x370	900x850x400	250	34
V7663	216	800x1645x365	900x1655x400	250	67



## Lockable Storage Cages

- Heavy duty steel construction storage cages designed specifically for aerosol cans, how ever are a great storage cage for tools and equipment
- Power coated green
- All cages have lockable doors and bolt down plates for added security
- Designed to comply with relevant Australian Standards

**STORMAX**



V7664 216 Can Aerosol Storage Cabinet



V7665 432 Can Aerosol Storage Cabinet

Code	Can Storage Capacity	Internal Size HxWxD (mm)	External Size HxWxD (mm)	Distance between shelves (mm)	Unit Weight (kg)
V7664	216	1715x840x360	1800x850x400	325	67
V7665	432	1715x1650x360	1800x1655x400	325	131

## 70L Garbage Bins

- Small waste bins with four swivel castors
- Manufactured from high density polyethylene
- Resistant to decay, heat, frost, chemicals and UV Rays
- Available in four colours: Yellow, Blue, Grey and Green



## VERDEX

Code	Details	Castors (mm)	Bin Capacity (L)	Overall Size WxDxH (mm)	Unit Weight (kg)
V6330	70L Garbage Bin - Yellow	50	70	450x440x680	5
V6331	70L Garbage Bin - Blue	50	70	450x440x680	5
V6332	70L Garbage Bin - Grey	50	70	450x440x680	5
V6333	70L Garbage Bin - Green	50	70	450x440x680	5

## Foot Pedal Lifting Wheelie Bins

- These wheelie bins come supplied with a foot pedal operated lid which avoids touching the lid when disposing of waste
- Manufactured from high density polyethylene
- Resistant to decay, heat, frost, chemicals and UV rays
- Ideal for food preparation areas
- Available in Blue, Green and Grey
- Wheel Diameter: 200mm



## VERDEX

Code	Details	Bin Capacity (L)	Bin Colour	Overall Size WxDxH (mm)	Unit Weight (kg)
V6340	Wheelie Bin (with foot pedal)	120	Blue	500x550x930	5
V6341	Wheelie Bin (with foot pedal)	120	Green	500x550x930	5
V6342	Wheelie Bin (with foot pedal)	120	Grey	500x550x930	5
V6345	Wheelie Bin (with foot pedal)	240	Blue	590x740x1070	5
V6346	Wheelie Bin (with foot pedal)	240	Green	590x740x1070	5
V6347	Wheelie Bin (with foot pedal)	240	Grey	590x740x1070	5



## Plastic Wheelie Bins

**VERDEX**

- Wheelie bins available in 2 standard sizes and 5 colours
- Manufactured from high density polyethylene
- Resistant to decay, heat, frost, chemicals and UV rays



Code	Details	Bin Capacity (L)	Overall Size WxDxH (mm)	Unit Weight (kg)
V6350	Plastic Wheelie Bin	120	480x550x940	10
V6360	Plastic Wheelie Bin	240	580x730x1080	13

*\*Please specify colour when placing your order*

## Pull Cord Forklift Wheelie Bin Tippers

- These tipper are available for tipping 240 litre wheelie bins
- Simple and safe tipping operation - operated via a pull cord from the drivers seat
- The wheelie bin is firmly secured into position by the frame assembly preventing any bin movement, with the additional securing chain around the front of the bin. Returning the bin to the upright position can be done manually or with the forklift, the bin automatically locking into position once upright.
- 180 degree tipping operation
- Enamel painted finish



Code	Bin Capacity (L)	Safe Working Load (kg)	Load Centre (mm)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Unit Weight (kg)
V6100	240	500	1000	192x67	840	80



## Round Plastic Waste Bins (Flat Lid)

**VERDEX**

- Plastic construction will not rust, chip or peel, resists dents.
- Double-ribbed base which increases stability and dragging capacity
- Reinforced rims add strength and durability
- Strong, snap-on lids allow for secure, stable stacking
- Built-in handles allow easy, non-slip lifting
- Tight-fitting indented lid design helps protect dry goods and other contents, while facilitating stacking during transportation and storage
- Quick and easy twist on, twist off dolly available to suit
- The dolly raises the bin overall height by 130mm
- Lid supplied with bin
- Colour: Grey
- V6310 Overall Height with Dolly: 745mm
- V6311 Overall Height with Dolly: 830mm
- V6312 Overall Height with Dolly: 930mm



V6320



V6321



V6310



V6311



V6312

Code	Details	Bin Capacity (L)	Overall Dia. Inc Handle (mm)	Dimensions DxH (mm)	Unit Weight (kg)
V6310	Round Plastic Waste Bin (Flat Lid)	80	555	505x615	4
V6311	Round Plastic Waste Bin (Flat Lid)	120	630	575x700	5
V6312	Round Plastic Waste Bin (Flat Lid)	168	700	620x800	7
V6320	Round Dolly to suit V6310	-	-	400 (D)	2
V6321	Round Dolly to suit V6311 & V6312	-	-	450 (D)	3

## Round Plastic Waste Bins (Swing Lid)

# VERDEX

- Plastic construction will not rust, chip or peel, resists dents.
- Double-ribbed base which increases stability and dragging capacity
- Reinforced rims add strength and durability
- Strong, snap-on lids allow for secure, stable stacking
- Built-in handles allow easy, non-slip lifting
- Tight-fitting indented lid design helps protect dry goods and other contents, while facilitating stacking during transportation and storage
- Quick and easy twist on, twist off dolly available to suit
- The dolly raises the bin overall height by 130mm
- Lid supplied with bin
- Colour: Grey
- V6315 Overall Height with Dolly: 910mm
- V6316 Overall Height with Dolly: 1020mm




V6315

V6316

Code	Details	Bin Capacity (L)	Overall Dia. Inc Handle (mm)	Dimensions DxH (mm)	Unit Weight (kg)
V6315	Round Plastic Waste Bin (Swing Lid)	80	555	505x780	4
V6316	Round Plastic Waste Bin (Swing Lid)	120	630	570x890	5
V6320	Round Dolly to suit V6315	-	-	400 (D)	2
V6321	Round Dolly to suit V6316	-	-	450 (D)	3

# Battery Electric Wheelie Bin Tipper

**LIFTEX**



Code	Castors (mm)	Width/Depth (mm)	Safe Lifting Capacity (kg)	Lift Height (mm)	Mast Height (mm)	Overall Height (mm)
V6080	125	1235x900	150	1600	2380	2660



The Multi-Tip bin-tipper is everything a bin tipper should be – safe, economic, easy to use, versatile, and efficient.


Perfect for light industrial use to empty bins at schools, factories, recycling centres and more. These tippers are battery powered which have a sealed battery and an industrial-quality 'float' charger built in.

### Specifications

- Fast 20 seconds to empty a bin
- 1.6m tipping height
- Battery-powered with a sealed battery and an industrial-quality 'float' charger built in
- Suits popular bin sizes 80L, 120L, 140L and 240L, with no adjustment
- Castors, 2 with brakes
- Rugged powder coated frame
- Indoor or outdoor use
- Lockout key and two-hand controls for safety
- Simple plug in to charge overnight



View video of this in operation here  
[www.verdex.com.au/V6080](http://www.verdex.com.au/V6080)



## X Shape Laundry Cart 150L

- Lightweight trolley which is great for carting linen or waste
- Can be folded when not in use
- Strong vinyl bag
- Rubber castors - 4 x swivel

### VERDEX

Load Capacity (kg)	Castors (mm)	Volume Capacity (L)	Overall Size LxWxH (mm)	Unit Weight (kg)
100	100	150	620x620x995	10
Code	Details			
V9060	X Shape Laundry Cart - 150L			



## Plastic X Shape Laundry Cart

- Lightweight trolley which is great for carting linen or waste
- Easily remove the waste bag by unhooking from the frame
- Can be folded when not in use
- Strong vinyl bag
- Rubber castors - 4 x swivel

### VERDEX

Load Capacity (kg)	Castors (mm)	Volume Capacity (L)	Overall Size LxWxH (mm)	Unit Weight (kg)
60	75	178	690x660x950	10
Code	Details			
V9070	Plastic X Shape Laundry Cart			



## 400L Steel Waste Trolley

- The waste trolley is an ideal device for collecting and moving waste and scrap parts
- Perfect for collecting waste from production lines and engineering workshops
- Powder coated finish
- Pneumatic Wheels: 400mm diameter
- Single Rubber Rear Wheel: 200mm diameter

### VERDEX

Load Capacity (kg)	Overall Size LxWxH (mm)	Unit Weight (kg)
400	1390x740x920	55
Code	Details	
V6060	400L Steel Waste Trolley	





## 350L Waste Collection Bin

- Great for use in warehouses and on sites, for general waste and rubbish
- 2 front wheels and 1 rear wheel for easy wheeling throughout the workplace
- Pull handle which releases the bin forward



View video of this in operation here  
[www.verdex.com.au/V6300](http://www.verdex.com.au/V6300)



# VERDEX



Code	Front Wheel Size (mm)	Rear Wheel Size (mm)	Bin Capacity (L)	Safe Working Load (kg)	Bin Dimensions LxWxH (mm)	Unit Weight (kg)
V6300	340	125	350	350	1350x850x1040	72

## Plastic Bin Trolleys

- Heavy duty rotomoulded tub with 25mm steel tubular frame
- Internal Base Dimension (WxL): 500x780mm
- Internal Top Dimension (WxL): 615x910mm
- Outer Rim Dimension (WxL): 740x1045mm
- Height From Ground To Top Rim: 740mm
- Nylon castors – 2 x fixed, 2 x swivel
- Load Capacity: 400kg
- Bin Capacity: 400L
- Castors: 100mm
- Handle Height: 780mm
- Both Tubs are ribbed for extra strength
- Tubs available to buy separate from the Tub Trolley



# VERDEX

Code	Details	Overall Size LxWxH (mm)	Unit Weight (kg)
V1270B	Blue Bin Trolley (Includes Tub)	1200x740x780	25
V1270W	White Bin Trolley (Includes Tub)	1200x740x780	25
V1130B	Blue 400L Tub	see description in text above	8.5
V1130W	White 400L Tub	see description in text above	8.5



Drop Bottom Bin (Solid Sides)



- These drop bottom bins are a heavy duty bin made for all types of waste
- This bin is able to be transported either by forklifts or cranes
- Emptying is carried out by pulling the draw rope handle which allows the floor to drop open from one side allowing complete emptying
- Sheet metal sides with sheet metal base
- Durable Zinc finish



Code	Volume (L)	Safe Working Load (kg)	Bin Dimensions LxWxH (mm)	Fork Pocket Size (mm)	Fork Pocket (mm)	Unit Weight (kg)
V6040	1500	1000	1540x950x1350	160x65	784	200

## Drop Bottom Bin (Mesh Sides)

**troden**

- These drop bottom bins are a heavy duty bin made for all types of waste
- Ideally suited to the recycling industry, the cage can be lifted by either a forklift or crane
- This bin is able to be transported either by fork lifts or cranes
- Emptying is carried out by pulling the draw rope handle which allows the floor to drop open from one side allowing complete emptying
- Mesh sides with sheet metal base



Code	Volume (L)	Safe Working Load (kg)	Bin Dimensions LxWxH (mm)	Fork Pocket Size (mm)	Fork Pocket (mm)	Unit Weight (kg)
V6041	1500	1000	1540x950x1350	160x65	784	145



## Forklift Waste Tipping Bin

- This light weight fork waste bin is great for use in warehouses and on sites for general waste and rubbish
- Fitted standard with 2 front wheels and 1 rear wheel for easy wheeling throughout workplace
- Simply pull the cord or handle which releases mechanism for tipping into larger bins or skips
- Painted finish
- Polyurethane castors – 2 x fixed, 1 swivel with brake



**troden**

Code	Castors (mm)	Safe Working Load (kg)	Bin Capacity (L)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Height to Top of Lip (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V6000	125	350	150	150x55	600	710	1160x750x905	95

## Forklift Waste Self Tipping Bins

**VERDEX**

- Great for use in warehouses and building sites for general waste and rubbish
- Available in painted yellow or galvanised
- 150 litre and 300 litre versions available
- Pull cord to release the mechanism for tipping into larger waste bins which saves the operator having to leave the forklift
- Safe Working Load: 1000kg
- Fork Pocket Size: 140x65mm



Watch a video of this in operation on our website here, [www.verdex.com.au/v6070](http://www.verdex.com.au/v6070)





Code	Details	Bin Capacity (L)	Fork Pocket Centres (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V6070	150L Yellow Painted Tipping Bin	150	600	1012x750x830	90
V6071	300L Yellow Painted Tipping Bin	300	800	1190x950x960	116
V6075	150L Galvanised Tipping Bin	150	600	1012x750x830	90
V6076	300L Galvanised Tipping Bin	300	800	1190x950x960	116



## Drum Tipper / Dumper

**troden**

- Fast and efficient solution to emptying 205 litre steel drums, ideally suited to waste and scrap products
- The drum is secured with the sturdy belly strap and locked in place with the over-centre catch and locking pin
- A rope draw chord is pulled from the driver's seat to dump the drum where required. A custom locking mechanism is fitted to prevent accidental release while driving over bumpy ground
- Rotational ability 180 degrees



Code	Working Load Limit (kg)	Load Centre (mm)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
V5069	500	1000	185x65	840	1400x1040x600	85

## Hot Dipped Galvanised Forklift Waste Tipping Bins

- This light weight fork waste bin is great for use in warehouses and on sites for general waste and rubbish
- Fitted standard with 2 front wheels and 1 rear wheel for easy wheeling throughout workplace
- Manual push over for tipping into larger bins or skips
- Available in 2 standard sizes
- Drain plug fitted as standard
- Hot Dipped Galvanised


**VERDEX**


Watch a video of this in operation on our website here,  
[www.verdex.com.au/V6005](http://www.verdex.com.au/V6005)



Code	Details	Bin Capacity (L)	Safe Working Load (kg)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Overall Size WxDxH (mm)	Unit Weight (kg)
V6005	Fork Waste Bin	350	350	140x65	367	720x1115x890	65
V6006	Fork Waste Bin	650	650	140x65	367	1000x1115x890	90

## Self Dumping 1500kg Capacity Tipping Bins

- These large self dumping tipping bins are suitable for any waste and rubbish application
- Heavy duty construction with self dumping ability, the forklift empties the bin without the operator leaving the drivers seat
- Supplied with 4 crane lugs (top) and 2 upending lugs (underneath)
- Available in 3 standard sizes
- Optional wheel kit available
- Hot Dipped Galvanised



Optional Wheel Kit Available



**troden**





Nestable



Watch a video of this in operation  
on our website here,  
[www.verdex.com.au/V6010](http://www.verdex.com.au/V6010)




Code	Details	SWL (kg)	Bin Capacity (L)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Overall Size WxLxH (mm)	Unit Weight (kg)
V6010	Tipping Bin	1500	950	185x75	380	1570x1006x1083	180
V6011	Tipping Bin	1500	1250	185x75	680	1310x1570x1010	205
V6012	Tipping Bin	1500	1850	185x75	680	1910x1570x1010	245
V6013	Wheel Kit to suit Tipping Bins (includes 4 wheels)						



## Rolling Metal Step Stool

- This rolling step stool is the most popular in our range
- Spring loaded castors for rolling which spring upwards when you step on the stool
- Non-Slip rubber surface on both steps
- Powder coated steel construction



**troden**  
industrial ladders



Load Capacity (kg)	Top step Dia. (mm)	Bottom step Dia. (mm)	Base Dia. (mm)	Height To Top Step (mm)	Castors (mm)	Unit Weight (kg)
150	290	330	435	430	30	4.5

Code	Details
V4100	Rolling Metal Step Stool



## General Purpose Plastic Step Stool

- Ideal for offices, libraries, and archive areas
- Strong plastic construction with non-slip steps
- Anti-skid rubber feet

Load Capacity (kg)	Platform Size (mm)	Height (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
150	390x390	370	510x510x265	3.3

Code	Details
V4120	General Purpose Plastic Step Stool

**troden**  
industrial ladders

## 3 Step Ladder

- Lightweight yet robust construction
- Complies with AS/NZS 1892 : 1996
- Wide steps for easy use
- Quality powder coated finish

Load Capacity (kg)	Length (mm)	Unit Weight (kg)
150	1170	2.8


Code	Details
V4135	3 Step Ladder



## Fibreglass Platform Ladders



- Available in platform heights from 0.9 metres to 2.1 metres
- One piece, smooth operation – simply folds out and locks
- Large anti-skid work platform
- Complies to relevant Australian Standards
- Platform size: 600 x 600mm
- Optional castor and safety gate kit available
- Rated to 150kgs




Code	Details	No. of Steps	Platform Height (mm)	Unit Weight (kg)
V4210	Fibreglass Platform Ladder	3	900	11
V4211	Fibreglass Platform Ladder	4	1200	13
V4212	Fibreglass Platform Ladder	5	1500	15
V4213	Fibreglass Platform Ladder	6	1800	16
V4214	Fibreglass Platform Ladder	7	2100	18
V4220	Platform Ladder Castor Kit			
V4230	Platform Ladder Safety Gate Kit			

## 6 Tonne Capacity 1 Piece Container Ramp

This container ramp is a great general purpose ramp for unloading containers using pallet trucks or forklifts.

This is a one piece unit with forklift slots at the front for easy transport.

Finished in painted yellow and supplied with chain & D Shackle, the 6 Tonne container ramp is ready for immediate delivery.




Code	Load Capacity (kg)	Width (mm)	Height (mm)	Length (mm)	Unit Weight (kg)
V4010	6000	2200	160	1200	160

## 8 Tonne Capacity 1 Piece Container Ramp

This container ramp is a great general purpose ramp for unloading containers using pallet trucks or forklifts.

This is a one piece unit with forklift slots at the front and side for easy transport

Finished in painted yellow and supplied with chain & D Shackle, the 8 Tonne container ramp is ready for immediate delivery.



Code	Load Capacity (kg)	Width (mm)	Height (mm)	Length (mm)	Side Fork Pocket Size (mm)	Unit Weight (kg)
V4015	8000	2200	160	1720	80x165	240



## 7 Tonne Capacity Container Ramp



This container ramp is designed primarily for bridging into a standard container from ground level that is slightly uneven due to its self-levelling lip.

The ramp footing fold has handles which you can easily fold back to move the ramp using the fork slots.

Finished in painted yellow and supplied with chain & D shackle, the 7 Tonne container ramp is ready for immediate delivery.



**troden**





Code	Load Capacity (kg)	Width (mm)	Length (mm)	Fork Pocket Centres (mm)	Fork Pocket Size (mm)	Unit Weight (kg)
V4020	7000	2200	2000	775	165x60	275

## 8 Tonne Heavy Duty Container Ramp

The V4025 container ramp is a heavy duty ramp for unloading containers of heavy products with a large forklift.

This ramp has been designed for fast positioning and removal with tine pockets on the side plus pop up tine slots in the top for front removal. The ramp has an enamel painted finish.

Comes standard with 100mm raised side plates which ensure the forklift remains on the ramp.




Code	Load Capacity (kg)	Width (mm)	Platform Height (mm)	Length (mm)	Top Fork Pocket Centres (mm)	Unit Weight (kg)
V4025	8000	2320	260	1800	518	410

## 8 Tonne Heavy Duty Container Ramp (Extra Long)

The V4030 extra long container ramp has an overall length of 3 metres (1.5 metres of which is horizontal) allowing easy placement and removal of the first and second line of pallets in a container.


This ramp has been designed for fast positioning and removal with tine pockets on the side plus pop up tine slots in the top for front removal. The ramp has an enamel painted finish.

Comes standard with 100mm raised side plates which ensure the forklift remains on the ramp.



Code	Load Capacity (kg)	Width (mm)	Overall Height (mm)	Length (mm)	Top Fork Pocket Centres (mm)	Unit Weight (kg)
V4030	8000	2320	250	3000	718	600

**troden**





# Mobile Loading Dock/Container Ramp

- Features a large deck for entry between truck and trailer
- Quick setup to minimise wasted time
- Designed specifically for rough applications
- Maintenance-free design eliminates downtime
- Towing / Maneuvering; the ramp has fork pockets at the lower end for a forklift to enter and push into position
- Safety chain for the securing ramp to the trailer
- Galvanized reinforced metal grate, making it ideal in slippery weather conditions
- Constructed from strong materials allowing it to be used frequently
- Two solid filled tires fitted to assist with ramp relocation

Specifications

- Front Lip Length: 700mm
- Rear Lip Width: 2000mm
- Front Lip Width: 950mm
- Min / Max Height: 1060/1650mm



Code	Load Capacity (kg)	Ramp Length (mm)	Ramp Width (mm)	Ascent Length (mm)	Straight Length (mm)	Unit Weight (kg)
V4040	8000	10500	2150	5000	2500	2650



# Forklift Safety Cage/Work Platform


**troden**

- Manufactured to meet relevant Australian Standards
- Zinc plated finish
- Designed to carry 2 persons (250kg max)
- Mesh safety screen
- Toe boards all sides with skid resistant floor plate
- Inward opening, self closing door
- Internal handrail with safety loops to hook safety harness
- Full length fork sleeves
- Castors can be fitted to the bottom of cage for easy manoeuvrability in warehouse or yard
- Fork Pocket Size: 160x60mm
- Fork Pocket Centres: 640mm
- Supplied as flatpack for easy storage and transport however can be ordered with assembly


NO MORE THAN 2 PERSONS MAY BE LIFTED.  
WEIGHT OF PLATFORM 134KGS.  
THE LOAD INCLUDING PERSONNEL & EQUIPMENT  
SHALL NOT EXCEED 250KG  
USE ONLY ON INDUSTRIAL TRUCKS HAVING A  
CAPACITY OF 1800KG (COUNTERBALANCED) OR  
1080KG (REACH TRUCK) AS APPROVED.  
DO NOT USE IN PROXIMITY TO LIVE ELECTRICAL  
EQUIPMENT.  
FOR USE ONLY AS APPROVED BY STATE  
STATUTORY AUTHORITY.




Tool tray supplied as standard



Fork cage flatpacked



Floor harness anchor points



FLATPACKED

Code	Details	Internal Floor Dimensions (mm)	Overall Height (mm)	Height to Railing (mm)	Unit Weight (kg)
V4000	Forklift Safety Cage (supplied flatpacked)	1000x1100	2000	1000	134
V4002	Full Body Safety Harness & Lanyard				
V4000A	Forklift Safety Cage Assembly Fee				

## General Terms and Conditions

1. SELLER means VERDEX EQUIPMENT ABN 66 640 439 149 and BUYER means the Buyer whose order for the purchase of goods is accepted by Seller.
2. ACCEPTANCE OF BUYER'S ORDER: These terms and conditions shall apply to every sales contract and sale of goods between Seller and Buyer; any terms and conditions of Buyer's order deviating from or inconsistent with these Terms are expressly rejected by Seller. This rejection also extends to any statements by Buyer that Buyer's terms and conditions shall prevail and to any stipulation by Buyer as to the manner of declaring such rejection. A contract shall only be or be deemed to have been entered into between Seller and Buyer for the supply of goods when, upon an order having been placed upon Seller for goods, that order has been accepted by Seller. (Such acceptance of order may be made and communicated by Seller in writing or by overt act of acceptance.) The provisions of this clause 2 shall apply to every quotation or offer by Seller for the supply of goods.
3. PRICES: All prices are listed in our quotations and product catalogue exclude 10% GST. Prices listed and/or quoted are subject to change or alteration without notice. Quotations are to be treated as estimates only and subject to withdrawal, correction or alteration at any time before acceptance of Buyer's order by Seller.
4. INSURANCE: Buyer is responsible to effect whatever insurance cover he requires at his expense.
5. PRODUCTS: Products pictured in our product catalogue or on our quotations are to be used as a guide only. Products may be substituted for as close as possible equivalent if they become unavailable.
6. FREIGHT PRICES: Free delivery for order over \$500.00 excluding GST to (Brisbane, Sydney, Adelaide and Melbourne). Extra freight charges will apply for bulky, large or long items however we will confirm this with you prior to processing your order. Freight charges to regional and all other areas will be quoted prior or upon receipt of your order.
7. PAYMENTS: Payments can be made via credit card or direct deposit. If the Seller shall extend credit to Buyer, payment for all goods sold will be within thirty (30) days from the last day of the month in which each delivery was made. Interest shall be payable by Buyer on all amounts overdue to Seller at the rate of two (2) per centum per month. Buyer is liable for all expenses incurred by Seller in recovering the debt.
8. CANCELLATION: Orders accepted by the Seller cannot be countermanded or delivery deferred or goods returned except with the written consent of Seller and upon terms that reimburse and indemnify Seller against all loss including cartage, bank charges and other incidental expenses on any part of the order that is cancelled. Where Seller agrees to accept goods for return a re-stocking charge of 20% may apply of the price of the goods returned.
9. ACCEPTANCE OF CLAIMS: Acceptance of the goods delivered shall be deemed for all purposes to have taken place at the expiration of seven (7) days from the date of each delivery.
10. DELIVERY AND RISK: Unless the Buyer has requested Seller to make special delivery arrangements the risk in respect of the goods shall pass to the Buyer upon delivery to the Buyer's premises or the nominated carrier's depot. The Buyer shall provide or cause to be provided full and clear access for delivery and will at its own expense provide all necessary assistance in unloading the goods at the nominated place of delivery. Seller will not in any circumstances accept liability for damage, shortage or loss during transit. If delivery of the goods by Seller is delayed for a cause other than its own negligence the Buyer shall be liable for extra charges, losses or expenses incurred by Seller and the Buyer shall not be entitled to cancel the order by reason thereof.
11. SPECIAL ORDERS: Buyer will place order in writing to Seller for non-standard and customised items. Seller will not accept return of these items unless the manufacturer agrees to accept return from Seller. Seller may deduct transport handling and restocking charges of 20% of the price of the goods from the credit due to Buyer.
12. RISK AND PROPERTY: The risk in the goods or services sold shall pass to Buyer at the point of delivery. This shall also apply to any partial delivery of goods. If delivery of goods is delayed due to any circumstances beyond the control of Seller the risk passes to Buyer on the day regarded as date of delivery. The Seller accepts no responsibility for the misuse or improper use of goods or products supplied. The Buyer accepts the full responsibility for any damage or injury either to property or persons caused by the products or services supplied by the Seller.
13. PERSONAL PROPERTIES SECURITIES ACT 2009 (PPSA): The Buyer hereby acknowledges that these Terms and Conditions of Trade constitute a security agreement which creates a security interest in favour of the Seller in all Goods previously supplied by the Seller to the Buyer (if any) and all after acquired Goods supplied by the Seller to the Buyer (or for the Buyer's account) to secure the payment from time to time and at a time, including future advances. The Buyer agrees to grant a "Purchase Money Security Interest" to the Seller. The Buyer acknowledges and agrees that by assenting to these terms the Buyer grants a security interest (by virtue of the retention of title clause in these Terms and Conditions of Trade) to the Seller and all Goods previously supplied by the Seller to the Buyer (or for the Buyer's account) and these terms shall apply notwithstanding anything express or implied to the contrary contained in the Buyer's purchase order. The Buyer undertakes to;
  - (i) sign any further documents and/or provide any further information (which information the Buyer warrants to be complete, accurate and up -to-date in all respects) which the Seller may reasonably require to enable registration of a financing statement or financing change statement on the Personal Property Securities Register ("PPSR");
  - (ii) not register a financing change statement of the PPSA or make a demand to alter the financing statement pursuant to the PPSA in respect of the Goods without the prior written consent of the Seller.
  - (iii) give the Seller not less than 14 days written notice of any proposed change in the Buyer's name and/or any other changes in the Buyer's details (including by not limited to changes in the Buyer's address, facsimile number, email address, trading name or business practice);
  - (iv) pay all costs incurred by the Seller in registering and maintaining a financing statement (including registering a financing change statement) on the PPSR and/or enforcing or attempting to enforce the security interest created by these Terms and Conditions of Trade including executing subordination agreements;
  - (v) be responsible for the full costs incurred by the Seller (including actual legal fees and disbursements on a solicitor and client basis) in obtaining an order pursuant to section 182 of the PPSA; and the Buyer waives any rights it may have under sections 115 of the PPSA upon enforcement. Pursuant to section 157 of the PPSA, unless otherwise agreed to in writing by the Seller, the Buyer waives the right to receive the verification statement in respect of any financing statement or financing change statement relating to the security interest. The Buyer agrees that immediately on request by the Seller the Buyer will procure from any persons considered by the Seller to be relevant to its security position such agreement and waivers as the Seller may at any time require.
14. DELIVERY TIME: Seller may deliver the goods by instalments or partial shipments and Buyer will accept each delivery. Requirements of Buyers shall not be a condition or of the essence of the sale. Seller shall be under no liability for direct or consequential loss or damage to Buyer arising from delay or postponement in delivery.
15. WARRANTY: Goods sold shall only have the benefit of a manufacturer's warranty if the purchaser has complied with the manufacturer's instructions in relation to maintenance and operation of the goods sold. Sellers liability in respect of a breach of a consumer guarantee for any goods not of a kind ordinarily acquired for personal, domestic or household use is limited to, to the extent permissible by law and at the Seller's option in relation to the goods.
  - (i) The replacement of the goods or the supply of an equivalent;
  - (ii) The repair of the goods;
  - (iii) The payment of the cost of replacing the goods or acquiring equivalent goods, or the payment for the cost of having the goods repaired. The exemption, limitations, terms and conditions in these Terms apply whether or not the loss or damage is caused by negligence or actions constituting fundamental breach of contract. The Seller is not otherwise liable for any direct, indirect or consequential loss or damage howsoever arising or occurring, whether founded in tort, contract, statute or otherwise. Goods returned by Buyer to Seller for repair will be free of all charges to Seller and at Buyer's risk.
16. NO IMPLIED SERVICE: The Buyer acknowledges that excepting as provided by law this agreement does not entitle the Buyer to demand to receive from us any site inspection or service of the goods supplied, delivered and installed if applicable. If the Buyer does require our services in respect of site inspection and service of the goods, the subject of this agreement, then the Buyer should arrange with us to enter a separate agreement in respect of same. In the event that no separate agreement in relation to site inspection and service is required by the Buyer, then the Buyer acknowledges that in the event of the goods supplied required to be serviced or inspected due to breakdown or otherwise, then the Buyer shall rely solely on any benefit in respect of same provided by the manufacturer.
17. COUNCIL APPROVAL: Our products make no allowances for building or development application or Fees to Council or relevant approvals for use required by Council or Government Codes. Responsibility is solely on the Buyer for such approvals for goods and their installation or use.
18. CLERICAL ERRORS: Clerical errors in computations, typing or otherwise in our product catalogue or quotation shall be subject to correction. Errors and omissions excepted.
19. MODIFICATIONS: All modifications and amendments to these Terms and Conditions shall be in writing and if otherwise shall not be binding upon Seller.
20. If any of the provisions of the Contract are unlawful or invalid by reason of any applicable statute or rule of Law, then such provision shall be severed from the rest of this Contract which shall remain valid and binding on the parties.

E.& O.E (prices subject to change or alteration without notice. Please visit our website [www.verdex.com.au](http://www.verdex.com.au) for current prices)

**A**

ABS Plastic Louvre Panel	87
Access Bin Racks	90
Access Equipment	186-192
Adjustable Shelf Trolley	20, 28, 29, 39, 47
Aerosol Storage Cage	170, 171
A Frame Panel Cart	52, 54
All Terrain Pallet Truck	136
All Terrain Trolley	12, 15, 24
Aluminium Hand Stacker	61, 127, 128
Aluminium Hand Truck	59-61
Aluminium Lifters	61, 114, 127, 128
Aluminium Platform Trolley	10
Aluminium Scissor Lift Trolley	114
Aluminium Trolleys	10, 35, 59-61
Anti-Fatigue Mats	109
Assembly Line Conveyor	146, 147
Appliance Hand Trolleys	58, 59, 61
Automatic Pallet Hook	141
Automatic Pallet Positioner	120-122

**B**

Barriers - Crowd Control	104-107
Barriers - Expanding	106, 107
Barriers - Fixed	100-105
Basket Trolleys	23, 24, 26, 27, 35, 40, 41, 43
Battery Electric Lifters	112, 116, 117, 124-126, 130, 137, 159, 161, 176, 177
Battery Electric Wheelie Bin Tipper	176, 177
Beam - Forklift Spreader	139
Beer Keg Trolley	61
Benches - Work	68, 69, 76-79
Bench Scales	145
Bins - Foot Pedal Operated	172
Bins - Waste	56, 57, 157, 172-175, 179-185
Bins - Forkliftable	56, 180-185
Bins - Small Parts Storage	64-74, 76-87
Bins - Storage	65, 67, 80-91, 93
Bins - Wheelie	172, 173
Bin Lifter	173, 176, 177
Bin Racks	80, 81, 90
Bin Tipper	173, 176, 177
Bin Tipper - Forklift Attachment	173
Bin Trolleys	24, 27, 35-37, 56, 57, 65, 67
Bishamon Lift Tables	120, 121
Bollards	102, 103, 107
Bollards - T-Top	107
Bookcase - Office	81
Brass Drum Tap	162
Bread Crate Dollies	51
Brute Bins	174, 175
Bucket - Plastic	174, 175
Bulk Handling Bins	93
Bunded Pallet	163
Bunding Products	163-165

**C**

Cabinet - Storage	66, 68-74, 77-81
Cabinet Stand	70, 71
Cage Trolley	14, 15, 24, 26, 38-50
Cages - Mesh	94, 95, 97, 166-168
Cages - Pallet	94-97, 166
Carpark Equipment	102-107
Carpet Roll Prong Fork Attachment	139
Cart Utility	30-35
Cast Iron Drum Tap	162
Chair Trolley	58
Chemical Drum Pump	162
Chemical Storage Cabinets	164, 165
Clax Folding Trolley	35
Cleaners Trolley	26, 27, 30, 31, 35, 178

Cleaning Equipment	108
Clear View Storage Bins	65, 80, 85
Collapsible Storage Cage	95-97
Collapsible Trolley	13, 26, 27, 35, 59-61, 178
Column Guards for Pallet Racking	101
Compartment Boxes	65, 67, 80-87
Computer Cart	33
Concrete Fillable Bollard	103
Construction Trolley	52-57, 178, 179
Container Ramps	188-191
Containment Bunds	163-165
Convertible Trolley	39, 47, 59
Conveyors	146, 147
Counter Balance Drum Stacker / Rotator	159
Court Trolley	35, 60
Crane Hook	140, 141
Crane Jib	141
Crane Spreader Beam	139
Crate Dollies	51, 88
Crates - Plastic	88-91, 93
Crowd Control Barriers	104-107
Cupboards	66, 68-73, 77-79
Cylinder Cages	166-169
Cylinder Trolley	61, 168

**D**

Dangerous Goods Cabinet	164, 165, 169-171
Decanting Cradle	148
Deluxe Drum Cradle	148
Dispensing Faucet	162
Dollies - Crate	51, 88
Dollies - Drum	152
Double Scissor Lift Trolleys	111, 112, 114, 115, 117
Double Tub Trolley	35-37
Double Width Storage Cage	95
Drawer Cabinet	64, 65, 68-74, 77-81
Drawer Trolley	32, 33, 64, 65, 69
Drop Bottom Bins	180, 181
Drum Bundling Pallets	163
Drum Carrier / Rotator	148-161, 182
Drum Cradle	148
Drum Dispensing	148, 149, 154, 155, 157, 159-162, 182
Drum Dollies	152
Drum Dumper	157, 182
Drum Grab	153, 155-157
Drum Handling Fork Attachment	153-157
Drum Lifter	148-161
Drum Lifter With Scales	151, 161
Drum Palletiser	148, 151, 155, 158, 159
Drum Positioner	157
Drum Prong	157
Drum Pump	162
Drum Rotator	149, 154, 155, 157, 159-161, 182
Drum Sling Lifter	153
Drum Spill Containment	163-165
Drum Stacker	151, 159
Drum Storage	163-165
Drum Taps	162
Drum Tipper	148, 149, 154, 155, 157, 159-161, 182
Drum Tongs	153
Drum Trolley	148-152, 155, 158-161
Dump Truck - Powered	15

**E**

Electric Conveyor	147
Electric Drum Lifter / Rotator	159, 161
Electric Fork Stacker	124-126, 130
Electric Lift Stacker	

	112, 116, 117, 124-126, 130, 137, 159, 161, 176, 177
Electric Lift Trolleys	112, 116, 117, 124-126
Electric Pallet Truck	131, 137
Electric Power Drive Stacker	130
Electric Scissor Lift Table	118, 119, 123
Electric Scissor Lift Trolley	112, 116, 117, 137

Electric Work Positioner	118, 119, 123-126, 130, 137
End Protectors for Pallet Racking	100-105
Enviro Crates	88
Ergo Tred Matting	109
Equipment Skates	62, 63
Event Control Barriers	106, 107
Exchange Linen Trolley	47
Executive Service Cart	24, 30, 31
Expanding Barriers	106, 107
Expanding Conveyors	146, 147
Export Pallets	92
Extension Fork Slippers	138
EZ Loader Pallet Positioner	120, 121

**F**

Faucets - Drum	162
Fence - Expanding	106, 107
Fence - Pedestrian	102-107
Fibreglass Ladders	187
File Trolley	23, 24, 27, 35-37, 39, 43, 60
Fischer Bins	67, 81-85, 90
Fixed Bollards	102, 103
Flammable Storage - Aerosol Cans	170, 171
Flammable Storage - Gas Cylinders	166-169
Flammable Storage - Liquids	164, 165
Flexible Barriers	106, 107
Flexible Conveyor	146, 147
Floor Pallet Scales	145
Floor Sweeper	108
Folding Cart	26, 27, 35, 178
Folding Handle Trolley	8, 9, 13, 35, 59, 60
Folding Lifting Platform Trolley	61, 128
Folding Trolleys	8, 9, 13, 35, 59, 60
Food Grade Crates	89-91, 93
Foot Pedal Lid Lifting Wheelie Bins	172
Foot Stools	186
Forklift - Electric	130
Forklift - Manual	129
Forklift Attachment - Bin Tipper	173
Forklift Attachment - Lifting Jibs	142, 143
Forklift Attachment - Roll Prongs	139
Forklift Attachment - Safety Cage	192
Forklift Attachment - Slippers	138
Forklift Attachment - Spreader	139
Forklift Attachment - Steel Bins	56, 180-185
Forklift Attachments - Drum Handling	153-157, 182
Forklift Bins	56, 180-185
Forklift Drum Grab	153, 155-157
Forklift Drum Rotator	154, 157, 182
Forklift Drum Tipper	157, 182
Forklift Gas Storage Cage	166-169
Forklift Ramps	188-191
Forklift Tine Hook	153
Forklift Safety Cage	192
Forklift Waste Bin	56, 180-185
Forklift Wheelie Bin Tipper	173
Fork / Platform Trolley	61, 128
Fork Slippers	138
Fork Spreader Beam	139
Fork Stacker - Electric	124-126, 130
Fork Stacker - Manual	126-129
Full Height Cupboards	70-73
Furniture Dolly / Mover	51-55, 58
Furniture Hand Trucks	58, 59, 61



**G**

Galvanised Pallet Trucks .....134  
 Galvanised Scissor Lift Trolley .....115  
 Garbage Bins .....172-175  
 Gas Cylinder Rack .....168  
 Gas Cylinder Storage .....166-169  
 Gas Cylinder Trolleys .....61, 168  
 Geared Drum Lifter .....154, 155, 160  
 Genie Lift (Similar) .....127  
 Goods Cages .....94-97, 166-168  
 Goods Trolleys .....44-50  
 Gravity Conveyor .....146, 147  
 Guard Rail Fencing .....104, 105

**H**

Half Height Cupboard .....68-71  
 Hand Trucks / Trolleys .....58-61  
 Hand Truck - Aluminium .....59-61  
 Hand Truck - Stair Climber .....58  
 Hardware Trolley .....13, 23, 29, 52-55  
 Harness .....192  
 Hazardous Material Storage .....164, 165, 169-171  
 Healthcare Storage Bins .....65, 67, 80-91  
 Healthcare Trolleys .....14, 15, 20-22, 26, 27, 30, 31, 35, 47, 56, 57, 178, 179  
 Hi-Lift Pallet Truck .....137  
 High Density Drawer Cabinets .....64, 65, 68-74, 77-81  
 High Flow Drum Pump .....162  
 Hook - Pallet .....140, 141  
 Hook Drum Lifter .....153  
 Hooks For Pegboard .....86  
 Hook and Tow Jib .....143  
 Hospital Storage Bins .....65, 67, 80-91  
 Hospital Trolleys .....14, 15, 20-22, 26, 27, 30, 31, 35, 47, 56, 57, 178, 179  
 Hospitality Trolleys .....20-22, 24, 26, 27, 30, 31, 35, 47, 56-58, 61, 178, 179  
 Housekeeping Cart .....20-22, 24, 26, 27, 30, 31, 34, 35, 178  
 Hydraulic - Jack .....144  
 Hydraulic Drum Truck .....152  
 Hygiene Pallet .....92

**I**

IBC Tilting Stand .....163  
 Industrial Drawer Unit .....64, 65, 68-74, 76-81  
 Industrial Storage Cabinets .....66, 68-74, 77-81  
 Industrial Hand Trucks .....58-61  
 Industrial Workbenches .....68, 69, 76-79  
 Instrument Trolley .....22

**J**

Jack - Hydraulic .....144  
 Janitors Carts .....20-22, 24, 26, 27, 30, 31, 34, 35, 56, 57, 178, 179  
 Jib - Crane .....141  
 Jib - Forklift Attachment .....142, 143

**K**

Keg Trolley .....61

**L**

Ladder Trolley .....28, 29  
 Ladder - Fibreglass .....187  
 Laundry Trolley .....24, 26, 27, 35, 38, 40, 42, 43, 47, 56, 178  
 Legal File Trolley .....35, 60  
 Library Trolleys .....23, 24, 35  
 Lid Lifting Bin .....172  
 Lift Assist Device .....127  
 Lifters - Genie .....127  
 Lifting Equipment .....110-144  
 Lifting Slings .....153  
 Lift Stacker - Electric .....124-126, 130  
 Lift Stacker - Manual .....126-129  
 Lift Tables .....118-123  
 Lift Trolleys .....23, 61, 110-117, 124-128  
 Linen Trolleys .....24, 26, 27, 35, 38, 40, 42, 43, 47, 56, 178  
 Load Skates / Rollers .....62, 63  
 Lockable Storage Cage .....166-171  
 Lockable Trolleys .....26, 30, 40, 42, 46, 48-50, 64, 66, 69  
 Longspan Bin Rack .....90  
 Longspan Packing Bench .....76  
 Longspan Shelving .....90, 98, 99  
 Louvre Panels .....66, 67, 78, 79, 86, 87  
 Louvre Panel / Pegboard Trolley .....32, 33, 64-67, 69  
 Louvre Panel Bins .....67, 82, 84-87  
 Low Profile Pallet Truck .....132, 133  
 Low Profile Scissor Lift Table .....118, 119  
 LPG Cylinder Storage .....166-169

**M**

Machine Guarding .....102-105  
 Mail Trolleys .....23, 24, 27, 35-37, 43, 60  
 Maintenance Trolleys .....32, 33, 64-67, 69  
 Man Cage - Forklift .....192  
 Manual Fork Stacker .....126-129  
 Matting - Anti-Fatigue .....109  
 Meat Crate / Tubs .....89-91, 93  
 Medical Storage Bins .....65, 67, 80-91  
 Medical Trolleys .....14, 15, 20-22, 23, 27, 30, 31, 35, 47, 56, 57  
 Mega Bins .....93  
 Mesh Cages .....94, 95, 97, 166-168  
 Mesh-Pak Storage Bins .....84  
 Mesh Decks for Pallet Racking .....101  
 Mesh Drop Bottom Bin .....181  
 Mesh Trolley .....23, 24, 26, 38-47, 49, 50, 60  
 Metal Bollard .....102, 103  
 Metal Louvre Panel / Pegboard .....32, 33, 64, 66-69, 78, 79, 86, 87  
 Metal Step Stool .....186  
 Microbins (Similar) .....67, 82-87  
 Mobile Ladders .....187  
 Mobile Tool Trolleys .....32, 33, 64-67, 69  
 Mobile Workbenches .....32, 33, 64, 65, 69, 76-79  
 Mobile Work Positioner .....23, 61, 110-117, 124-130, 137  
 Multi-Deck Trolleys .....16-24, 28-35, 39, 43, 64  
 Multi-Tip Bin Tipper .....176, 177  
 Multistaka Crates .....91

**N**

Nally Bins .....88-91, 93  
 Nesting Crates / Bins .....88-90  
 Nesting Trolleys .....13, 23, 44, 45, 48-50  
 No. 4, 4D, 7, 10, 15 Bins .....88-90  
 Nylon Skate Conveyor .....147

**O**

Office Trolley .....8, 9, 24, 27, 30, 33, 35, 43, 58, 60  
 Orbitwrap Wrapping Machine .....75  
 Order Picking Ladder .....186, 187  
 Order Picking Trolley .....19, 23, 24, 28, 29, 34-37, 41  
 Otto Bins .....172, 173  
 Oxygen Bottle Trolleys .....61, 168

**P**

Packing Bench	76-79
Paint Storage Cabinets	164, 165, 170, 171
Pallecon Tilter	163
Palift (Similar)	118-123
Pallet - Plastic	92
Pallet Bin	93
Pallet Cages	94-97, 166
Pallet Elevator	118-123, 129-137
Pallet EZ Loader	120, 121, 129, 130, 137
Pallet Hooks	140, 141
Pallet Jack	131-137
Pallet Loading Trolley - For Drums	148, 151, 155, 158
Pallet Positioners	118-123, 129, 130, 137
Pallet Racking Mesh Decks	101
Pallet Racking Protectors	100-105
Pallet Rotator	75, 120-123, 144
Pallet Scales	145
Pallet Tables	118-123
Pallet Tilter	163
Pallet Truck	131-137
Pallet Truck - Electric	131, 137
Pallet Truck - Hi-Lift	137
Pallet Truck - With Scales	135
Pallet Turntable	75, 120-123, 144
Pallet Wrapper	75
Palring	144
Panel Cart	52-55
Parcel Scales	145
Parrot Beak Drum Lifter	150, 151, 156, 158, 160, 161
Parts Bin Trolley	65-67
Parts Cabinets	64, 65, 68-74, 76-81
Parts Trays / Boxes	65, 67, 80-87
Pedestrian Control	102-107
Pegboard	32, 33, 64, 66-69, 78, 79, 86, 87
Pegboard Accessories	86
Pegboard Trolleys	32, 33, 64-67, 69
Picking Trolley	19, 23, 24, 28, 29, 34-37, 41
Plastic Bins	65, 67, 80-85, 88-91, 93, 172-175
Plastic Bin Racks	80, 81, 90
Plastic Bin Trolleys	24, 27, 35-37, 56, 57, 65, 67
Plastic Crates	88-91
Plastic Crate Dollies	51, 88
Plastic Drum Carrier / Rotator	149-161
Plastic Drum Palletiser	151, 155, 158, 159
Plastic Drum Tap	162
Plastic Drum Trolley	149-152, 155, 158, 160, 161
Plastic Louvre Panel	87
Plastic Mega Bins	93
Plastic Pallets	92
Plastic Pallet Bins	93
Plastic Parts Trays	65, 67, 80-87
Plastic Storage Bins	65, 67, 80-91, 93
Plastic Step Stools	186
Plastic Trolleys	13, 26, 30-35
Plastic Waste Bins	172-175
Platform Ladders	186, 187
Platform Scales	145
Platform Stacker	61, 124-128
Platform Trolley - Stainless Steel	11
Platform Trolleys	8-15, 38, 51
Pneumatic Scissor Lift Tables	120, 121
Poly Pallet	92
Portable Barriers	106, 107
Post Bollards	102, 103, 107
Post / Rail Barriers	104, 105
Powered Conveyor	147
Powered Drive Electric Stacker	130
Powered Dump Truck	15
Powered Scissor Lift Table	118, 119, 123
Powered Scissor Lift Trolley	112, 116, 117, 137
Powered Trolley	14, 15
Pressure Pack Storage	170, 171

Produce Crates / Bins	89-91, 93
Pull Cord Forklift Wheelie Bin Tipper	173

**R**

Racking - Longspan	90, 98, 99
Racking - Workbench	76
Racking Protectors	100-105
Rain Cover - Court File Trolley	60
Ramps - Container	188-191
Recycled Plastic Crate	88
Reel Handlers	124, 139
Retail Trolley	13, 23, 24, 29, 35-37, 51
Retractable Barriers	106, 107
Roll Cage Trolley	45-50
Roll Prong / Handler	124, 139
Rolled Upright Shelving	80, 81
Roller Conveyor	146, 147
Roller Load Skates	62, 63
Rolling Ladder	187
Rolling Step Stool	186
Rollover Waste Bin	183
Rotary Drum Pump	162
Rotator Ring	144
Rough Terrain Pallet Truck	136
Rough Terrain Scissor Lift Trolley	111
Rough Terrain Trolley	12, 15, 24
Round Plastic Waste Bin	174, 175
Rubbish Bin	172-175
Rubbish Carts	24, 26, 27, 55-57, 178, 179

**S**

Safepour Decanting Cradle	148
Safety Barriers	100-107
Safety Bollards	102, 103, 107
Safety Cabinet	164, 165, 169-171
Safety Cage	192
Safety Guard Rail Fencing	104, 105
Safety Harness	192
Safety Matting	109
Safety Steps	186, 187
Scales	145
Scissor Lift Table	118-123
Scissor Lift Trolley	110-117, 137
Scooter Trolley	41
Scrap Bin	55-57, 178, 179, 182, 183
Security Trolleys	26, 30, 40, 42, 46, 48-50, 64, 66, 69
Self Dumping Tipping Bins	56, 182-185
Self Levelling Trolley	23
Self Levelling Table	120-122
Self Propelled Trolley	14, 15, 116, 117
Semi Auto Fork Stacker	130
Service Carts	24, 27, 30, 31
Shadow Board	32, 33, 64, 66-69, 78, 79, 86, 87
Shadow Board Trolleys	32, 33, 64-67, 69
Shelf Trolley	16-24, 28-35, 39, 43, 64
Shelving - Access Bins	80, 81, 90
Shelving - Longspan	90, 98, 99
Shelving - Steel	80, 81
Shifting Load Skates	62, 63
Shipping Scales	145
Shopping Trolley	13, 23, 24, 29, 35
Side Shift Drum Palletiser	158
Single Scissor Lift Trolley	110-116, 137
Skates	62, 63
Skate Conveyor	146, 147
Skip Bins	56, 182-185
Slings - Lifting	153
Slippers - Forklift	138
Sloping Shelf Trolley	47, 48

Small Parts Bins	65, 67, 80-87
Small Parts Cabinet	64, 65, 68-74, 76-81
Soiled Linen Trolleys	24, 26, 27, 35, 38, 40, 42, 43, 47, 56, 178
Solicitors Trolley	35, 60
Spare Part Trays	65, 67, 80-87
Spill Pallet for Drums	163
Spray Can Storage	170, 171
Spreader - Forklift Attachment	139
Spring Scissor Lift Trolley	115
Spring Loaded Pallet Positioner	122
Spring Loaded Tilting Stand	163
Square Hole Board	32, 33, 64, 66-69, 78, 79, 86, 87
Stackable Fork Bins	93
Stackable Storage Cage	94-97
Stack & Hang Bins	67, 82, 84-87
Stack & Nest Crates	88-90
Stainless Steel Instrument Trolleys	22
Stainless Steel Pallet Trucks	134, 135
Stainless Steel Scissor Lift Trolley	114
Stainless Steel Trolleys	11, 20-22
Stainless Steel Work Positioner	114, 125
Stair Climbing Hand Truck	58
Steel Bollards	102, 103
Steel Drum Carrier / Rotator	148-161, 182
Steel Drum Palletiser	148, 151, 155, 158, 159
Steel Drum Trolley	148-152, 155, 158-161
Steel Shelving	80, 81
Step Ladder	186, 187
Step Ladder Trolley	28, 29
Step Stools	186
Stillage Cages	94-97
Stock Trolleys	13
Stool - Foot / Step	186
Storage - Dangerous Goods	164-171
Storage Bins - Plastic	65, 67, 80-91, 93
Storage Cabinets / Cupboards	66, 68-74, 77-81
Storage Cages - Mesh	94, 95, 97, 166-168
Storage for Drums	163-165
Stor-Pak Bins	67, 82, 84, 86, 87
Stand - Cabinet	70, 71
Stand - Tilting	163
Steel Waste Bin	56, 180-185
Steel Waste Trolley	55, 178
Straddle Leg Stacker	129, 130
Straight Bollards	102, 103, 107
Stretch Wrapping Machine	75
Swarf Bin	56, 182
Sweeper	108

**T**

Table Lifters	118-123
Tanko Cabinet	65, 68, 80
Taps - Drum	162
Tier Trolleys	16-24, 28-35, 39, 43, 64
Tier Trolleys - Stainless Steel	20-22
Tilting Jibs	143
Tilt Trucks	57, 179
Tilting Stand	163
Timber Deck Trolley	12, 13
Tine Extensions	138
Tippers For Bins	173, 176, 177
Tool Board	32, 33, 64, 66-69, 78, 79, 86, 87
Tool Board Trolleys	32, 33, 64-67, 69
Tool Cabinets / Workstations	64-66, 68-74, 77-81
Tool Holders	86
Tool Trolleys	32, 33, 64-67, 69
Transport Cages	94-97, 166
Trays - Small Parts	65, 67, 80-87
Trolley - Aluminium	10, 35, 59-61
Trolley - Basket	19, 23, 24, 26, 27, 35, 40, 41, 43
Trolley - Cage	14, 15, 24, 26, 38-50
Trolley - Cleaning	35
Trolley - Court	35, 60
Trolley - Cylinder	61, 168
Trolley - Drum Handling	148-152, 155, 158-161
Trolley - Folding	8, 9, 13, 35, 59, 60
Trolley - Hand Truck	58-61
Trolley - Keg	61
Trolley - Lifting	23, 61, 110-117, 124-128
Trolley - Linen	24, 26, 27, 35, 38, 40, 42, 43, 47, 56, 178
Trolley - Office	8, 9, 24, 27, 30, 33, 35, 43, 58, 60
Trolley - Panel Cart	52-55
Trolley - Plastic Bin	24, 27, 35-37, 56, 57, 65-67
Trolley - Platform	8-15, 38, 51
Trolley - Scissor Lift	110-117, 137
Trolley - Shopping	13, 23, 24, 29, 35
Trolley - Stainless Steel	11, 20-22
Trolley - Wire Mesh	23, 24, 26, 38-47, 49, 50, 60
Trolley - With Clipboard / Writing Shelf	28, 29, 34, 36, 37, 41
Trolley - With Doors	30, 44-46, 48-50, 66
Trolley - With Folding Side / Lid	26, 38-43, 49, 50
Trolley - With Pneumatic / Flat Free Wheels	9, 10, 12, 14, 15, 24, 38, 44, 45, 55, 58-61, 178
Trolley - With Removable Side	12, 14, 15, 38, 39, 41, 47
Truck Unloading Ramp	191
T-Top Bollards	107
Tub Trolley	24, 27, 35-37, 56, 57, 65, 67
Turntable - Pallet	75, 120-123, 144
Turntable - Wrapping	75

**U**

U Bar Bollards	102
Under Bench Storage	64, 65, 70, 71, 76-80
Utility Cart	30-35

**V**

Vacuum Cleaners	108
Vehicle Safety Barriers	100-107

Vented Bins	84, 93
Visi-Pak Bins	85

**W**

Wagon Platform Truck	12
Walk-Behind Electric Pallet Truck	131
Warehouse Ladders	186, 187
Warehouse Packing Bench	76-79
Warehouse Trolleys	8-20, 24, 28, 29, 34-50, 55-60
Waste Bin - Plastic	172-175
Waste Bin - Steel	55, 56, 178, 180-185
Waste Bin / Cart	24, 26, 27, 55-57, 178, 179
Waste Drum Tipper	157, 182
Waste Tipping Bin	56, 57, 179-185
Waste Trolley	55-57, 178, 179, 182
Weighing Equipment	135, 145, 151, 161
Wet & Dry Vacuum Cleaners	108
Wheel Conveyor	146, 147
Wheelie Bins	172, 173
Wheelie Bin Tippers	173, 176, 177
Wire Basket Trolleys	23, 24, 26, 27, 35, 40, 41, 43
Wire Cages	94, 95, 97, 166-168
Wire Mesh Decks	101
Wire Mesh Trolley	23, 24, 26, 38-47, 49, 50, 60
Work Platforms	192
Work Positioner	23, 61, 110-130, 137
Workbenches	68, 69, 76-79
Workshop Cabinets	66, 68-74, 77-81
Workshop Matting	109
Workshop Trolleys	32, 33, 64-67, 69
Workstation	32, 33, 64-66, 68-69
Wrapping Machine	75

**X**

X-Cart	35
X Shape Cart	26, 27, 35, 178

**Y**

Yard Ramp	191
-----------	-----





## ACCOUNT APPLICATION FORM

*Please Note: Accounts only available for government departments and large corporations*

Verdex Equipment Pty Ltd  
ABN: 66 640 439 149  
Warehouse Address: 90 Hollinsworth Road,  
Marsden Park NSW 2765  
Postal Address: PO Box 4052,  
Carlingford North NSW 2118  
Tel: (02) 8866 4600  
Fax: (02) 8866 4620  
Email: sales@verdex.com.au  
Bank: Westpac  
BSB No: 032-080  
Account No: 432546

### PLEASE COMPLETE FORM IN FULL

COMPANY NAME			
HEAD OFFICE ADDRESS			
ABN NUMBER		HEAD OFFICE TELEPHONE NUMBER	
NO. OF PEOPLE EMPLOYED		YEAR BUSINESS COMMENCED	
TYPE OF BUSINESS			
CREDIT LIMIT REQUIRED		ESTIMATED MONTHLY PURCHASES	

#### Account Contact Details

ACCOUNTS EMAIL ADDRESS	
ACCOUNTS CONTACT PERSON	
ACCOUNTS PHONE	
POSTAL ADDRESS	

#### Primary Contact Person

EMAIL ADDRESS			
CONTACT NAME			
PHONE		MOBILE	
POSTAL ADDRESS			
DELIVERY ADDRESS			

#### Alternative Contact Person

EMAIL ADDRESS			
CONTACT NAME			
PHONE		MOBILE	
POSTAL ADDRESS			
DELIVERY ADDRESS			

#### Trade References (please supply 3 references)

COMPANY NAME		CONTACT NAME	
EMAIL		PHONE	
COMPANY NAME		CONTACT NAME	
EMAIL		PHONE	
COMPANY NAME		CONTACT NAME	
EMAIL		PHONE	

#### ACKNOWLEDGEMENT

I, (Print Name) ..... acknowledge that the above information is true and correct.

SIGN HERE ..... POSITION HELD WITHIN THE BUSINESS .....

DATED ON BEHALF OF THE CUSTOMER .....

**IN APPLYING FOR CREDIT, I AGREE ON MY/THE CUSTOMERS BEHALF, TO VERDEX EQUIPMENTS TERMS AND CONDITIONS ON PAGE 193**

# VERDEX

Equipment Pty Ltd

ABN: 66 640 439 149

---



Warehouse Address:  
90 Hollinsworth Road, Marsden Park NSW 2765



Postal Address:  
PO Box 4052, Carlingford North NSW 2118



Tel: (02) 8866 4600



Email: [sales@verdex.com.au](mailto:sales@verdex.com.au)



Website: [www.verdex.com.au](http://www.verdex.com.au)

**SCAN QR CODE  
TO ORDER ONLINE**

